

Restaurant & Store Equipment Co.

230 West 700 South, Salt Lake City, UT 84101 (801) 364-1981 (800) 877-0087 Fax (801) 355-2029

10/11/2022

Quote

Project: Sommet Blanc

Park City, UT

From: Restaurant & Store Equipment

Company

Josh Steenblik

230 West 700 South

Salt Lake City, UT 84101-2714

josh@rescoslc.com office: (801)364-1981 Cell: 801-867-8170

Job Reference Number: 05225557

Item	Qty	Description	Net	Net Total
00		***** RESTAURANT *****		
1	1 ea	WALK IN COOLER, MODULAR, REMOTE	\$7,383.96	\$7,383.96
		Kolpak		
		COOLER: 8'-0" W x 9'-0" D x 8'-6"H		
			Extended Total:	\$7,383.96
1.1	1 ea	REFRIGERATION COIL		<included in<="" td=""></included>
				item #1>
		Kolpak		
		Walk-In Cooler Refrigeration Coil (Evaporator)		
1.2	1 ea	REMOTE CONDENSER UNIT		<included in<="" td=""></included>
				item #1>
		Kolpak		
		Remote Condensing Unit for Walk-In Cooler		
1.3	1 lt	TRIM PANELS		<included in<="" td=""></included>
				item #1>
		Kolpak Packed 1 lt		
		Side trim to walls.		

Item	Qty	Description	Net	Net Total
2-3	6 ea	WALK-IN SHELVING	\$177.93	\$1,067.58
		Centaur		
		wire shelving, 4-tier, green epoxy finish, 74" high post with adjustable foot.		
	4 ea	60124482 Centaur®K Series Shelving, wire, 48"W x 24"D, green epoxy, NSF		
	8 ea	60124422 Centaur®K Series Shelving, wire, 42"W x 24"D, green epoxy, NSF		
	12 ea	60124362 Centaur®K Series Shelving, wire, 36"W x 24"D, green epoxy, NSF		
	14 ea	601742 Centaur® Stationary Post, 74-5/8"H, with leveling bolt & cap, green epoxy		
	40 ea	Centaur® "S" Hook, two required for each storage level		
		Extende	ed Total:	\$1,067.58
4-5		SPARE NO.		Spare
6	1 ea	MOP SINK CABINET	\$3,946.00	\$3,946.00
		John Boos		
		Janitor Cabinet, 25"W x 22-1/2"D x 84"H overall size, enclosed cabinet		
	*	with open back for plumbing, (2) lockable louvered swing doors,		
		includes: 20" x 16" x 12" deep mop sink with drain, overhead shelf,		
		rear-mounted mop holder with (2) locking cams, service faucet with		
		vacuum breaker and 120" hose, 18/300 stainless steel, NSF (Available		
		in Effingham and Nevada)	J = l	ć2 04C 00
			ed Total:	\$3,946.00
6	1 ea	MOP SINK CABINET	\$3,881.57	<alternate></alternate>
	1881 1881	Advance Tabco		
-		Cabinet with Mop Sink, 25-3/16"W x 22-3/4"D x 84"H, mop sink base		
-		with drain (bowl 16" x 20" x 12"), left hinged door, (2) mop holders, (1) fixed intermediate shelf, slotted side panels for ventilation, 16/304		
-		series stainless steel sink bowl, 18/304 series stainless steel sink bowl		
		apron, 18/430 series stainless steel cabinet, NSF (right hinged door		
		available on request)		
		Extended Total: <alt< td=""><td>ernate></td><td>\$3,881.57</td></alt<>	ernate>	\$3,881.57
6.1	1 ea	SERVICE FAUCET	\$281.04	\$281.04
	A	T&S Brass		·
		Service Sink Faucet, 8" centers, 2-3/8" clearance from wall to center		
		line of faucet, 9-7/8" from wall to center of outlet, polished chrome-		
X		plated finish, 6" wrist action handle, vacuum breaker nozzle with 3/4"		
		garden hose thread & pail hook, 00JJ stops		
	1 ea	6" wrist action handle, standard		
		Extende	ed Total:	\$281.04

Item	Qty	Description	Net	Net Total
7-8	2 ea	Centaur Wire shelving, chrome finish, 5-tier, with 86" high posts, with	\$211.38	\$422.75
	5 ea	adjustable feet. 60124481 Centaur® Shelving C Series Shelving, wire, 48"W x 24 chrome plated finish, NSF	"D,	
	5 ea	Centaur® Shelving C Series Shelving, wire, 72"W x 14"D, chrom finish, NSF	e plated	
	6 ea	601861 Centaur® Stationary Post, 86-5/8"H, with leveling bolt 8 chrome	k cap,	
	10 ea	Centaur® "S" Hook, two required for each storage level		
			Extended Total:	\$422.75
9-10		SPARE NO.		Spare
11	1 ea	CONDENSATE HOOD	\$1,434.98	\$1,434.98
		Captive-Aire		
		7ft 0" Long Condensate Hood, w/ Full Perimeter Gutter		
		- 430 SS - 100% Application		
		- EXHAUST RISER - Factory installed		44 40 4 00
			Extended Total:	\$1,434.98
11.1	1 ea	EXHAUST FAN	\$1,241.51	\$1,241.51
		Captive-Aire		
		Direct Drive Square Inline Fan with 11.75" Centrifugal Wheel. Exhaust Fan handles 1050 CFM @ -0.500" wc ESP, Fan runs at 17	16 DDM	
		Exhaust Motor: 0.500 HP, 1 Phs, 115 V, 60Hz, 6.3 FLA, TEAO-ECM		
		Enclosed Air Over Electronically Commutated Motor)	Titotany	
		- SIF11 Standard 12" Duct Inlet Connection.		
		- SIF - Horizontal Overhead Pre-Installed Mounts (Used on sizes	s 11-36).	
		- ECM Wiring Package and Manual or 0-10VDC Control for Exhau	ust EC	
		motors. RTC Controller (No harness when ordered as a part).		
		- Hanging Vibration Isolators for Square Inline Fans. Contains for	our	
		HSA125 Hanging Isolators.		
		- Side Discharge door for SIF 11. Left side from inlet. Standard 1	.2" Duct	
		Connection.		
			Extended Total:	\$1,241.51
11.2	1 lt	CLOSURE PANELS	\$450.00	\$450.00
		Custom Packed 1 lt		
		Closure panels, s/s, custom. from hood top to kitchen ceiling.		4
			Extended Total:	\$450.00
12		INCLUDED IN ITEM 13		

Item Qty Description Net **Net Total** 13 1 ea **SOILED DISHTABLE** \$8,035.76 \$8,035.76 Advance Tabco Dishtable, soiled, u-shaped, attaches to right of dish machine operator, 59" x 108" x 71" with landing, 10-1/2"H backsplash, with prerinse sink, 16/304 stainless steel legs with crossrails front-to-back, 14/304 stainless steel, stainless steel bullet feet, Includes prerinse basket with slide bar (slide bar only when K-461 or K-461A disposer adapter is specified) 1 ea SPECIFY DISH MACHINE BRAND & MODEL,,HOBART CL44EN 1 ea SPECIAL OPENING FOR DISH MACHINE 6 ft Double Sided Slant Tubular Rack Sorting Shelf, table mounted (sold per linear foot) (minimum 4 ft), field convertible to allow racks to sit back to back (steeper angle) or one side or the other (lower angle), see spec sheet for details **FACUET AND DRAINS BY OTHERS Extended Total:** \$8,035.76 13.1 1 ea PRE-RINSE FAUCET ASSEMBLY \$348.72 \$348.72 **T&S Brass** EasyInstall Pre-Rinse Unit, spring action, wall mount, 8" c/c, 1/2" NPT male inlets, wall bracket, quarter-turn Eterna cartridges, low lead **Extended Total:** \$348.72 14 1 ea SHELVING, WALL MOUNTED \$138.00 \$138.00 Advance Tabco Shelf, wall-mounted, 48"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF

Initial:

\$138.00

Item Qty Description Net **Net Total** 15 1 ea DISHWASHER, CONVEYOR TYPE \$33,490.80 \$33,490.80 Hobart Conveyor Dishwasher, single tank, (202) racks/hour, insulated hinged doors, .62 gallon/rack, stainless steel enclosure panels, microprocessor controls with low temperature & dirty water indicators, NSF Pot & Pan mode, programable de-lime notification, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA 1 ea Electric tank heat 15kW 1 ea 30kW electric booster 1 ea Dual Point (2) service connection standard 1 ea 208v/60/3-ph 1 ea Standard height 1 ea Right to left operation 1 ea Standard feet 1 ea Water softening system 4,818 grains/lb capacity, 14 gallons \$2,960.00 <Optional> regeneration volume, salt alarm, holds 2 bags of salt, pricing DOES NOT include installation. INSTALLATION BY AUTHORIZED HOBART SERVICE OFFICE IS RECOMMENDED (NET) \$1,581.30 1 ea Drain water tempering kit for CLEN models <Optional> 1 ea Installation of DWT kit only (NET) \$650.00 <Optional> 1 ea Peg rack \$75.52 <Optional> 1 ea Combination rack \$76.82 <Optional> \$400.37 1 ea Oval tray rack <Optional> 1 ea Hotel Pan Rack, holds (2) 12" x 20" x 4" deep hotel / steam pans; fits \$434.87 <Optional> standard height openings of CLEN units \$339.17 <Optional> 1 ea Rack, 6 sheet pan 1 ea Water Shock Absorber Kit (2 required - 1 each incoming hot and cold \$132.30 <Optional> water lines) \$481.60 1 ea Table limit switch CLE-Series <Optional> NOTE: LIMITED INFORMATION PROVIDED, QUOTING BUDGET PRICING BASED ON PLAN VIEW AND EQUIPMENT SCHEDULE, PLEASE VERIFY ELECTRICAL REQUIREMENTS AND ACCESSORIES/OPTIONS REQUIRED.

\$33,490.80

				• •
Item	Qty	Description	Net	Net Total
16	1 ea	DISHTABLE, WITH POTSINKS	\$3,913.92	\$3,913.92
		Advance Tabco		
		Dishtable with 3-compartment Sink, 96"W, (3) 20" x 20" x 12" Deep		
	The last	Drawn [™] bowls, 16 gauge 304 stainless steel top, stainless steel legs &		
K.		front-to-back crossrails, attaches to left of dish machine operator,		
		stainless steel bullet feet, 16" left drainboard, bowls are located 12"		
		from machine, NSF (must verify machine to make sure the control box		
	1	does not interfere)		
		SPECIFY DISH MACHINE BRAND & MODEL,,HOBART CL44EN		
		SPECIAL OPENING FOR DISH MACHINE	6224.07	4 0 attacab
	1 ea	Upgrade dishtable with 3-compartment sink (DTC-3 series) to 14 gauge	\$331.87	<optional></optional>
	1 ea	Modification to reduce length, ,,84" LONG		
	1 ea	Side splash, integral (welded), for NSF sinks & dish tables, height matches backsplash height (specify side)		
	1 ea	Move pre-rinse sink to conform to dish machine requirements, specify		
		dish machine (see compatibility chart for more information)		
		Extende	ed Total:	\$3,913.92
17	1 ea	WALL / SPLASH MOUNT FAUCET	\$149.04	\$149.04
		T&S Brass 90901012		
		Sink Mixing Faucet, wall mount, 12" swing nozzle, 8" centers, 1/2" NPT		
		male inlets, lever handles, quarter-turn Cerama cartridges, low lead,		
		ADA Compliant		
		Extende	ed Total:	\$149.04
18	1 ea	SHELVING, WALL MOUNTED	\$155.00	\$155.00
		Advance Tabco		
		Shelf, wall-mounted, 60"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H		
V	V	rear up-turn, 18/430 satin finish stainless steel, NSF		
				4
			ed Total:	\$155.00
19	1 ea	WIRE SHELVING	\$193.76	\$193.76
		Centaur		
		Wire shelving, 4-tier, chrome finish, 74" high post with adjustable		
	4	foot.		
	4 ea	60124601 Centaur® Shelving C Series Shelving, wire, 60"W x 24"D, chrome plated finish, NSF		
	4 ea	601741 Centaur® Stationary Post, 74-5/8"H, with leveling bolt & cap, chrome		
			ed Total:	\$193.76

Item Qty Description Net **Net Total** 20 1 ea ICE MAKER, CUBE-STYLE \$3,988.07 \$3,988.07 Manitowoc 606324 Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-contained condenser, 22"W x 24-1/2"D x 21-1/2"H, production capacity up to 460 lb/24 hours at 70°/50° (375 lb AHRI certified at 90°/70°), easyTouch display with 13 different language options, date/time stamp display, automatic reminder/alert icon, one touch asset information, automatic detection of accessories, continuous operating status, programmable production options (time, weight, day or night), one touch cleaning with displayed instructions, Alpha-San anti-microbial protection, acoustical ice sensing probe, self-diagnostic technology, DuraTech™ exterior, half-dice size cubes, R410A refrigerant, NSF, cULus, CE, ENERGY STAR® 1 ea 3 year parts & labor (Machine), 5 year parts & labor (Evaporator), 5 year parts & 3 years labor (Compressor), standard 1 ea (-161) 115v/60/1-ph, 11.3 amps 1 ea Ice Bin, 22"W, 34"D x 50"H, with side-hinged front-opening door, side grips, 383 lbs. application capacity, AHRI certified 12.9 cu. ft., for topmounted ice maker, Duratech exterior, NSF 1 ea 3 year parts & labor warranty, standard 1 ea Legs, 6" adjustable stainless steel, standard 1 ea Surcharge 5% \$199.40 \$199.40 **Extended Total:** \$4,187.47 20.1 \$165.04 \$165.04 1 ea WATER FILTRATION SYSTEM, PARTS & ACCESSORIES Everpure Single BB Prefilter, Single BB Prefilter, (1) Single BB prefilter, (1) outlet pressure gauge, 5.0 gpm, 3/4" inlet, 3/4" outlet (EV910031) \$11.55 1 ea Energy/Transportation Surcharge 7% \$11.55 **Extended Total:** \$176.59

21-24

SPARE NO.

Spare

\$32,508.70

\$32,508.70

Item Qty Description Net Net Total

1 ea BLAST CHILLER FREEZER, REACH-IN



25

Irinox North America

MultiFresh® NEXT LL Blast Chiller/Shock Freezer, Stocked in the USA -This multi-function configuration includes 13 dedicated functions: Blast Chilling, Shock Freezing, Cold Holding, Frozen Holding, Thawing, Proofing, Regenerating, Chocolate Melting, Pasteurization, Dehydrating, Low-Temperature Cooking and Automatic Chilling, Freezing, Hot Holding (Cook & Hold) and others. Reach-in: capacity -(14) 18" x 26" sheet pans, (28) 12" x 20" x 2.5" steam table pans (Table & Sheet Pans NOT included) This performance guarantees a yield capacity of 154 lbs in cooling and freezing with a very low level of noise emissions, thanks to the use of both electronic 5-speed evaporator fans (EC) which manage temperatures from -31°F to +185° F, and to the variable speed "EC" electronic condenser fans. Climate class 4 (86°F ambient). Rapid Blast Chill capacity yield of 154 lbs. from finished cooked temperature 194°F to 37°F in approximately 90 minutes & Rapid Shock Freeze capacity yield of 154 lbs. from finished cooked temperature 194°F to 0°F in approximately 4 hours. Tests carried out in compliance with IRINOX procedures using 2" thick food products. USB HACCP data transfer, automatic cold/frozen holding, door hinged left (Standed), touch pad controls, temperature probe, automatic SANIGEN® sanitation system, self-contained air-cooled condensing unit, (6) stainless steel wire shelves, stainless steel adjustable legs, 304 stainless steel internal and external material, Unit comes with cord no plug, suggested plug is a L15-30P NEMA. R290 Propane Refrigerant, ETL Certified (compliant to UL 471 Electrical Safety Standards) & ETL EPH Certified (compliant to NSF-7 sanitation standards)

- 1 ea (2) year parts and labor warranty, standard
- 1 ea (5) year compressor warranty, standard
- 1 ea 208v/60/3-ph, standard
- 1 ea A: Self-contained, air-cooled energy efficient condensing unit, standard
- 1 ea Standard door hanging (hinge on the left)
- 1 st Heavy duty swivel casters, (2) with lock brakes, in lieu of legs

Extended Total: \$32,508.70

Item	Qty	Description	Net	Net Total
26	1 ea	WORK TABLE, STAINLESS STEEL TOP Advance Tabco	\$1,195.81	\$1,195.81
	T	Work Table, 48"W x 30"D, 16 gauge 430 stainless steel top with 1-1/2"H rear up-turn, galvanized legs with galvanized side & rear crossrails, adjustable plastic bullet feet, NSF		
	1 ea	Modification to reduce length ,,42" LONG		
	1 ea	Drop-In hand sinks		
	1 ea	Drop-In Sink, 1-compartment, 20"W x 16"D front-to-back x 12" deep bowl, Deep Drawn™ sink bowl, includes: deck mounted 8" swing spout faucet (K-50) & basket drain, 18 gauge 304 stainless steel, NSF,,RIGHT		
		Extendo	ed Total:	\$1,195.81
27	1 ea	SHELVING, WALL MOUNTED Advance Tabco Shelf, wall-mounted, 84"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF (units 84" & longer have (3) support brackets)	\$194.00	\$194.00
		Extende	ed Total:	\$194.00
28	1 ea	VacMaster (2) pop out 19-1/2" side bars & (1) 37" front bar, 40" x 22" x 7" chamber, easy-to-use digital control panel, vacuum & seal, seal time, seal bar selection switch, gas flush option, & pressure indicator, 20-30 seconds cycle time, 3 HP oil pump, brushed stainless steel body, casters, includes filler plates, user guide, maintenance kit, (8) chamber bag clips & (100) assorted chamber pouches, 220v/60/3-ph	\$4,640.00	\$4,640.00
	1 ea	1 year warranty, standard		

\$4,640.00

Item	Qty	Description	Net	Net Total
29	1 ea	REACH-IN FREEZER	\$7,068.58	\$7,068.58
-	_	True Mfg General Foodservice 606491		
		Freezer, reach-in, two-section, -10°F, (2) stainless steel doors, (6) P	VC	
][coated adjustable wire shelves, interior lighting, stainless steel from	nt,	
		aluminum sides, aluminum interior with stainless steel floor, 4"		
		castors, R290 Hydrocarbon refrigerant, 1 HP, 115v/60/1-ph, 9.6 amps	5,	
	1	NEMA 5-15P, Made in USA, cULus, UL EPH Classified, ENERGY STAR®		
		Self-contained refrigeration standard		
	1 ea	Warranty - 7 year compressor (self-contained only), please visit		
		www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea			
	1 ea	4" stem castors, standard (adds 5" to OA height)		
		Ext	ended Total:	\$7,068.58
30	1 ea	PASS COUNTER	\$6,000.00	\$6,000.00
		Custom		
		PASS COUNTER:		
		Ext	ended Total:	\$6,000.00

				10/11/202
Item	Qty	Description	Net	Net Total
31	3 ea	DECORATIVE LAMP	\$337.00	\$1,011.00
		Hatco		
		Decorative Heat Lamp, Standard, (1) bulb type (not included), 8-1/2"H		
		x 6-1/4" diameter shade, 250 watt max, CE, cULus, UL EPH Classified,		
		Made in USA		
	1 ea	NOTE: Sale of this product must comply with Hatco's Minimum Resale		
		Price Policy; consult order acknowledgement for details		
	1 ea	NOTE: The decorative lamp & Luminaires are NOT returnable		
	3 ea	120v/60/1-ph, 250 watt (Decorative lamp only) standard		
	3 ea	Lamp Bulb, 250 Watt clear, coated		
	3 ea	MUST SPECIFY designer color selected from list of standard colors &		
		indicated on order (available at time of purchase only)		
	3 ea			
		indicated on order (available at time of purchase only)		
	3 ea	Mounting Style - Cord (specify cord color) - cord mount to canopy,		
		specify overall length from 17" to any length (available at time of		
	2 02	purchase only) Switch Location - Lower (available at time of purchase only)		
		Switch Location - Lower (available at time of purchase only) Overall Length - Up to 72" (specify exact length in whole numbers)		
	3 ea	(available at time of purchase only)		
		OR OPTION BELOW		
	3 ea	Overall Length - Greater than 72" (specify exact length in whole		
	5 ca	numbers) (available at time of purchase only)		
		**** Must specify overall length from the ceiling to the bottom of the		
		shade		
	3 ea	Black Cord, standard, (CL, CU, CT, RL mounts only) (available at time of		
		purchase only)		
	1 ea	NOTE: Includes 24/7 parts & service assistance, call 800-558-0607		
		Extended	d Total:	\$1,011.00
32	1 ea		\$323.02	\$323.02
	^	Advance Tabco		
		Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bowl,		
	No. of the second	20 gauge 304 stainless steel, with splash mounted gooseneck faucet, basket drain, wall bracket, NSF, cCSAus		
-		basket draill, wall bracket, NSF, CCSAUS		
		Extended	l Total:	ຽວວວ ຄວ
-		Extended	ม เบเสเ:	\$323.02

Spare

33-36

SPARE NO.

				10/11/202
Item	Qty	Description	Net	Net Total
37	1 ea	HAND SINK Advance Tabco Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bow 20 gauge 304 stainless steel, with splash mounted gooseneck faucet, basket drain, wall bracket, NSF, cCSAus	\$323.02 I,	\$323.02
		Exte	nded Total:	\$323.02
38	1 ea	WORK TABLE, STAINLESS STEEL TOP Advance Tabco Work Table, 84"W x 30"D, 16 gauge 430 stainless steel top with 1-1/2" rear up-turn, galvanized legs with galvanized side & rear crossrails, adjustable plastic bullet feet, NSF	\$872.41 H	\$872.41
		Exte	nded Total:	\$872.41
39	2 ea	SHELVING, WALL MOUNTED Advance Tabco Special Value Shelf, wall-mounted, 84"W x 12"D, 1-5/8" bullnose from edge, 1-1/2"H rear up-turn, 18/430 satin finish stainless steel, NSF (units 84" & longer have (3) support brackets)	\$194.00 t	\$388.00
		Exte	nded Total:	\$388.00
40		TurboChef Double Batch™ Oven, electric, ventless, countertop, stackable, (2) independent decks, store up to 800 recipes (400 per cavity), smart voltage sensor technology (North America only), internal catalytic converters, 16" pizza capacity per deck, (1) oven cleaner, (1) oven guard, (1) aluminum paddle, (2) trigger sprayers, (2) standard racks, (2 top & bottom jetplates, stainless steel front, top & sides, rubber seal for surface mounting, cULus, UL EPH Classified, TÜV, CE All items FOB: Carrollton, Texas: Consumable/accessory orders less than \$5,000 will incur a handling fee. Orders shipping standard ground will incur \$25.00 handling fee		\$16,728.60

\$16,728.60

Extended Total:

1 ea One year parts and labor warranty

plug (nominal), NEMA 6-50P, standard

1 ea (HHD-9500-1) 208/240v/60/1-ph, 50.0 amps, 8.32/9.6 kW, 6 ft. cord &

Item	Qty	Description	Net	Net Total
41	1 ea	MEGA TOP SANDWICH / SALAD PREPARATION REFRIGERATOR True Mfg General Foodservice 60672301 Mega Top Sandwich/Salad Unit, (30) 1/6 size (4"D) poly pans, (2) stainless steel insulated covers, 8-7/8"D cutting board, (3) full doors, (6) PVC coated adjustable wire shelves, stainless steel top, front & sides, aluminum back, aluminum interior with stainless steel floor, 5" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 7.2 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA	\$6,194.55	\$6,194.55
	1 ea	Self-contained refrigeration standard		
	1 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea	Castors, 5" (36" work surface height) standard		
		Extend	led Total:	\$6,194.55
42	1 ea	UNDERCOUNTER REFRIGERATOR True Mfg General Foodservice	\$4,609.61	\$4,609.61
		Undercounter Refrigerator, 33 - 38°F, (3) stainless steel doors, (6) PVC coated adjustable wire shelves, stainless steel top & sides, aluminum interior with stainless steel floor, 5" castors, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 4.0 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA		
	1 ea	Self-contained refrigeration standard		
		Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea	Castors, 5" (36" work surface height) standard		

\$4,609.61

Item Qty Description Net **Net Total** 43 1 ea REACH-IN REFRIGERATOR \$4,034.46 \$4,034.46 True Mfg. - General Foodservice 60623 Refrigerator, reach-in, one-section, (1) solid door, (3) PVC coated adjustable wire shelves, interior lighting, stainless steel door, stainless steel front, aluminum sides, clear coated aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.2 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA, ENERGY STAR® 1 ea NOTE: Commonly stocked model in right & left hinge; verify availability with factory 1 ea Self-contained refrigeration standard 1 ea Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics 1 ea Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics 1 ea Door hinged right standard 1 ea 4" stem castors, standard (adds 5" to OA height) **Extended Total:** \$4.034.46 \$56,676.94 44 1 ea TILTING SKILLET BRAISING PAN, GAS \$56,676.94 **Electrolux Professional** Touchline Tilting Pressure Braising Pan, gas, 45 gallon (170 Lt) capacity, safety thermostat, motor assisted tilt, touch control panel, USB, stainless steel construction, 120v/60/1-ph, 0.25 kW (elec), 98,948 BTU, 29.0 kW (gas), cETLus, ETL-Sanitation, IPX6 1 ea Due to cost challenges from external pressures, a temporary surcharge will be added to all Electrolux Professional orders as follows: NET orders up to \$2,500 \$75.00 surcharge - NET orders greater than \$2,501 \$200.00 surcharge This temporary surcharge will be eliminated as soon as market conditions allow 1 ea The following are included in the purchase of Electrolux Professional Heavy Equipment (excludes Food preparation Equipment) 1.) Start-up performed by an Electrolux authorized service partner 2.) Standard Warranty: 2 years parts & 1 year labor (Warranty activated upon completion of mandatory Electrolux authorized service partner start-up) 3.) Chef Training: Up to 4 hours - included with Combi Ovens, Blast Chillers, Braising Pans & Kettles 4.) Performance checks are included 3 months after mandatory Electrolux authorized service partner start-up (applies to Combi Ovens, Braising Pans, Kettles, Dishwashers, EM Cooking Appliances,

SpeeDelights)

1 ea One year labor, 2 year parts warranty

1 ea Electrolux Preferred Installation Equipment Program (form to be filled

Item Qty Description Net Net Total

out will be provided upon receipt of PO)

- 1 ea Certified Installation of Electrolux Professional Braising Pan (NET) (Must include Installation Kit)
- 1 kt Installation Kit for Electrolux Professional Gas Braising Pan (NET)
- 1 ea Site Survey, one single charge for single or multiple braising pans in the same kitchen (NET)
- 1 ea INSTALLATION INCLUDES:
 - 1. Travel within 50 miles of installer, 100 miles round trip
 - 2. Uncrating of purchased equipment
 - 3. Placement & leveling of unit
 - 4. Connection to existing utilities within 5 ft. of unit
 - 5. Installation supplies
 - 6. Factory Authorized & trained Agents throughout the install/startup process
 - 7. Start-up to ensure equipment is working properly & also initiates the warranty period

INSTALLATION DOES NOT INCLUDE:

- 1. Travel distance over 50 miles one way, over 100 round trip
- 2. Overtime labor or travel before 8am or after 5pm M-F or weekends/holidays
- 3. Delivery to end user location: unit must be within 5 ft & have clear & unobstructed path to final destination
- 4. Deliver when tooling/rigging is needed or building access is prohibitive
- 5. Removal of packing material
- 6. Removal & scrapping of old equipment
- 7. Utility upgrades and/or modifications required to meet specification of purchased equipment
- 8. Licensing & permits
- 9. If installation/startup cannot be completed by installer upon arrival due to lack of site readiness, an additional \$400 charge shall apply to reschedule

There will be an additional surcharge for installations taking place in hospitals, correctional facilities or airports. Please call for quote

- 1 ea Premium 2nd year warranty with Performance PM (NET)
- 1 ea The Premium Plan is a second year labor warranty with an included PM Visit.
 - -Second year labor warranty
 - -Included PM visit at beginning of second year
- 1 ea Gas type to be specified
- 3 ea Base Plate, for pressure braising pans & non-pressurized braising pans, (2) needed for 24 gallon units (587031, 587037, 587021, 587027) & (3) needed for 45 gallon units (587035, 587039, 587025, 587028)

\$3,823.00 < Optional >


<Optional>

Item Qty Description Net Net Total

3 ea Suspension Frame, GN1/1, for PUET/PPEN/PFEN/PUEN/PBEN models (tilting pressurized braising pans), (2) needed for 24 gallon units (587021, 587027) & (3) needed for 45 gallon units (587025, 587028)

45 1 ea FLOOR TROUGH \$2,330.79 \$2,330.79

Advance Tabco



 46
 1 ea
 COMBI OVEN, ELECTRIC
 \$39,643.40
 \$39,643.40



RATIONAL

One (1) (CC1ERRA.0000218) iCombi Pro® 6-Full Size Combi Oven on one (1) (CE1ERRA.0000221) iCombi Pro® 10-Full Size Combi Oven, double stack, electric, (16) 18" x 26" sheet pan or (32) 12" x 20" steam pan or (16) 2/1 GN pan capacity, (8) stainless steel grids included, intelligent cooking system with (4) assistants; iDensityControl, iCookingSuite, iProductionManager, & iCareSystem, (6) operating modes, (5) cooking methods, (3) manual operating modes, 85° to 572°F temperature range, quick clean, care control, eco mode, 6-point core temperature probe, retractable hand shower, Ethernet interface, Wi-Fi enabled, 208/240v/60/3-ph, 22.4/37.4 kW, CE, IPX5, UL, cULus, NSF, ENERGY STAR®

- 1 kt Combi-Duo Stacking Kit for iCombi 6-full size (electric or gas) on iCombi 6- or 10-full size (electric only)
- 1 ea Leveling Kit, with height adjustable rollers by 3/4", for use under work stations or kitchen suites, stainless steel construction, for iCombi 6-and 10-full size
- 1 ea NOTE: All discounts subject to approval by manufacturer
- 1 ea 2 years parts and labor, 5 years steam generator warranty
- 1 ea Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge
- 2 ea RCI RATIONAL Certified Installation, new certified installation for each table-top iCombi of a combi-duo, 100 miles (200 round-trip) included. (See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 1 ea Extended Travel Zones, for extra distance beyond the 100 miles(200 round-trip) that is included. THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 1 ea Pre-Installation Site Consultation, provides an installation consultation to ensure the site has proper space and connections for gas, electric, drain & water, one (1) Consultation is needed for every

Item Qty Description Net **Net Total** four (4) cooking systems, includes 100 miles (200 miles round trip). (see attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) 1 ea Extended Travel Zones, for extra distance beyond the 100 miles (200 round-trip) that is included. THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) 1 ea Two (2) Installation kits - One (1) for each iCombi is required 1 ea Installation Kit, for electric iCombi/SCC/CMP 62 (208/60/3ph & 240/60/3ph); electric iCombi/SCC/CMP 202 (480/60/3ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) 1 ea (Installation Kit, for electric iCombi/SCC/CMP 102 (208/60/3 & 240/60/3); electric iCombi/SCC/CMP 202 (440/60/3) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) 1 ea Water Filtration Double Cartridge System, for full-size Combi-Duos or if used for more than (2) units, includes: (1) double head with pressure gauge, (2) R95H filter & (1) filter installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges) 1 ea RCI RATIONAL Certified Installation, additional installation cost for a RATIONAL Water Filter System is available when purchased with Certified Installation of RATIONAL unit THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) 1 ea NOTE: The RATIONAL Water Filtration Systems helps provide consistent high quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines and chlorine while providing the required flow rates 8 ea Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stainless steel

Extended Total: \$39,643.40

47 SPARE NO. Spare

Item	Qty	Description	Net	Net Total
48	1 ea	EXHAUST HOOD Captive-Aire 13ft 0" Long Exhaust-Only Wall Canopy Hood with 18" Wide Front Perforated Supply Plenum with Built-in 3" Back Standoff - 430 SS Where Exposed - FILTER - 20" tall x 16" (19.625" by 15.625") wide Stainless Steel Captrate Solo filter with hook, - L55 Series E26 Canopy Light Fixture - High Temp Assembly, - EXHAUST RISER - Factory installed - SUPPLY RISER - with Volume Dampers - 1/2 Pint Grease Cup New Style, Flanged Slotted - LEFT END STANDOFF (FINISHED) 1" Wide 60" Long Insulated - BALANCE DAMPERS	\$13,627.86	\$13,627.86
	1 ea	13ft 0" Long Exhaust-Only Wall Canopy Hood with 18" Wide Front Perforated Supply Plenum with Built-in 3" Back Standoff - 430 SS Where Exposed - Fire Cabinet on the Right Side - FILTER - 20" tall x 16" (19.625" by 15.625") wide Stainless Steel Captrate Solo filter with hook - L55 Series E26 Canopy Light Fixture - High Temp Assembly - EXHAUST RISER - Factory installed - SUPPLY RISER - with Volume Dampers - 1/2 Pint Grease Cup New Style, Flanged Slotted - BALANCE DAMPERS - RIGHT VERTICAL END PANEL Insulated 430 SS		
		Ex	tended Total:	\$13,627.86

Item Qty Description Net **Net Total** 48.1 \$58,968.63 1 ea EXHAUST FAN \$58,968.63 Captive-Aire Exhaust Fan with 25 Inch Wheel. UL762 & ULC-S645 Listed. Size 6. Exhaust Fan handles 6240 CFM @ -3.537" wc ESP, Fan runs at 1356 RPM. Exhaust Motor: 10.000 HP, 3 Phs, 460 V, 60Hz, 12.0 FLA, TEFC, High Temp Washdown. - Inlet/Outlet Plate for KB-25/KB-25 Inline - Opposite Side Controls for KB - Full crating for exhaust fans for shipping. - PCU-HE-HEPA-OC-OC-CPFS-6 - Pollution Control Unit With Core Protection Fire System Installed. High Efficiency MERV 15 Filter Module, HEPA Module, and Dual Odor Control Modules Prepiped with 34 OL-M nozzles and includes downstream protection. Electric Fire Detector and Nozzles are included. Includes pricing for selected filters. - 90802025 Merv 15 Filter. 20 x 25 x 4. For HIGH EFFICIENCY stage of PCU module - 91802025 HEPA Filter. 20 x 25 x 4. For HEPA stage of PCU module, Includes gasketing around the perimeter of filter and faceguard back screen.. - 34-A0008192 Odor Control Filter. 20 x 25 x 4. For ODOR CONTROL stage of PCU module. 100% Carbon. AFM Code: OC CARBONL. - Full Crating for PCU Full crating for Pollution Control Units for shipping. - IHC-PCU-6-3&4+KB Indoor Hanging Cradle for Size 6 PCU with 3 or 4 modules and Blower. - PCU-Opposite Pollution Control Unit With Opposite Side Filter - PCU Advanced Ftr Monitoring-Size 6 kit PCUAFM with HMI screen, back plate with label, airlines/ quick connects/ air probes, conduit/ fittings/wiring harness - PCU CORE SLED -Size 5,6 and 7 CORE panel factory mounted on back side of PCU. CORE fire sensors factory wired and all nozzles factory piped. - PL-RBVS-1-1/2 KIT Universal ball valve supervision switch kit for 1-

- E6PCIEFDNH-IN INTAKE PLATE FOR SIZE 6 PCU WITH 58" X 46" HOLE FOR DUCT CONNECTIONS FOR USE WITH CUSTOM DUCT FITMENT OR

1/2" pipe, includes ball valve

FIELD FITMENT

Extended Total: \$58,968.63

Item	Qty	Description	Net	Net Total
48.2	1 ea	MAKE UP AIR UNIT Captive-Aire Direct Gas Fired Heated Make Up Air Unit with 20" Mixed Flow Direct Drive Fan Supply Fan handles 5148 CFM @ 0.500" wc ESP, Fan runs at 2105 RPM. Heater supplies 297875 BTUs. 70°F Temperature Rise. [Fuel: Natural Gas] Supply Motor: 7.500 HP, 3 Phase, 460 V, 60Hz, 9.6 FLA, ODP, Premium (E-Plus3) Eff. Side Discharge - Air Flow Right -> Left - Size 3 Celdek Evaporative Cooler for Size # 2 Modular Make-Up Air Heater RTC Solutions • 40-90°F Discharge Temp Control - Gas Manifold for DF2 GM - BTU 0 - 825001 - 7 in. w.c 14 in. w.c., - Gas Pressure Gauge, 0-35", 2.5" Diameter, 1/4" Thread Size - Gas Pressure Gauge, -5 to +15 Inches Wc., 2.5" Diameter, 1/4" Thread Size - Low Fire Start Ship Loose Gas Strainer Cooling Interlock Relay. 24VAC Coil. 120V Contacts Motorized Back Draft Damper - Layer Control for IBT Evap - Freeze Protection Drain Control kit for Evaporative Coolers Separate 120VAC Wiring Package for Make-Up Air Units Indoor Hanging Cradle For The Size 2 Direct Fired Unit Mount Load Reactor in Fan KDRAA4L2 - 480V 11A Line/Load reactor. PN: RM0012N25	\$9,732.23	\$9,732.23
		PIN. RIVIOUTZINZS		

\$9,732.23

Item	Qty	Description	Net	Net Total
48.3	1 ea	ELECTRICAL CONTROLS Captive-Aire Control for 1 Exhaust Fan, 1 Supply Fan, Exhaust on in Fire, Lights out in Fire, Fans modulate based on duct temperature. INVERTER DUTY 3 PHASE MOTOR REQUIRED FOR USE WITH VFD. Room temperature sensor shipped loose for field installation. Includes 2 Duct Thermostat kits. - ESV552N04TXB571 - Variable Frequency Drive - 7-1/2 HP Max., 400/480 V, Three Phase, - KDRAA4L2 - 480V 11A Line/Load reactor. Used with VFD. PN: RM0012N25 - Fan: 1 - ESV752N04TXB571 - Variable Frequency Drive - 10 HP Max., 400/480 V, Three Phase, - KDRAA5L2 - Line/Load reactor. Used with VFD. AX: A0018769 PN: RM0018N25 - Fan: 2 - SS HINGED ELECTRICAL BOX NEMA 1 - VENTED. -USED ON CONTROL PANELS WITH VFD(S). - Digital Prewire Lighting Relay Kit - PCU CORE Fire System Controls with manifold. - Thermistor CABLE - 18/2 AWG GREEN WHITE, plenum rated. USED for thermistor duct stat. - CAT-5E CABLE - 50 Foot. UV rated.	\$9,588.23	\$9,588.23
48.4	1 ea	FIRE SUPPRESSION SYSTEM Captive-Aire Tank Fire Suppression 16 gallon Fire System in Utility Cabinet (includes pre-piped hood(s) with electric detection, tank(s), 24 VDC release mechanism, fire system agent, pressurized tanks, and electric pull station). (Formerly CAS-EWC). Includes piping for hoods: 1, 2. - Tank-based Fire Protection System equipped with Electronic Detection utilizing CORE board as a Listed Release Mechanism. Installed in Hood Utility Cabinet separate from prewire. Includes 12" box housing circuit board, batteries, and terminals for connection to main control panel. - Pressure Switch - Monitors Tank Pressure, Supervised Signal, TANK FIRE SUPPRESSION - SC-EGVA2 GAS VALVE - 2" Electrical Shutoff Valve for use with HMI reset, 110V, 60Hz (#8214280). Includes upstream strainer assembly.	\$10,359.33	\$9,588.23 \$10,359.33
		NOTE: Includes Fire System Hookup Extende	ed Total:	\$10,359.33

Item	Qty	Description	Net	Net Total
48.5	1 lt	CLOSURE PANELS	\$1,250.00	\$1,250.00
		Resco Restaurant & Store Equip. Packed 1 lt		
		Closure panels, s/s, custom. from hood top to kitchen ceiling.		
		Ех	tended Total:	\$1,250.00
48.6	1 ea	WALL FLASHING	\$2,200.00	\$2,200.00
		Resco Restaurant & Store Equip.		
		Wall flashing, s/s, plain finish, below the hood and 18" on both sid from floor base to height required.	es,	
		Ex	tended Total:	\$2,200.00
49	1 ea	CHEF BASE	\$10,660.29	\$10,660.29
		True Mfg General Foodservice		
		Refrigerated Chef Base, 79-1/4"W base, 86-1/4"W one-piece 300 se	eries	
日日		18 gauge stainless steel top with V edge, (4) drawers (accommodate	tes	
		(2) 12" x 20" x 4" pans, NOT included), stainless steel front/sides,		
		aluminum back, aluminum interior with stainless steel floor, 4"		
		castors, 1/3 HP, 115v/60/1-ph, 8.8 amps, NEMA 5-15P, cULus, UL EPł Classified, CE, Made in USA	1	
	1 ea	Self-contained refrigeration standard		
	1 ea	Warranty - 5 year compressor (self-contained only), please visit		
		www.Truemfg.com for specifics		
	1 ea	Warranty - 3 year parts & labor, please visit www.Truemfg.com for		
		specifics		
	1 ea	4" Castors, standard		
		Ех	tended Total:	\$10,660.29
50	1 ea	CHARBROILER, GAS, COUNTERTOP	\$4,516.20	\$4,516.20
1	The same of the sa	Garland/US Range		
		Charbroiler, countertop, gas, 36" W, heavy-duty, non-adjustable ca		
D D D	0	iron grates, 21-3/16" D broiling grid, (1) variable hi/lo valve per bui		
3		manual controls, crumb tray, reversible cast iron broiler racks in 3"	W	
		sections, stainless steel front, sides, back & 3-1/2" front rail, 4" adjustable legs, 108,000 BTU (Garland), NSF, CSA		
	1 00	One year limited parts and labor warranty, covers products purcha	rod	
	1 64	and installed in the USA only, standard	seu	
	1 62	Natural gas, specify elevation if over 2,000 ft		
	1 Ca		tended Total:	\$4,516.20
50.1	1 ea	GAS CONNECTOR HOSE KIT / ASSEMBLY	\$150.91	\$150.91
50.1	I Cu	Krowne	Ç130.31	γ130.31
		Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stair	nless	
		steel corrugated tubing & radial wrap with green antimicrobial PV		
1	iiig 8	coating, quick disconnect, (1) full port gas valve, (2) 90° elbows,		
a Co	, G	restraining cable with mounting hardware, 180,000 BTU/hr minimu	m	
		flow capacity		_
		Ex	tended Total:	\$150.91

Item	Qty	Description	Net	Net Total
51	1 ea	GRIDDLE, GAS, COUNTERTOP Garland/US Range Master Griddle, countertop, gas, rear drain, 48" W x 24" D cooking surface, 1" thick polished steel griddle plate, electronic thermostatic controls, electronic ignition, stainless steel side & rear splash, stainless steel exterior, EnerLogic™ Technology, 120,000 BTU (Garland), CSA, NSF One year limited parts and labor warranty, covers products purchased and installed in the USA only, standard	\$11,659.50	\$11,659.50
		Natural gas, specify elevation if over 2,000 ft 120v/60/1-ph, 1 amp, 6' cord only, standard		
		6" stainless steel adjustable legs, standard		
		Extende	ed Total:	\$11,659.50
51.1	1 ea	Krowne Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 180,000 BTU/hr minimum flow capacity	\$150.91	\$150.91 \$150.91
52	1 ea 1 ea	SALAMANDER BROILER, GAS Southbend Platinum Compact Radiant Broiler, gas, 48", riser mount, (6) radiant burners, (5) rack positions, (1) chrome plated rack, dual valve control, counter balanced rack system, stainless steel front & sides, 60,000 BTU, CSA, NSF (Note: Qualifies for Southbend's Service First™ Program, see Service First document for details) Domestic Shipping, inside of North America Standard (1) year limited parts and labor warranty (reference warranty document for details) Natural Gas	\$4,129.05	\$4,129.05

\$4,129.05

\$200.07

Item	Qty	Description	Net	Net Total
53		RANGE, 60", 10 OPEN BURNERS Garland/US Range G Starfire Pro Series Restaurant Range, gas, 60", (10) 33,000 BTU open burners, with cast iron top & ring grates, (2) standard ovens with 3 position rack guides with oven rack each, stainless steel front, sides, plate rail, 2-piece back guard and shelf, 6" stainless steel legs with adjustable feet, 406,000 BTU, CSA Flame, CSA Star, cCSAus, NSF	\$6,699.15	\$6,699.15
	1 ea 1 ea	(Garland) One year limited parts and labor warranty, covers products purchased and installed in the USA only, standard Natural gas, specify elevation if over 2,000 ft		
			ed Total:	\$6,699.15
53.1	1 ea	GAS CONNECTOR HOSE KIT / ASSEMBLY	\$200.07	\$200.07
		Krowne Royal Series Moveable Gas Connection Kit, 1" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 334,000 BTU/hr minimum flow capacity		

Item Qty Description Net **Net Total** 54 1 ea FULL POT FRYER \$4,275.90 \$4,275.90 Frymaster Performance Fryer, gas, floor model, 50 lb. oil capacity, open frypot design, millivolt controller, centerline fast-action temperature probe, EZSpark™ ignitor, thermostat knob behind front panel, over-the-flue basket hangers, includes: rack-type basket support, covers & (2) twin baskets, flue deflector, stainless steel frypot, door & cabinet, 122,000 BTU, NSF, CSA Flame, cCSAus, CSA Star 1 ea Note: Prices listed are for within the USA only. Please contact the factory for pricing if quoting outside of the USA 1 ea Introducing: Freight Made Simple Eastern Region: Freight adder 3% of invoice price or Minimum charge of \$100 West Region: 6% of invoice price or minimum charge of \$100 West is defined as: : Arizona, California, Colorado, Idaho, Montana, New Mexico, Nevada, Oregon, Utah, Washington, and Wyoming Regional freight percentages must be manually calculated on your purchase order total. If you have any questions, please reach out to Customer Service at +800-221-4583 Free Freight applies if: • Piece Count: Orders of 15 pieces**. One Purchase Order, all shipping together from same warehouse and delivering to same location • Price Offer: Orders of \$75k or more on: One Purchase Order all shipping together from same warehouse and delivering to same location Note: Frymaster has two warehouses, LA & TN. Can't mix & match from these warehouses If you have any questions, please reach out to Customer Service at +800-221-4583 *Program Excludes: Alaska and Hawaii, which will be quoted per order **Equipment Only: No accessories 1 ea NOTE: Select Program models available with standard controls and full frypot only 1 ea NOTE: Not available for elevations over 6000 feet. 1 ea NOTE: Gas fryers CANNOT be curb mounted 1 ea Natural gas (specify elevation if over 2,000 ft.) 1 ea Millivolt Controller, standard 1 ea 120v/60/1-ph, 1 amp, standard (controls) 1 ea Legs & casters (full set of each), standard

\$4,275.90

Item	Qty	Description	Net	Net Total
54.1	1 ea	GAS CONNECTOR HOSE KIT / ASSEMBLY Krowne Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 180,000 BTU/hr minimum flow capacity.	\$150.91	\$150.91
		flow capacity Extended	d Total:	\$150.91

Item Qty Description Net **Net Total** 55 1 ea FULL POT FRYER \$4,275.90 \$4,275.90 Frymaster Performance Fryer, gas, floor model, 50 lb. oil capacity, open frypot design, millivolt controller, centerline fast-action temperature probe, EZSpark™ ignitor, thermostat knob behind front panel, over-the-flue basket hangers, includes: rack-type basket support, covers & (2) twin baskets, flue deflector, stainless steel frypot, door & cabinet, 122,000 BTU, NSF, CSA Flame, cCSAus, CSA Star 1 ea Note: Prices listed are for within the USA only. Please contact the factory for pricing if quoting outside of the USA 1 ea Introducing: Freight Made Simple Eastern Region: Freight adder 3% of invoice price or Minimum charge of \$100 West Region: 6% of invoice price or minimum charge of \$100 West is defined as: : Arizona, California, Colorado, Idaho, Montana, New Mexico, Nevada, Oregon, Utah, Washington, and Wyoming Regional freight percentages must be manually calculated on your purchase order total. If you have any questions, please reach out to Customer Service at +800-221-4583 Free Freight applies if: • Piece Count: Orders of 15 pieces**. One Purchase Order, all shipping together from same warehouse and delivering to same location • Price Offer: Orders of \$75k or more on: One Purchase Order all shipping together from same warehouse and delivering to same location Note: Frymaster has two warehouses, LA & TN. Can't mix & match from these warehouses If you have any questions, please reach out to Customer Service at +800-221-4583 *Program Excludes: Alaska and Hawaii, which will be quoted per order **Equipment Only: No accessories 1 ea NOTE: Select Program models available with standard controls and full frypot only 1 ea NOTE: Not available for elevations over 6000 feet. 1 ea NOTE: Gas fryers CANNOT be curb mounted 1 ea Natural gas (specify elevation if over 2,000 ft.) 1 ea Millivolt Controller, standard 1 ea 120v/60/1-ph, 1 amp, standard (controls)

Extended Total: \$4,275.90

1 ea Legs & casters (full set of each), standard

				10/11/202
Item	Qty	Description	Net	Net Total
55.1	1 ea	GAS CONNECTOR HOSE KIT / ASSEMBLY	\$150.91	\$150.91
		Krowne Royal Series Moveable Gas Connection Kit, 3/4" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 180,000 BTU/hr minimum flow capacity		
			ed Total:	\$150.91
56	1 ea	FRENCH FRY WARMER	\$554.00	\$554.00
		Hatco		
	7	Glo-Ray® Portable Strip Heater, with metal sheathed element, heats from above & below, with thermo controlled base, 750 watts, 6.3 amps, NSF, cULus, Made in USA		
	1 ea	One year on-site parts & labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements		
	1 ea	120v/60/1-ph, 750 watts, 6.3 amps, NEMA 5-15P (domestic voltage)		
	1 ea	16" Clearance, 20" Over All Height		
		Toggle switch standard		
	1 ea	Clear Anodized Aluminum housing, finish, standard (available at time of purchase only)		
		Extende	ed Total:	\$554.00
57	1 ea	REACH-IN UNDERCOUNTER FREEZER	\$2,904.44	\$2,904.44
		True Mfg General Foodservice Undercounter Freezer, -10°F, (1) stainless steel door, (2) PVC coated adjustable wire shelves, stainless steel top, front & sides, clear coated aluminum interior with stainless steel floor, 5" castors, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.3 amps, NEMA 5-15P, cULus, UP EPH Classified, CE, Made in USA, ENERGY STAR®		
	1 ea	Self-contained refrigeration standard		
	1 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea	Right Hand, Standard: Unit comes with field reversible hinges & is built with hinging on right side of unit.		
	1 ea	Castors, 5" (36" work surface height) standard		
		Extendo	ed Total:	\$2,904.44

Spare

58-59

SPARE NO.

				10/11/202
Item	Qty	Description	Net	Net Total
60	5 ea	WIRE SHELVING Centaur Packed 2 ea Centaur® Shelving C Series Shelving, wire, 72"W x 14"D, chrome platinish, NSF	\$41.02 ted	\$205.10
	4 ea	601861 Centaur® Stationary Post, 86-5/8"H, with leveling bolt & cap, chrome		
		Ext	ended Total:	\$205.10
61	1 ea	REACH-IN REFRIGERATOR	\$5,365.77	\$5,365.77
		True Mfg General Foodservice Refrigerator, reach-in, two-section, (2) stainless steel doors, (6) PVC coated adjustable wire shelves, interior lighting, stainless steel from aluminum sides, aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, 1/2 HP, 115v/60/1-ph, 5.4 am NEMA 5-15P, cULus, UL EPH Classified, Made in USA, ENERGY STAR®	ıt,	
	1 ea	Self-contained refrigeration standard		
	1 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea	Left door hinged left, right door hinged right standard		
	1 ea	4" stem castors, standard (adds 5" to OA height)		
		Ext	ended Total:	\$5,365.77
62	1 ea	COFFEE GRINDER BUNN 22104.0000 G1HD Bulk Grinder, heavy duty, 1 lb. hopper capacity, turaction, bag switch, black decor, 120v/60/1-ph, 11 amps, 1320 watts, NEMA 5-15P, cord attached, UL, ETL-Sanitation	\$833.16 bo	\$833.16
	1 ea	Equipment discount category net prices must be rounded to the nearest dollar		
		Ext	ended Total:	\$833.16
63	1 ea	COUNTER	\$7,000.00	\$7,000.00
		Custom COUNTER:		

\$7,000.00

Item Qty Description Net **Net Total** 64 \$1,056.00 \$1,056.00 1 ea **COFFEE BREWER FETCO** Extractor® V+™ Series Coffee Brewer, twin, 1.0 gallon output, digital touchpad operation, adjustable brew time and volume, streamlined programming and diagnostics, manual hot water service, 2 x 2.3kW heater, 200-240v, 1-ph, 2+G wires, 19.7 max amp draw, 4.7kW, terminal block, 11.5 gallons per hour, UL, cUL, NSF (Use with FETCO D041, D063, or D451 - sold separately) (Manufactured standard with plastic brew basket - metal brew basket sold separately) 1 ea NOTE: Pricing and specifications subject to change with or without notice - Please call 1.800.FETCO.99 for confirmation 1 ea Circuit board: 3 year parts & 1 year labor warranty, standard 1 ea Electro-mechanical parts: 2 year parts & 1 year labor warranty, standard 1 ea All other parts: 1 year parts & 1 year labor warranty, standard **Extended Total:** \$1,056.00 65 1 ea ICE & WATER DISPENSER \$756.00 \$756.00 Advance Tabco Special Value Ice & Water Unit, drop-in, single service, 21" x 18" overall (ice bin 9-3/8" x 13.5" x 12"), 1" diameter drain, stainless steel sliding removable cover, drip pan drain 1" dia., water cold 1/2" I.P.S., cut out size 20-5/8" x 15-1/4", 23-lb ice capacity, NSF **Extended Total:** \$756.00 66 1 ea **BEVERAGE & ICE DISPENSER** <By Owner> By Owner BEVERAGE & ICE DISPENSER - By Owner 66.1 1 ea **NUGGET ICE MAKER** \$4,182.49 \$4,182.49 Manitowoc 77706196 Ice Maker, nugget style, air-cooled, self-contained condenser, 22"W x 23-5/8"D x 26"H, production capacity up to 591 lb/24 hours at 70°/50° (451 lb AHRI certified at 90°/70°), bite size nugget, high-load stainless steel bearings, stainless steel exterior, R290A, 1 HP, NSF, cULus, CE, cETLus 1 ea 3 year parts & labor (Machine), 5 parts & 3 years labor (Compressor), standard 1 ea (-161) 115v/60/1-ph, 16.3 amps, standard 1 ea Surcharge 5% \$209.12 \$209.12

\$4,391.61

				10/11/20
Item	Qty	Description	Net	Net Tota
66.2	1 ea	WATER FILTRATION SYSTEM, FOR FOUNTAIN / BEVERAGE MACHIN	IES \$132.44	\$132.44
	<u> </u>	Everpure 160-50020		
		FX Water Filtration System, FX-12, Single, (1) CTO-20 activated-car	bon	
		cartridge, reduces chlorine & sediment, outlet pressure gauge,		
		mounting bracket, 30,000 gallons, 3.0 gpm, 0.5 micron, 1/2" inlet, 3 outlet, NSF 42 (160-50020)	1/2"	
	1 ea	Energy/Transportation Surcharge 7%	\$9.27	\$9.27
		E	xtended Total:	\$141.71
67	1 ea	SODA GUN SYSTEM		<by vendor=""></by>
		By Soda Vendor		
		Soda gun system with carbonator.		
68	1 ea	COUNTER	\$4,000.00	\$4,000.00
		Custom		
		COUNTER:		
		E	xtended Total:	\$4,000.00
69-72		SPARE NO.		Spare
73	1 ea	BACK BAR CABINET, REFRIGERATED	\$5,254.45	\$5,254.45
		True Mfg. – Premier Bar		
		Refrigerated Back Bar Cooler, three-section, 72"W, (125) 6-pack ca	ns or	
		(78) 6-pack bottles capacity, side mounted self-contained		
	V	refrigeration, (3) hinged glass doors (locking), (9) adjustable shely	es,	
		Trulumina LED lighting, stainless steel countertop, black powder		
		coated exterior, stainless steel interior (sides & floor), R290 refrigerant, 1/4 HP, 115v/60/1-ph, 3.2 amps, NEMA 5-15P, cULus, U	ı	
		EPH Classified, Made in USA	L	
	1 ea	•	itv	
		with factory	-,	
	1 ea	115v/60/1-ph, NEMA 5-15P		
	1 ea	Standard refrigerator (33°F-38°F/2°C)		
	1 ea	7 year compressor warranty, 5 year parts and labor warranty, stand	dard	
	1 ea	Self-contained refrigeration, standard		
	1 ea	Leg levelers, standard (34-15/16" overall cabinet height)		
		E	xtended Total:	\$5,254.4 5
74	1 ea	COUNTER		<by millwork=""></by>
		By Millwork		
		COUNTER:		
75	1 ea	DRAFT BEER DISPENSING TOWER	\$20,000.00	\$20,000.00
		Perlick Corporation		
		Pending additional information		
		E	xtended Total:	\$20,000.00

				10/11/202
Item	Qty	Description	Net	Net Total
76	1 ea	COUNTER		<by millwork=""></by>
		By Millwork		
		COUNTER:		
77	1 ea	BACK BAR CABINET, REFRIGERATED	\$5,254.45	\$5,254.45
		True Mfg. – Premier Bar		
		Refrigerated Back Bar Cooler, three-section, 72"W, (125) 6-pack cans or		
		(78) 6-pack bottles capacity, side mounted self-contained		
		refrigeration, (3) hinged glass doors (locking), (9) adjustable shelves, Trulumina LED lighting, stainless steel countertop, black powder		
		coated exterior, stainless steel interior (sides & floor), R290		
		refrigerant, 1/4 HP, 115v/60/1-ph, 3.2 amps, NEMA 5-15P, cULus, UL		
		EPH Classified, Made in USA		
	1 ea	NOTE: Commonly stocked model in black exterior; verify availability		
		with factory		
	1 ea	115v/60/1-ph, NEMA 5-15P		
	1 ea	Standard refrigerator (33°F-38°F/2°C)		
		7 year compressor warranty, 5 year parts and labor warranty, standard		
		Self-contained refrigeration, standard		
	1 ea	Leg levelers, standard (34-15/16" overall cabinet height)		
		Extendo	ed Total:	\$5,254.45
78	1 ea	BACK BAR CABINET, REFRIGERATED	\$5,254.45	\$5,254.45
		True Mfg. – Premier Bar		
. I		Refrigerated Back Bar Cooler, three-section, 72"W, (125) 6-pack cans or		
		(78) 6-pack bottles capacity, side mounted self-contained refrigeration, (3) hinged glass doors (locking), (9) adjustable shelves,		
		Trulumina LED lighting, stainless steel countertop, black powder		
		coated exterior, stainless steel interior (sides & floor), R290		
		refrigerant, 1/4 HP, 115v/60/1-ph, 3.2 amps, NEMA 5-15P, cULus, UL		
		EPH Classified, Made in USA		
	1 ea	NOTE: Commonly stocked model in black exterior; verify availability with factory		
	1 ea	115v/60/1-ph, NEMA 5-15P		
		Standard refrigerator (33°F-38°F/2°C)		
		7 year compressor warranty, 5 year parts and labor warranty, standard		
		Self-contained refrigeration, standard		
		Leg levelers, standard (34-15/16" overall cabinet height)		
		==0 · = · = · · · · · · · · · · · · · ·		_

\$5,254.45

Item Qty Description Net **Net Total** 79 1 ea KNOCK BOX \$48.11 \$48.11 Vollrath Knock Box, 1/6 size, 1-7/8 quart, 6-7/8" x 6-3/8" x 4" deep, rubber coated knock bar, includes: attachable rubber feet, 22 gauge, 300 series stainless steel, Made in USA (Refer to vollrathfoodservice.com for full warranty policy) **Extended Total:** \$48.11 1 ea COFFEE GRINDER 80 \$1,200.00 \$1,200.00 Nuova Simonelli MDXS Coffee On Demand Grinder, automatically grinds coffee to refill fixed doser chute, 1 or 2 dose dispenser with counter, LCD display with intuitive control panel, removable 1.6kg. hopper capacity, micrometric grind adjustment, 65mm grinding burrs, adjustable doser, painted aluminum finish, 245 watts, 110v/60/1-ph, 3.0 amps, cord, NEMA 5-15P, UL, CSAus 1 ea 2 year parts warranty on espresso equipment, standard **Extended Total:** \$1,200.00 81 \$4,200.00 \$4,200.00 1 ea COFFEE GRINDER Nuova Simonelli AMV2 8111 Mythos II Grinder, semi-automatic, variable speed motor, 4.4 lbs hopper capacity, grind by weight, 85mm titanium burrs, LED lighting, micrometric grind adjustment, gravimetric weight dosing, adjustable temperature control, touch screen display, (3) dispensing buttons, black aluminum body, 800 watts, 110-125v, 8.0 amps, NEMA 5-15, UL, CSAus 1 ea 2 year parts warranty on espresso equipment, standard

\$4,200.00

Item Qty Description Net **Net Total** 82 1 ea ESPRESSO CAPPUCCINO MACHINE \$13,118.00 \$13,118.00 F&O Imports La Marzocco Linea Classic S EE Espresso Machine, 3 group, semiautomatic, manual dosage, (2) boilers, 5L espresso boiler, 11L steam boiler, dual PID coffee brew & steam temperature control, (2) half turn valve steam wands, (1) hot water tap, Pro app compatible, polished stainless steel body, 208-240v/60/1, 6100 watts, 28.0 amps, cord requires NEMA 6-50P, NSF, UL/ETL listed 1 ea 1 year parts & labor warranty for defects, standard 1 ea Pricing includes off-site prep & pre-installation test, local area delivery, final hookup, calibration, and basic operational training at time of installation. Freight charges to area servicing distributor not included. Additional local area travel charges may apply if outside of a major metropolitan area 1 ea Accessories & Installation Kit: (1) each External pump and motor, Drain hose, Hose clamp for drain hose, Purocaff powder (and MSDS), Blind basket, Array of sizes of baskets (including a single basket), Tamper, 20" hose, (1) 3/8 compression 36" hose, Portafilters (1 per spout), Manual **Extended Total:** \$13,118.00 83 1 ea DIPPER WELL \$143.64 \$143.64 Krowne Dipper Well, with faucet, low lead compliant (16-150 & 16-151L) **Extended Total:** \$143.64 \$335.57 84 1 ea GLASS RINSER \$335.57 Perlick Corporation Glass Rinser, top mount, straight edge with drainer, 7-5/8"W x 7-5/8"D 1 ea Water Pressure Regulator Parts Bag, for glass rinsers (1 parts bag

required for each glass rinser option picked)

15 ft 1/2" I.D. Vinyl Drain Tube - Anti-Microbial, priced per foot

\$335.57

Item Qty Description Net **Net Total** 85 1 ea DROP-IN SINK \$892.82 \$892.82 Advance Tabco Drop-In Sink, 1-compartment, 12"W x 18-1/2"D O.A., 10"W x 14"D front-to-back x 10" deep bowl, 6" backsplash, 6" tapered side splash, includes: gooseneck deck mounted faucet 4" O.C. & 3-1/2" stainless steel drain with basket, 20/304 stainless steel, NSF (mounting brackets & nuts included) **Extended Total:** \$892.82 86 1 ea DISPLAY CASE, REFRIGERATED/NON-REFRIG \$14,285.50 \$14,285.50 Structural Concepts Reveal® Combination Convertible Service Above Refrigerated Self-Service Case, freestanding, 35-3/4"W, 57-1/2"H, Breeze-E (Type II) with EnergyWise self-contained refrigeration, fixed vertical glass, upper rear clear glass sliding doors, (1) glass shelf in upper display, LED top light, black front panel, blue fin coated coil, condensate pan, black exterior & interior, cETLus, ETL-Sanitation 1 ea NOTE: If GFCI is required, a GFCI breaker MUST be used in lieu of a GFCI receptacle 1 ea Must ship prepaid/add Direct dock to dock delivery only Glass warranty only applicable to first point of delivery 1 ea 1 yr. parts & labor warranty, 5 yr. compressor warranty, standard

1 ea 10 ft Straight blade power cord (self-contained), NEMA 5-20P, standard

1 ea Adjustable, locking casters, standard (n/a with remote refrigeration)

1 ea Breeze-E (Type II) with EnergyWise self-contained refrigeration rear

1 ea Interior: Black, standard 1 ea Exterior: Black, standard

access, standard

1 ea Panel Exterior: Laminate standard color 909-58 Black

1 ea 110-120v/60/1-ph, 16.0 amps, 1221 watts, standard

1 ea Lower front panel: Black, standard

1 ea Lower rear: Solid back panel, standard

1 ea Upper rear door: Clear Glass rear sliding doors, standard

1 ea Lower rear panel: Black, standard

1 ea Lights: LED 3500K with frost lens, standard

87 1 ea BAR <By Millwork> By Millwork BAR

\$14,285.50

Item Qty Description Net **Net Total** 88 1 ea GLASS RACK \$1,102.16 \$1,102.16 Perlick Corporation Underbar Glass Rack Storage Unit, drainboard top, 24"W x 24"D open front cabinet base, holds (2) 20" x 20" glass racks, 6"H backsplash, (2) stationary rack slides height adjustable in 1" increments, embossed drainboard is reinforced & includes 1/2" drain at rear, 1-1/2" drain in bottom shelf, stainless steel construction, stainless steel legs & adjustable feet 1 ea 6" Backsplash standard NOTE: QUOTING MODEL WITH DRAINBOARD TOP PER PLAN VIEW. **Extended Total:** \$1.102.16 89 1 ea SODA GUN SYSTEM <By Vendor> By Soda Vendor Soda gun system with carbonator. 90 1 ea **BOTTLE STORAGE BIN** \$567.45 \$567.45 Perlick Corporation TS Series Underbar Bottle Storage Bin, insulated, 12"W x 18-9/16"D, open chest, stainless steel construction 1 ea 6" Backsplash standard **Extended Total:** \$567.45 91 \$272.81 \$272.81 1 ea SPEED RAIL / RACK Perlick Corporation Speed Rail, double, 42" W, stainless steel construction, factory installed **Extended Total:** \$272.81 1 ea ICE BIN 92 \$909.67 \$909.67 Perlick Corporation TS Series Underbar Ice Bin/Cocktail Unit, modular, 30"W x 18-9/16"D, approximately 70-lb. ice capacity, 6"H backsplash with 1" return at top, ABS plastic top ledge, 10-3/4" deep stainless steel ice bin, stainless steel front & sides, galvanized steel back & bottom, 1/2" NPS male drain, 1-5/8" tubular stainless steel legs with 1" adjustable thermoplastic feet, NSF 1 ea 6" Backsplash standard

stainless steel (for TS, TSD, & TSS ice chests)

\$909.67

Item	Qty	Description	Net	Net Total
93	1 ea	UNDERBAR SINK UNITS Perlick Corporation Tobin Ellis Signature Underbar Utility sink, with glass rinser, 12"W, freestanding, 6"H backsplash with 1" return, 9-1/2" wide x 16-5/16" front-to-back x 7-3/16" deep sink bowl with 1-1/2" drain, sound-deadened underside, integrated drip pan with 4-3/8" dia. stainless steel glass rinser (NSF) & "water fall" drainage into sink, includes removable perforated glass rack, stainless steel construction, stainless steel legs with adjustable thermoplastic feet	\$1,765.65	\$1,765.65
	1 ea	6" Backsplash standard		
	1 ea	Gooseneck Spout, splash-mounted, low-lead compliant, for use with foot operated water valve		
	1 ea	A foot pedal is required to operate this faucet, select pedal below		
	1 ea	Water Valve, dual pedal, foot operated, 1/2" NPT, low-lead compliant		
	1 ea	Tobin Ellis Signature Wet Waste Basket, stainless steel, for use with underbar utility/dump sink	\$67.22	<optional></optional>
	1 ea	Water Pressure Regulator Parts Bag, for glass rinsers (1 parts bag required for each glass rinser option picked)		
		Extende	ed Total:	\$1,765.65
94	1 ea	LIQUOR DISPENSING SYSTEM By Owner Liquor dispensing system, by owner.		<by owner=""></by>
95	1 ea	Perlick Corporation Underbar Glass Rack Storage Unit, drainboard top, 24"W x 24"D open front cabinet base, holds (2) 20" x 20" glass racks, 6"H backsplash, (2) stationary rack slides height adjustable in 1" increments, embossed drainboard is reinforced & includes 1/2" drain at rear, 1-1/2" drain in bottom shelf, stainless steel construction, stainless steel legs & adjustable feet 6" Backsplash standard	\$1,102.16	\$1,102.16
		NOTE: QUOTING MODEL WITH DRAINBOARD TOP PER PLAN VIEW.		

\$1,102.16

Item Qty Description Net **Net Total** 96 1 ea DISHWASHER, UNDERCOUNTER \$8,345.82 \$8,345.82 Hobart LXe Advansys Dishwasher, undercounter, 208-240v/60/1ph(2W), accommodates optional two-level racking accessory, 23-15/16"W x 26-13/16"D x 32-1/2"H, high temperature sanitizing, Energy Recovery, 30, 24, 13 Racks/Hour, Fresh Water Rinse, .62 gal/rack, Automated Delime Cycle, Clogged Wash Arm Alert, 3 selectable cycles - light, normal, heavy (Pot & Pan cycle on heavy cycle), Advanced Service Diagnostics, Detergent, Rinse Aid & Delimer Pump, ENERGY STAR®, Free factory startup for installations within a 100 mile radius of a Hobart service office; installation beyond 100 miles will be charged at the quoted rate by the local Hobart service office 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours 1 ea NOTE: Hobart suggests adding a water softener. Hobart recommends a total of 2 water softeners (one for the incoming hot water line, one for the incoming cold water line) for all Advansys Energy Recovery models. **Extended Total:** \$8,345.82 97 1 ea **GLASS RACK** \$1,102.16 \$1,102.16 Perlick Corporation Underbar Glass Rack Storage Unit, drainboard top, 24"W x 24"D open front cabinet base, holds (2) 20" x 20" glass racks, 6"H backsplash, (2) stationary rack slides height adjustable in 1" increments, embossed drainboard is reinforced & includes 1/2" drain at rear, 1-1/2" drain in bottom shelf, stainless steel construction, stainless steel legs & adjustable feet

NOTE: QUOTING MODEL WITH DRAINBOARD TOP PER PLAN VIEW.

\$1,102.16

Extended Total:

1 ea 6" Backsplash standard

Item Qty Description Net **Net Total** 98 1 ea REACH-IN UNDERCOUNTER FREEZER \$2,966.45 \$2,966.45 Perlick Corporation ADA Series Freezer, undercounter, 23-7/8"W x 24"D, self-contained refrigeration, -10° to 10°F temperature range, (4.8) cu. ft. interior capacity, digital thermostat & control, LED interior lighting, front vented, automatic defrost, galvanized back & base, stainless steel top, sides, & interior, R600a, 115v/60/1-ph, 2.4 amps, NEMA 5-15P, ETL-Sanitation, cULus, ADA Compliant 1 ea WARNING: The materials used in this product may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov 1 ea Please note: This unit is intended for chilling glasses or holding product at freezing, not intended to hold food overnight or freeze ice cubes. 1 ea 5 yr. compressor warranty, 1 yr. parts & labor warranty 1 ea Door finish: solid stainless steel 1 ea Note: Cabinet furnished with (2) black-vinyl coated adjustable full extension shelves & (1) black-vinyl coated floor rack when a door is chosen 1 ea Left hinged 1 ea Full length, 24", stainless steel grip with chrome endcaps 1 ea Door lock, chrome 1 st Casters, 3-3/4", includes mounting platform (set of 4) \$229.16 <Optional> NOTE: QUOTING S/S FINISH, PLEASE VERIFY WHAT IS REQUIRED. **Extended Total:** \$2,966.45 99 1 ea DRAINBOARD \$1,089.94 \$1.089.94 Advance Tabco Prestige Underbar Drainboard Cabinet, open front, 24"W x 25"D x 36"H, 7" backsplash, removable perforated drainboard top, drain pan with 1" drain, (1) adjustable mid-shelf in cabinet, stainless steel construction, adjustable stainless steel bullet feet, NSF **CUSTOMER TO VEIRFY ITEM Extended Total:** 100 1 ea SODA GUN SYSTEM <By Vendor>

By Soda Vendor

Soda gun system with carbonator.

Item	Qty	Description	Net	Net Total
101	1 ea	BOTTLE STORAGE BIN Perlick Corporation TS Series Underbar Bottle Storage Bin, insulated, 12"W x 18-9/1 open chest, stainless steel construction	\$567.45 6"D,	\$567.45
	1 ea	6" Backsplash standard		
			Extended Total:	\$567.45
102	1 ea	SPEED RAIL / RACK Perlick Corporation Speed Rail, double, 42" W, stainless steel construction, factory installed	\$272.81	\$272.81
			Extended Total:	\$272.81
103	1 ea	Perlick Corporation TS Series Underbar Ice Bin/Cocktail Unit, modular, 30"W x 18-9/approximately 70-lb. ice capacity, 6"H backsplash with 1" return ABS plastic top ledge, 10-3/4" deep stainless steel ice bin, stair steel front & sides, galvanized steel back & bottom, 1/2" NPS m drain, 1-5/8" tubular stainless steel legs with 1" adjustable thermoplastic feet, NSF	n at top, nless	\$909.67
	1 ea	6" Backsplash standard		
		Ice Chest Covers, 2-piece sliding assembly, 30"W, front & back, stainless steel (for TS, TSD, & TSS ice chests)		

\$909.67

Item	Qty	Description	Net	Net Total
104	1 ea	UNDERBAR SINK UNITS Perlick Corporation Tobin Ellis Signature Underbar Utility sink, with glass rinser, 12"W, freestanding, 6"H backsplash with 1" return, 9-1/2" wide x 16-5/16" front-to-back x 7-3/16" deep sink bowl with 1-1/2" drain, sound-deadened underside, integrated drip pan with 4-3/8" dia. stainless steel glass rinser (NSF) & "water fall" drainage into sink, includes removable perforated glass rack, stainless steel construction, stainless steel legs with adjustable thermoplastic feet	\$1,765.65	\$1,765.65
	1 ea	6" Backsplash standard		
		Gooseneck Spout, splash-mounted, low-lead compliant, for use with foot operated water valve		
	1 ea	A foot pedal is required to operate this faucet, select pedal below		
	1 ea	Water Valve, dual pedal, foot operated, 1/2" NPT, low-lead compliant		
	1 ea	Tobin Ellis Signature Wet Waste Basket, stainless steel, for use with underbar utility/dump sink	\$67.22	<optional></optional>
	1 ea	Water Pressure Regulator Parts Bag, for glass rinsers (1 parts bag required for each glass rinser option picked)		
		Extendo	ed Total:	\$1,765.65
105	1 ea	LIQUOR DISPENSING SYSTEM By Owner Liquor dispensing system, by owner.		<by owner=""></by>
106	1 ea	Perlick Corporation Underbar Glass Rack Storage Unit, drainboard top, 24"W x 24"D open front cabinet base, holds (2) 20" x 20" glass racks, 6"H backsplash, (2) stationary rack slides height adjustable in 1" increments, embossed drainboard is reinforced & includes 1/2" drain at rear, 1-1/2" drain in bottom shelf, stainless steel construction, stainless steel legs & adjustable feet 6" Backsplash standard	\$1,102.16	\$1,102.16
		NOTE: QUOTING MODEL WITH DRAINBOARD TOP PER PLAN VIEW.		

\$1,102.16

			10/11/2022
Qty	Description	Net	Net Total
1 ea	Perlick Corporation TS Series Underbar Hand Sink Unit, free standing, 12"W x 22-1/4"D, 6" backsplash, 10" wide x 14" front-to-back x 9-1/4" deep sink, 4" OC splash mount faucet holes, 16 oz. pump soap dispenser, C-fold paper towel dispenser on front apron, sound-deadened underside, (1) 8-1/2" standpipe, 1-1/2" NPS male drain, stainless steel construction, stainless steel legs with adjustable thermoplastic feet, NSF Front Loading Faucet, wall/splash mount, lead free, 6" swing spout, faucet valves include built-in check valves to prevent back flow or cross flow, (2) 3/8" O.D. x 3/8" O.D. x 18" braided stainless steel supply lines included	\$1,183.79	\$1,183.79
1 ea	End Splash, right, 6", for TS, TSF, or TSD series		
1 ea	End Splash, left, 6", for TS, TSF, or TSD series	\$88.17	<optional></optional>
	Extende	ed Total:	\$1,183.79
	SPARE NO.		Spare
1 ea 1 ea 1 ea 1 ea 1 ea 1 ea	True Mfg. – Premier Bar Refrigerated Back Bar Cooler, three-section, 72"W, (125) 6-pack cans or (78) 6-pack bottles capacity, side mounted self-contained refrigeration, (3) hinged glass doors (locking), (9) adjustable shelves, Trulumina LED lighting, stainless steel countertop, black powder coated exterior, stainless steel interior (sides & floor), R290 refrigerant, 1/4 HP, 115v/60/1-ph, 3.2 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA NOTE: Commonly stocked model in black exterior; verify availability with factory 115v/60/1-ph, NEMA 5-15P Standard refrigerator (33°F-38°F/2°C) 7 year compressor warranty, 5 year parts and labor warranty, standard Self-contained refrigeration, standard	\$5,254.45	\$5,254.45
	1 ea	1 ea HAND SINK Perlick Corporation TS Series Underbar Hand Sink Unit, free standing, 12"W x 22-1/4"D, 6" backsplash, 10" wide x 14" front-to-back x 9-1/4" deep sink, 4" OC splash mount faucet holes, 16 oz. pump soap dispenser, C-fold paper towel dispenser on front apron, sound-deadened underside, (1) 8-1/2" standpipe, 1-1/2" NPS male drain, stainless steel construction, stainless steel legs with adjustable thermoplastic feet, NSF 1 ea Front Loading Faucet, wall/splash mount, lead free, 6" swing spout, faucet valves include built-in check valves to prevent back flow or cross flow, (2) 3/8" O.D. x 3/8" O.D. x 18" braided stainless steel supply lines included 1 ea End Splash, right, 6", for TS, TSF, or TSD series 1 ea End Splash, left, 6", for TS, TSF, or TSD series Extended SPARE NO. 1 ea BACK BAR CABINET, REFRIGERATED True Mfg. — Premier Bar Refrigerated Back Bar Cooler, three-section, 72"W, (125) 6-pack cans or (78) 6-pack bottles capacity, side mounted self-contained refrigeration, (3) hinged glass doors (locking), (9) adjustable shelves, Trulumina LED lighting, stainless steel countertop, black powder coated exterior, stainless steel interior (sides & floor), R290 refrigerant, 1/4 HP, 115v/60/1-ph, 3.2 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA 1 ea NOTE: Commonly stocked model in black exterior; verify availability with factory	Perlick Corporation TS Series Underbar Hand Sink Unit, free standing, 12"W x 22-1/4"D, 6" backsplash, 10" wide x 14" front-to-back x 9-1/4" deep sink, 4" OC splash mount faucet holes, 16 oz. pump soap dispenser, C-fold paper towel dispenser on front apron, sound-deadened underside, (1) 8-1/2" standpipe, 1-1/2" NPS male drain, stainless steel construction, stainless steel legs with adjustable thermoplastic feet, NSF 1 ea Front Loading Faucet, wall/splash mount, lead free, 6" swing spout, faucet valves include built-in check valves to prevent back flow or cross flow, (2) 3/8" O.D. x 3/8" O.D. x 18" braided stainless steel supply lines included 1 ea End Splash, right, 6", for TS, TSF, or TSD series 1 ea End Splash, left, 6", for TS, TSF, or TSD series 2 End Splash, left, 6", for TS, TSF, or TSD series 3 End Splash, left, 6", for TS, TSF, or TSD series 4 End Splash, left, 6", for TS, TSF, or TSD series 5 Extended Total: SPARE NO. 1 ea BACK BAR CABINET, REFRIGERATED True Mfg. – Premier Bar Refrigerated Back Bar Cooler, three-section, 72"W, (125) 6-pack cans or (78) 6-pack bottles capacity, side mounted self-contained refrigeration, (3) hinged glass doors (locking), (9) adjustable shelves, Trulumina LED lighting, stainless steel countertop, black powder coated exterior, stainless steel interior (sides & floor), R290 refrigerant, 1/4 HP, 115v/60/1-ph, 3.2 amps, NEMA 5-15P, cULus, UL EPH Classified, Made in USA 1 ea NOTE: Commonly stocked model in black exterior; verify availability with factory 1 ea 115v/60/1-ph, NEMA 5-15P 1 ea Standard refrigerator (33°F-38°F/2°C) 1 ea 7 year compressor warranty, 5 year parts and labor warranty, standard 1 ea Self-contained refrigeration, standard

\$5,254.45

Item	Qty	Description	Net	Net Total
112		REACH-IN DUAL TEMP CABINET True Mfg General Foodservice Refrigerator/Freezer, reach-in, one-section, framed glass door vers 01, (2) glass half doors, stainless steel front, (3) PVC coated adjusta wire shelves, LED interior lighting, aluminum sides, clear coated aluminum interior with stainless steel floor, 4" castors, R290 Hydrocarbon refrigerant, refrigerator 1/10 HP, Freezer 1/2 HP, 115v/60/1-ph, 6.3 amps, NEMA 5-15P, cULus, UL EPH Classified, Madin USA Self-contained refrigeration standard Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics	ble	\$10,965.59
		Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics Door hinged right standard		
		4" stem castors, standard (adds 5" to OA height)		
			ended Total:	\$10,965.59
200		***** PANTRY - F11 *****		·
201	1 ea	WALK IN COOLER, MODULAR, REMOTE Kolpak COOLER: 19'6" W x 13'5" x 8'6"	\$53,755.00	\$53,755.00
			ended Total:	\$53,755.00
202- 204	1 lt	WALK-IN FREEZER SHELVING Centaur Packed 1 lt wire shelving, 4-tier, green epoxy finish, 74" high post with adjustation.	\$2,011.32	\$2,011.32
	16 ea	60124722 Centaur®K Series Shelving, wire, 72"W x 24"D, green epox NSF	хγ,	
	12 ea	60124602 Centaur®K Series Shelving, wire, 60"W x 24"D, green epox NSF	xy,	
	4 ea	60124482 Centaur®K Series Shelving, wire, 48"W x 24"D, green epox NSF	ху,	
	4 ea	60118482 Centaur®K Series Shelving, wire, 48"W x 18"D, green epox NSF	ху,	
	36 ea	601742 Centaur® Stationary Post, 74-5/8"H, with leveling bolt & cap green epoxy	,	
	1 lt	Limited 7 year warranty against corrosion on all green epoxy shelve posts & accessories	es,	
		·	ended Total:	\$2,011.32

Item	Qty	Description	Net	Net Total	
205	1 ea	WALK IN FREEZER, MODULAR, REMOTE	\$23,526.11	\$23,526.11	
		Kolpak			
		FREEZER: 14'10" W x 7'9" x 8'6"			
			Extended Total:	\$23,526.11	
206- 208	1 lt	WALK-IN SHELVING	\$1,421.24	\$1,421.24	
		Centaur Packed 1 lt			
		wire shelving, 4-tier, green epoxy finish, 74" high post with adjutoot.	ıstable		
	16 ea	60124602 Centaur®K Series Shelving, wire, 60"W x 24"D, green e NSF	роху,		
	8 ea	60124482 Centaur®K Series Shelving, wire, 48"W x 24"D, green e NSF	роху,		
	4 ea	60124362 Centaur®K Series Shelving, wire, 36"W x 24"D, green e	роху,		
	28 ea	601742 Centaur® Stationary Post, 74-5/8"H, with leveling bolt & green epoxy	cap,		
	1 lt	Limited 7 year warranty against corrosion on all green epoxy shelves,			
		posts & accessories			
			Extended Total:	\$1,421.24	
209	1 ea	WALK IN COOLER, MODULAR, REMOTE	\$15,767.83	\$15,767.83	
		Kolpak BEER COOLER: 10'2" x 7'6"			
			Extended Total:	\$15,767.83	
INS-1	1 ea	INSTALL HOOD			
		Mountain Stainless			
		Hang Hood and put up wall flashing			
			Extended Total:		
INS-2	1 ea	INSTALLATION WALK-IN			
		Mountain Stainless			
		Uncrate, assemble and set in place the walk-in box and install the	ne		
		refrigeration system, refrigerant lines, charge the system with			
		refrigerant and start up and test the system after final electrical			
		connections by others. (Final electrical connections are NOT inc in this quotation)	luded		
	1 ea	Install the walk-in refrigeration system, refrigerant lines, charge	e the		
		system with refrigerant and start up and test the system after fi	nal		
		electrical connections by others. (Final electrical connections ar included in this quotation)	e NOT		
	1 ea	Installation of Drain Lines & Heat Tape			
			Extended Total:		

Item	Qty	Description	Net	Net Total
INS-3	1 ea	INSTALLATION Mountain Stainless Uncrate, assemble and set in place. (ready for final plumbing, electrical and mechanical connections by others.)		
		E	ktended Total:	
INS-4	2 ea	INSTALLATION		
		Mountain Stainless Installation of Rational combi-oven		
		NOTE: Includes installation of water filtration system(s)		
			ktended Total:	
210- 213	1 lt	WALK-IN SHELVING	\$781.44	\$781.44
		Centaur Packed 1 lt wire shelving, 4-tier, green epoxy finish, 74" high post with adjust foot.	able	
	4 ea	60118722 Centaur®K Series Shelving, wire, 72"W x 18"D, green epo NSF	оху,	
	4 ea	60124602 Centaur®K Series Shelving, wire, 60"W x 24"D, green epo NSF	оху,	
	4 ea	60118602 Centaur®K Series Shelving, wire, 60"W x 18"D, green epo NSF	оху,	
	4 ea	60118542 Centaur®K Series Shelving, wire, 54"W x 18"D, green epo NSF (priced per each, 4 each per pack)	оху,	
	16 ea	601742 Centaur® Stationary Post, 74-5/8"H, with leveling bolt & ca green epoxy	p,	
	1 lt	Limited 7 year warranty against corrosion on all green epoxy shelv posts & accessories	res,	
		Ex	ktended Total:	\$781.44
214- 215		SPARE NO.		Spare
216	1 ea	SHELVING, WALL MOUNTED	\$138.00	\$138.00
1	y	Advance Tabco Shelf, wall-mounted, 48"W x 12"D, 1-5/8" bullnose front edge, 1-1, rear up-turn, 18/430 satin finish stainless steel, NSF	/2"H	
		Ex	ktended Total:	\$138.00
217		SPARE NO.		Spare

Item	Qty	Description	Net	Net Total
218- 220	1 lt	WIRE SHELVING	\$2,630.55	\$2,630.55
		Resco Restaurant & Store Equip. Packed 1 lt		
		Wire shelving, chrome finish, 5-tier, with posts having adjustable foo	t	
	35 ea	Centaur 60124721 Centaur® Shelving C Series Shelving, wire, 72"W x 24"D, chrome plated finish, NSF		
	10 ea	Centaur 60124541 Centaur® Shelving C Series Shelving, wire, 54"W x		
10 ea	24"D, chrome plated finish, NSF			
	10 ea	Centaur 60124481 Centaur® Shelving C Series Shelving, wire, 48"W x 24"D, chrome plated finish, NSF		
	10 ea	Centaur 601861 Centaur® Stationary Post, 86-5/8"H, with leveling bol	t	
55 ea	& cap, chrome			
	55 ea	Centaur Centaur® Foot Plates, to bolt units to floor or when a more		
		stable foot is required, zinc finish		40.000
			nded Total:	\$2,630.55
221		SPARE NO.		Spare
223	1 ea	SHELVING, WALL MOUNTED	\$238.70	\$238.70
		Advance Tabco		
		Shelf, wall-mounted, 72"W x 12"D, 1-5/8" bullnose front edge, 1-1/2" rear up-turn, 18/430 satin finish stainless steel, NSF	Н	
A	W	real up turn, 10,450 satin mish stanness steet, NSi		
	1 ea	Modification to 66"		
			nded Total:	\$238.70
224	1 ea	PIZZA PREPARATION REFRIGERATOR	\$7,324.92	\$7,324.92
		True Mfg General Foodservice 60667		
		Pizza Prep, 33 - 41°F pan rail, stainless steel cover, 19-1/2"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, include:	••	
		(9) 1/3 size clear polycarbonate insert pans (top), stainless steel from		
		top & sides, aluminum interior with stainless steel floor, 5" castors,	·,	
		front breathing, R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph,		
		3.9 amps, NEMA 5-15P, UL EPH Classified, cULus, CE, Made in USA		
	1 ea	Self-contained refrigeration standard		
	1 ea	Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics		
	1 ea	Warranty - 5 year parts & labor, please visit www.Truemfg.com for specifics		
	1 ea	5" Castors, standard		
		Exte	nded Total:	\$7,324.92

Item	Qty	Description	Net	Net Total
225	1 ea	CONVECTION OVEN, ELECTRIC	\$16,728.60	\$16,728.60
		TurboChef		
Annual Control		Double Batch™ Oven, electric, ventless, countertop, stackable, (2)		
142233223		independent decks, store up to 800 recipes (400 per cavity), smart		
-		voltage sensor technology (North America only), internal catalytic		
		converters, 16" pizza capacity per deck, (1) oven cleaner, (1) oven	2)	
		guard, (1) aluminum paddle, (2) trigger sprayers, (2) standard racks, (3)	-	
		top & bottom jetplates, stainless steel front, top & sides, rubber seal for surface mounting, cULus, UL EPH Classified, TÜV, CE		
	1 62	All items FOB: Carrollton, Texas: Consumable/accessory orders less		
	1 Ca	than \$5,000 will incur a handling fee. Orders shipping standard groun	d	
		will incur a \$15.00 handling fee. Orders shipping other than standard	-	
		ground will incur \$25.00 handling fee		
	1 ea	One year parts and labor warranty		
	1 ea	(HHD-9500-1) 208/240v/60/1-ph, 50.0 amps, 8.32/9.6 kW, 6 ft. cord &		
		plug (nominal), NEMA 6-50P, standard		
		Exte	nded Total:	\$16,728.60
226	2 ea	SHELVING, WALL MOUNTED	\$194.00	\$388.00
		Advance Tabco		
		Shelf, wall-mounted, 84"W x 12"D, 1-5/8" bullnose front edge, 1-1/2"		
1	IV.	rear up-turn, 18/430 satin finish stainless steel, NSF (units 84" & long	er	
		have (3) support brackets)		
		Exte	nded Total:	\$388.00
227	1 ea	WORK TABLE, STAINLESS STEEL TOP	\$872.41	\$872.41
		Advance Tabco		
1	TI	Work Table, 84"W x 30"D, 16 gauge 430 stainless steel top with 1-1/2"	'H	
		rear up-turn, galvanized legs with galvanized side & rear crossrails,		
	ı	adjustable plastic bullet feet, NSF		
		Exte	nded Total:	\$872.41
228	1 ea	HAND SINK	\$323.02	\$323.02
		Advance Tabco		
		Hand Sink, wall mounted, 14" wide x 10" front-to-back x 5" deep bow		
		20 gauge 304 stainless steel, with splash mounted gooseneck faucet,		
		basket drain, wall bracket, NSF, cCSAus		
		Exte	nded Total:	\$323.02
229	1 ea	SODA/SYRUP RACK		<by vendor=""></by>
		By Vendor		
		SODA/SYRUP RACK, by soda vendor.		

				10/11/202
Item	Qty	Description	Net	Net Total
229.1	1 ea	CARBONATOR		<by vendor=""></by>
		By Vendor		
		Carbonator		
226-		SPARE NO.		Spare
229				
230	1 ea	ICE MAKER, CUBE-STYLE	\$3,988.07	\$3,988.07
		Manitowoc 606324		
		Indigo NXT™ Series Ice Maker, cube-style, air-cooled, self-contained		
		condenser, 22"W x 24-1/2"D x 21-1/2"H, production capacity up to 460		
		lb/24 hours at 70°/50° (375 lb AHRI certified at 90°/70°), easyTouch		
		display with 13 different language options, date/time stamp display,		
		automatic reminder/alert icon, one touch asset information, automatic detection of accessories, continuous operating status,		
		programmable production options (time, weight, day or night), one		
		touch cleaning with displayed instructions, Alpha-San anti-microbial		
		protection, acoustical ice sensing probe, self-diagnostic technology,		
		DuraTech™ exterior, half-dice size cubes, R410A refrigerant, NSF,		
		cULus, CE, ENERGY STAR®		
	1 ea	3 year parts & labor (Machine), 5 year parts & labor (Evaporator), 5 year		
		parts & 3 years labor (Compressor), standard		
	1 ea	(-161) 115v/60/1-ph, 11.3 amps		
	1 ea	Ice Bin, 22"W, 34"D x 50"H, with side-hinged front-opening door, side		
		grips, 383 lbs. application capacity, AHRI certified 12.9 cu. ft., for top-		
		mounted ice maker, Duratech exterior, NSF		
		3 year parts & labor warranty, standard		
		Legs, 6" adjustable stainless steel, standard		
	1 ea	Surcharge 5%	\$199.40	\$199.40
		Extende	ed Total:	\$4,187.47
230.1	1 ea	WATER FILTRATION SYSTEM, PARTS & ACCESSORIES	\$165.04	\$165.04
	9	Everpure		
		Single BB Prefilter, Single BB Prefilter, (1) Single BB prefilter, (1) outlet		
		pressure gauge, 5.0 gpm, 3/4" inlet, 3/4" outlet (EV910031)		
	1 ea	Energy/Transportation Surcharge 7%	\$11.55	\$11.55
				_

\$176.59

Item	Qty	Description	Net	Net Total
231	1 ea	ONE (1) COMPARTMENT SINK Advance Tabco Special Value Fabricated Sink, 1-compartment, 18" right & left drainboards, bowl size 16" x 20" x 14" deep, 16 gauge 304 stainless steel, tile edge splash, rolled edge, 8" OC faucet holes, stainless s legs with adjustable side cross-bracing, 1" adjustable stainless ste bullet feet, overall 26" F/B x 52" L/R, NSF	teel	\$850.00
		Ex	xtended Total:	\$850.00
231.1	1 ea	WALL / SPLASH MOUNT FAUCET T&S Brass Sink Mixing Faucet, wall mount, 8" centers, 12" swing nozzle, leve handles, quarter-turn Eterna cartridges, 1/2" NPT female inlets, lo lead, ADA Compliant		\$139.20
		E	xtended Total:	\$139.20
232- 234		SPARE NO.		Spare
235	1 ea	DRAFT BEER DISPENSING TOWER Perlick Corporation Pending additional information	\$20,000.00	\$20,000.00
		_	xtended Total:	\$20,000.00
236	1 ea	Perlick Corporation Underbar Glass Rack Storage Unit, drainboard top, 24"W x 24"D op front cabinet base, holds (2) 20" x 20" glass racks, 6"H backsplash, stationary rack slides height adjustable in 1" increments, embossed drainboard is reinforced & includes 1/2" drain at rear, 1-1/2" drain bottom shelf, stainless steel construction, stainless steel legs & adjustable feet 6" Backsplash standard NOTE: QUOTING MODEL WITH DRAINBOARD TOP PER PLAN VIEW. QUOTING ITEM NUMBER PER PLAN VIEW ON FS11.	(2) ed in	\$1,102.16

\$1,102.16

Item Qty Description Net **Net Total** 237 1 ea HAND SINK \$1,095.62 \$1,095.62 Perlick Corporation TS Series Underbar Hand Sink Unit, free standing, 12"W x 22-1/4"D, 6" backsplash, 10" wide x 14" front-to-back x 9-1/4" deep sink, 4" OC splash mount faucet holes, 16 oz. pump soap dispenser, C-fold paper towel dispenser on front apron, sound-deadened underside, (1) 8-1/2" standpipe, 1-1/2" NPS male drain, stainless steel construction, stainless steel legs with adjustable thermoplastic feet, NSF 1 ea Front Loading Faucet, wall/splash mount, lead free, 6" swing spout, faucet valves include built-in check valves to prevent back flow or cross flow, (2) 3/8" O.D. x 3/8" O.D. x 18" braided stainless steel supply lines included NOTE: QUOTING ITEM NUMBER PER PLAN VIEW ON FS11. **Extended Total:** \$1,095.62 238 1 ea LIQUOR DISPENSING SYSTEM <By Owner> By Owner Liquor dispensing system, by owner. 238 1 ea SODA GUN FILLER SECTION \$381.94 \$381.94 **Perlick Corporation** TS Series Soda Gun Filler Section, 6"W x 18-9/16"D x 22"H, all stainless steel construction, universal design accepts either Wunder-Bar® & Schroeder America™ 8-14 product soda manifolds & drip cups, interior mounted manifold conceals soda lines, tool-less removal of top cover provides easy access, integrated drip cup mounting allows concealed routing of drip tube to waste drain, accessory speed rails can bypass or terminate on Soda Gun Filler, soda manifold, hose gun & drip cup NOT included, NSF NOTE: QUOTING ITEM NUMBER PER PLAN VIEW ON FS11. **Extended Total:** \$381.94 239 1 ea GLASS RACK \$1,102.16 \$1,102.16 Perlick Corporation Underbar Glass Rack Storage Unit, drainboard top, 24"W x 24"D open front cabinet base, holds (2) 20" x 20" glass racks, 6"H backsplash, (2) stationary rack slides height adjustable in 1" increments, embossed drainboard is reinforced & includes 1/2" drain at rear, 1-1/2" drain in bottom shelf, stainless steel construction, stainless steel legs & adjustable feet 1 ea 6" Backsplash standard NOTE: QUOTING MODEL WITH DRAINBOARD TOP PER PLAN VIEW.

\$1,102.16

Item Qty Description Net **Net Total** 240 1 ea ICE BIN \$2,188.61 \$2,188.61 **Perlick Corporation** TS Series Underbar Ice Bin/Cocktail Unit, modular with cold plate, 30"W x 18-9/16"D, approximately 70-lb. ice capacity, 10-circuit aluminum cold plate concealed under bin liner, 6"H backsplash with 1" return at top, ABS plastic top ledge, 10-3/4" deep stainless steel ice bin, stainless steel front & sides, galvanized steel back & bottom, 1/2" NPS male drain, 1-5/8" tubular stainless steel legs with 1" adjustable thermoplastic feet, NSF 1 ea 6" Backsplash standard stainless steel (for TS, TSD, & TSS ice chests) 1 ea Speed Rail, double, 42" W, stainless steel construction, factory 1 ea Locking Speed Rail Cover, double, 42" W, stainless steel construction, \$351.38 <Optional> factory installed (cover only) **Extended Total:** \$2,188.61 241 \$567.45 \$567.45 1 ea **BOTTLE STORAGE BIN** Perlick Corporation TS Series Underbar Bottle Storage Bin, insulated, 12"W x 18-9/16"D, open chest, stainless steel construction 1 ea 6" Backsplash standard NOTE: QUOTING ITEM NUMBER PER PLAN VIEW ON FS11.

\$567.45

Item Qty Description Net **Net Total** 241 1 ea UNDERBAR SINK UNITS \$1,765.65 \$1,765.65 Perlick Corporation Tobin Ellis Signature Underbar Utility sink, with glass rinser, 12"W, freestanding, 6"H backsplash with 1" return, 9-1/2" wide x 16-5/16" front-to-back x 7-3/16" deep sink bowl with 1-1/2" drain, sounddeadened underside, integrated drip pan with 4-3/8" dia. stainless steel glass rinser (NSF) & "water fall" drainage into sink, includes removable perforated glass rack, stainless steel construction, stainless steel legs with adjustable thermoplastic feet 1 ea 6" Backsplash standard 1 ea Gooseneck Spout, splash-mounted, low-lead compliant, for use with foot operated water valve 1 ea A foot pedal is required to operate this faucet, select pedal below 1 ea Water Valve, dual pedal, foot operated, 1/2" NPT, low-lead compliant 1 ea Tobin Ellis Signature Wet Waste Basket, stainless steel, for use with \$67.22 <Optional> underbar utility/dump sink 1 ea Water Pressure Regulator Parts Bag, for glass rinsers (1 parts bag required for each glass rinser option picked) NOTE: QUOTING ITEM NUMBER PER PLAN VIEW ON FS11. **Extended Total:** \$1,765.65 242 1 ea SODA GUN FILLER SECTION \$381.94 \$381.94 Perlick Corporation TS Series Soda Gun Filler Section, 6"W x 18-9/16"D x 22"H, all stainless steel construction, universal design accepts either Wunder-Bar® & Schroeder America™ 8-14 product soda manifolds & drip cups, interior mounted manifold conceals soda lines, tool-less removal of top cover provides easy access, integrated drip cup mounting allows concealed routing of drip tube to waste drain, accessory speed rails can bypass or terminate on Soda Gun Filler, soda manifold, hose gun & drip cup NOT included, NSF

NOTE: QUOTING PER PLAN VIEW, PLEASE VERIFY IF NEEDED, ONE

SODA GUN ALREADY SHOWN TO LEFT OF ICE CHEST.

Extended Total: \$381.94

				-,,
Item	Qty	Description	Net	Net Total
243		GLASS RACK Perlick Corporation Underbar Glass Rack Storage Unit, drainboard top, 24"W x 24"D of front cabinet base, holds (2) 20" x 20" glass racks, 6"H backsplash stationary rack slides height adjustable in 1" increments, embos drainboard is reinforced & includes 1/2" drain at rear, 1-1/2" drain bottom shelf, stainless steel construction, stainless steel legs & adjustable feet	sed	\$1,102.16
	1 ea	6" Backsplash standard NOTE: QUOTING MODEL WITH DRAINBOARD TOP PER PLAN VIEW	٧.	
		QUOTING ITEM NUMBER PER PLAN VIEW ON FS11.	Factor dod Total	ć1 102 1 <i>C</i>
			Extended Total:	\$1,102.16
			erchandise	\$703,894.46
			eight	\$17,765.47
			stallation otal	\$52,925.00 \$774,584.93
	valid item inclu Sales	s tax, if quoted, is bases on all items being purchased as perso	icluded unless lections are not onal property. If it is	
	item	rmined that some items may be reclassified as Real Property, s is eliminated and a use tax is assessed on the seller for thes ndividual item price but resulting in an overall reduction in the	e items, increasing	se
	Than	k you for allowing us to provided these prices to you.		
		erely, on Swett		
,	Acceptar	nce:Date:		
ı	Printed I	Name:		

Project Grand Total: \$774,584.93