

GLASBOX[®]

Quotation

Sonmet Blanc - Tower C

9300 Marsac Ave
Park City, UT 84060

Let the view in

Quote # 7900

Date: May 5th, 2023
Valid: 60 days from date of Quotation
UBI #: 603-557-915
FEIN #: 47-555 6234
Terms of Payment: See purchase terms per contract.
Delivery: 20-24 weeks upon confirmation of shop drawings and receipt of deposit; This is an estimate only, to be updated after signing of shop drawings; and entering fabrication phase; 6 weeks for shipping is included in timeline

Subtotal	\$2,277,415.20
Sales Tax 8.25%	\$132,329.14
Total	\$2,409,744.34

Customer:
 Aspen Group Inc
 PO Box 980022
 Park City, UT 84098

Job Site:
 Sommet Blanc – Tower B
 9300 Marsac Ave
 Park City, UT 84060

SUBJECT TO TERMS AND CONDITIONS OF OUR CONTRACT

Glasbox® Q & BLU aluminum window and door system (subject to our window schedule dated May 5th 2023)

Glasbox® Q-CW2.0 curtain wall specifications: Glasbox® Q-CW2.0, thermally broken curtain wall system; INCLUDES: slip joint for mounting brackets; NOT INCLUDED: Break Shape angle, window sill, head flashing; NFRC U-Value for curtain wall 0.29 BTU/(hr ft² °F) / 1.65 W/(m²K) based on NFRC test sizes 2000mm [78 3/4"] wide x 2000mm [78 3/4"] tall, larger units to have better U-Value.

Glasbox® BLU-WS10 picture window: Glasbox® BLU-WS10 thermally broken picture window system; 75mm (2 15/16") deep window profile; Minimum profile width 55mm [2 3/16"] depending on windload requirements. INCLUDES: aluminum angle on three sides and 3" window sill at bottom; U-Value based on NFRC test size of 1200mm [47 1/4" x 1500mm [59 1/16"] 0.28 BTU/(hr ft² °F) / 1.59 W/(m²K).

Glasbox® BLU WS10TT tilt & turn window: BLU-WS10TT thermally broken tilt & turn window system; Marine grade Winkhaus or Roto hardware depending on requirement. profile depth 88mm [3 15/32"]; Does not include window sill, head flashing or any applied fastening angles TBD during shop drawings; U-Value based on NFRC test size of 1200mm [47 1/4"] x 1500mm [59 1/16"] 0.29 BTU/(hr ft² °F) / 1.65 W/(m²K).

Glasbox® BLU-LS10-S Standard lift & slide door: BLU-LS10-S thermally broken lift & slide door system; 2-3 track as standard option; Door hardware up to 880lbs door weight; U-Value based on NFRC test size of

2000mm [78 3/4"] x 2000mm [78 3/4"] 0.34 BTU/ (hr ft² °F) / 1.93 W/(m²K).

Glasbox® BLU-LS10-G All-Glass: BLU-LS10-G thermally broken lift & slide door system; 2 track as standard option; Door hardware up to 880lbs door weight; U-Value based on NFRC test size of 2000mm [78 3/4"] x 2000mm [78 3/4"] 0.31 BTU/(hr ft² °F) / 1.76 W/(m²K).

Glasbox® BLU-DS10 swing door: Glasbox® BLU-DS10 thermally broken; adjustable exposed barrel hinges std. RAL finish # 239 585; five-point multi lock. INCLUDES: Locking cylinder key on exterior and thumb turn on inside with 3 keys in total; NFRC U-Value based on NFRC test size of 960mm [37 3/4"] x 2090mm [82 3/4"] 0.33 BTU/(hr ft² °F) / 1.87 W/(m²K).

Aluminum Finish: Dark Bronze C-34/S Anodized AAMA 611 Class 1

Window Handles: 111-00010-RAL RAL8022, **INCLUDED IN PRICE AS A LINE ITEM.**

Door handles: 208-000001-RAL RAL8022, **INCLUDED IN PRICE AS A LINE ITEM.**

Lift & Slide door handle: A-SA-0019 interior handle; RAL8022; Premium; A-SA-0023 exterior handle; RAL8022; Premium. **INCLUDED IN PRICE AS A LINE ITEM.**

Glazing BLU06A.16SS-T: 6mm SGG Cool-Lite Xtreme 61-29 Tempered Heat Soak Tested / 16mm black Multitech Spacer argon filled with Altimeter Adjuster / 6mm SGG Planiclear Tempered Heat Soak Tested; LT 61%; SHGC 0.26 shading coefficient 0.30; **Glass to meet or exceed ASTM E2190-02 and ASTM C 1048 standards. Refer to Pressglass's Company Standards for acceptable defects and imperfections.**

Glazing BLU06C.16SS-T: 10mm SGG Cool-Lite Xtreme 61-29 Tempered Heat Soak Tested / 16mm black Multitech Spacer argon filled with Altimeter Adjuster / 10mm SGG Planiclear Tempered Heat Soak Tested; LT 59%; SHGC 0.26 shading coefficient 0.30; **Glass to meet or exceed ASTM E2190-02 and ASTM C 1048 standards. Refer to Pressglass's Company Standards for acceptable defects and imperfections.**

Alarm for BLU-WS10TT tilt & turn window: Factory installed and prewired alarm contact; **OPTIONAL PRICING AS A LINE ITEM.**

Alarm for BLU-LS10 lift & slide door: Factory installed and prewired alarm contact; **OPTIONAL PRICING AS A LINE ITEM.**

Alarm for BLU-DS10 Swing door: Factory installed and prewired alarm contact; position and deadbolt monitor only; **OPTIONAL PRICING AS A LINE ITEM.**

Motorized window opening for BLU-WS10TT: Factory installed concealed Tiptronic motor; Not included are Group control unit for multiple operation and powerpacks. **NOT INCLUDED IN PRICE**

Window screen: Neher clipped on window screen, aluminum finish to match window/door finish: **OPTIONAL PRICING AS A LINE ITEM.**

General Notes:

Engineering: Structural engineering by Utah agreed engineer including schedules; **NOT INCLUDED IN PRICE.**

Testing available: NAFS08 testing for Glasbox® BLU-DS10 swing door; Glasbox® BLU-WS10TT tilt & turn window; Glasbox® BLU-WS10 picture window; Glasbox® BLU-LS10-S Standard lift and slide; NFRC labels for Glasbox® BLU-DS10 swing door; Glasbox® BLU-WS10TT tilt & turn window; Glasbox® BLU-WS10 picture window; Glasbox® BLU-LS10-S Standard lift and slide; Glasbox® BLU-LS10-A All Glass lift and slide and Glasbox® Q-CW2.0 Curtain Wall.

Please note, If NFRC labels need to be provided, Glasbox can only issue labels for previously approved and

simulated glass options. A complete glass list can be found in our "Glasbox Glass Types summary". Additional glass options might be simulated and approved for an extra charge which is per system and glass type, please consult your Glasbox team member for further questions.

Wind load: 1.2 kN/m²

Jobsite Location above sea level: 2218m [7276ft] above sea level; The jobsite location is very important due to the use of the Altimeter for the IG glass units; Failure to provide the exact location above sea level might result in failed IG units which are not covered under warranty.

Price Summary for Elements

BLU & Q Overview

Position	Quantity [Pcs.]	Description
CW-C02 & CW-C01	1	Q-CW2.0
CW-C03	1	Q-CW2.0
C031	1	BLU-DS10
CW-C30	1	Q-CW2.0
C030	1	BLU-DS10
CW-C04	1	Q-CW2.0
CW-C07	1	Q-CW2.0
CW-C05	2	Q-CW2.0
CW-C06	1	Q-CW2.0
C100	1	BLU-DS10
W-CH, W-CI & W-CJ	1	Q-CW2.0
C852	1	BLU-LS10-S
W-CM	1	Q-CW2.0
C850	1	BLU-LS10-G
W-CN	1	Q-CW2.0
W-CO	1	Q-CW2.0
W-CO INSERT UNIT	1	BLU-WS10TT
W-CP	1	Q-CW2.0
W-CP INSERT UNIT	1	BLU-WS10TT
W-CQ	1	Q-CW2.0
W-CQ INSERT UNIT	1	BLU-WS10TT
W-CR & W-CS	1	Q-CW2.0
W-CT	1	Q-CW2.0
W-CU & W-CV	1	Q-CW2.0
W-CV INSERT UNIT	1	BLU-WS10TT
C851	1	BLU-LS10-G

W-D.222/223/22 4/225	4 BLU-WS10TT
W-S.C201, W- CD.C201 & W- ZY.C201	1 BLU-WS10
W-K.C201	3 BLU-WS10
W-L.C202	1 BLU-WS10
W-EE.C202 & W-S.C202	1 BLU-WS10
W-A.C202	1 BLU-WS10
W-H.C202	1 BLU-LS10-G
W-M.C202	3 BLU-LS10-G
L.81	1 BLU-DS10
W-A.C201	1 BLU-WS10
W-C.C201 & W- L.C201	1 BLU-WS10
W-D.C201	1 BLU-WS10TT
L.79	1 BLU-DS10
W-L.C302	3 BLU-WS10
W-ZY.C302, W- CD.C302 & W- S.C302	1 BLU-WS10
L.61	1 BLU-DS10
W-D.C302	1 BLU-WS10TT
W-A.C302	1 BLU-WS10
W-K.C302	1 BLU-WS10
L.64	1 BLU-DS10
L.63	1 BLU-DS10
W-CE.C301	1 BLU-WS10
W-C. C301	1 BLU-WS10
W-K.C301 & W- J.C301	1 BLU-WS10TT
W-D.C301	1 BLU-WS10TT
W-L.C301	2 BLU-WS10
W-E.C301	1 BLU-WS10TT
C302.C301	1 BLU-DS10
W-S.C301	1 BLU-WS10
W-CA.C301	1 BLU-LS10-G
W-CA.1.C301	1 BLU-WS10
W-K.C301	1 BLU-WS10
W-L.C402	1 BLU-WS10
W-CB.C402.1	1 BLU-LS10-G
W-CB.C402.2	1 BLU-WS10
W-S.C402	1 BLU-WS10
U-04F.C402	1 BLU-DS10
W-E.C402	1 BLU-WS10TT
W-K.C402	2 BLU-WS10

Let the view in



W-D.C402	1 BLU-WS10TT
W-J.C402 & W-L.C402	1 BLU-WS10TT
W-C.C402	1 BLU-WS10
W-CE.C402	1 BLU-WS10
U-03C.C401	1 BLU-DS10
W-A.C401	1 BLU-WS10
W-K.C401	3 BLU-WS10
W-L.C401	1 BLU-WS10
C404.C401	1 BLU-DS10
W-D.C401	1 BLU-WS10TT
C402.C401	1 BLU-DS10
W-S.C401, W-CD.C401 & W-ZY.X401	1 BLU-WS10
W-L.C502	3 BLU-WS10
W-ZY.C502, W-CD.C502 & W-S.C502	1 BLU-WS10
U-04G.C502	1 BLU-DS10
W-D.C502	1 BLU-WS10TT
W-K.C502	1 BLU-WS10
L.49.C502	1 BLU-DS10
W-A.C502	1 BLU-WS10
L.45.C502	1 BLU-DS10
W-CE.C501	1 BLU-WS10
W-K.C501	1 BLU-WS10
W-L.C501	2 BLU-WS10
W-D.C501	1 BLU-WS10TT
W-C.C501	1 BLU-WS10
W-K.C501 & W-J.C501	1 BLU-WS10TT
W-S.C501	1 BLU-WS10
W-CA.C501.1	1 BLU-LS10-G
W-CA.C501.2	1 BLU-WS10
W-E.C501	1 BLU-WS10TT
L.43.C501	1 BLU-DS10
W-L.C602	3 BLU-WS10
W-CB.C602.1	1 BLU-LS10-G
W-CB.C602.2	1 BLU-WS10
W-S.C602	1 BLU-WS10
U-04H.C602	1 BLU-DS10
W-E.C602	1 BLU-WS10TT
W-D.C602	1 BLU-WS10TT
W-J.C602 & W-L.C602	1 BLU-WS10TT
W-C.C602	1 BLU-WS10
W-CE.C602	1 BLU-WS10



W-K.C601	3 BLU-WS10
L.48.C601	1 BLU-DS10
W-A.C601	1 BLU-WS10
W-D.C601	1 BLU-WS10TT
L.46C.601	1 BLU-DS10
W-L.C601	1 BLU-WS10
L.51.C601	1 BLU-DS10
W-S.C601, W- CD.C601 & W- ZY.C601	1 BLU-WS10
W-L.C702	3 BLU-WS10
W-ZY.C702, W- CD.C702 & W- S.C702	1 BLU-WS10
U-04D	1 BLU-DS10
W-D.C702	1 BLU-WS10TT
W-A.C702	1 BLU-WS10
W-K.C702	1 BLU-WS10
L.74.C702	1 BLU-DS10
L.73.C702	1 BLU-DS10
W-CE.C701	1 BLU-WS10
W-C.C701	1 BLU-WS10
W-K.C701 & W- J.C701	1 BLU-WS10TT
W-D.C701	1 BLU-WS10TT
W-L.C701	2 BLU-WS10
W-E.C701	1 BLU-WS10TT
L.71.C701	1 BLU-DS10
W-S.C701	1 BLU-WS10
W-CA.C701.1	1 BLU-WS10
W-CA.C701.2	1 BLU-LS10-G
W-K.C701	1 BLU-WS10
W-CY.C801	1 BLU-WS10
W-CE.C801	1 BLU-WS10
U-02B.C801	1 BLU-DS10

136 Positions 160

Cost Summary for All Elements Including Additional Items:

Quantity	Description	Unit Price	Total
160	Glasbox® Q & BLU Aluminum Units	Included	Included
1	Installation per the terms of Glasbox installation agreement, to include Backer Rod and Caulk sealant at interior and exterior perimeter of windows, doors and curtain wall openings listed in the attached position drawings	Included	Included
1	Protection foil for all Glasbox® windows and doors; The foil gets applied before manufacturing, all corners to be pulled back for assembly of windows and doors; Foil needs to be removed within 3 months of installation; failure to remove in time may result in damage to the aluminum finish.	Included	Included
7	Delivery to jobsite via 40' HC container for Glasbox® windows, doors. Jobsite requires accommodation of a 53' trailer. Includes Insurance, Crating, Unloading Time (2 Hours)	Included	Included
7	Loading for Glasbox® windows and doors into Sea container	Included	Included
44	Wooden crates for profiles and glass.	Included	Included
1	Type 1 shop drawings include, elevation, horizontal and vertical section: Includes one set of original and one set of size changes only; System changes are not included and will be invoiced to the client; all additional changes will be billed on an hourly rate of \$ 150.00/hr; "SEE TYPE 1 MATERIAL REQUEST CHECKLIST"	Included	Included
1	Type 2 shop drawings: Shop Drawing, and Installation Documents for above listed Glasbox® windows and doors; We require detailed floor assemblies, wall sections and ceiling details in dwg files from the architect; This price doesn't include for us to provide architectural details; price includes one set of original drawings and one size change; all additional changes will result in additional charges, all additional changes will be billed on an hourly rate of \$ 135.00/hr; "SEE TYPE 2 MATERIAL REQUEST CHECKLIST". Positions: All Curtain Wall Positions	Included	Included
		Subtotal	\$2,277,415.20
		Sales Tax 8.25%	\$132,329.14

TOTAL	\$2,409,744.34

NOTES:


- All glass is crated and shipped unglazed.
- Signed shop drawings serve as final production specifications and prevail over all other documentation.
- All delivery costs (Shipping fees, number of containers, crating) are estimated at current market rates at time of quotation. Final charges based on invoice plus 10%.
- Optional. Client may elect to contract and manage delivery for direct billing, excluding Glasbox handling charge of cost plus.
- Optional. Expedited delivery. Subject to availability (size and weight of product), client may elect for whole or part shipping via airfreight. Notice within 15 days of loading is required.
- Line-item pricing for all products is available upon request.
- Sales Tax is charged on Product only, not on shipping, installation or labor.

Signature: _____

Date: _____

Position: CW-C02 & CW-C01, Phase: CW UNITS


Description:	Q-CW2.0		
Quantity:	1 Pcs.	Perimeter:	125,0 ft
System:	Q-CW2.0 Curtain Wall	Area:	561,5 ft²
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	318,999 x 288,000 in



Scale: 1:65
View: Exterior View

Position: CW-C03, Phase: CW UNITS


Description:	Q-CW2.0	Perimeter:	58,8 ft
Quantity:	1 Pcs.	Area:	77,7 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	114,000 x 132,000 in



Scale: 1:25
View: Exterior View

Position: C031, Phase: CW UNITS


Description:	BLU-DS10	Perimeter:	23,6 ft
Quantity:	1 Pcs.	Area:	25,6 ft²
System:	BLU-DS10 Swing Door	Frame:	36,000 x 108,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:26
View: Exterior View

Position: CW-C30, Phase: CW UNITS

Description:	Q-CW2.0	Perimeter:	58,8 ft
Quantity:	1 Pcs.	Area:	77,7 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	114,000 x 132,000 in



Scale: 1:25
View: Exterior View

Position: C030, Phase: CW UNITS

Description:	BLU-DS10
--------------	----------

Quantity: 1 Pcs.


System: BLU-DS10 Swing Door

Perimeter: 23,6 ft

Area: 25,6 ft²

Colour: DARK BRONZE C-34/S ANODIZED
AAMA 611 CLASS 1

Frame: 36,000 x 108,000 in




Scale: 1:26

View: Exterior View

Position: CW-C04, Phase: CW UNITS


Description:	Q-CW2.0	Perimeter:	54,2 ft
Quantity:	1 Pcs.	Area:	51,1 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	110,500 x 120,000 in



Scale: 1:21
View: Exterior View


Position: CW-C07, Phase: CW UNITS

Description:	Q-CW2.0	Perimeter:	40,4 ft
Quantity:	1 Pcs.	Area:	101,3 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	110,500 x 132,000 in



Position: CW-C05, Phase: CW UNITS


Description:	Q-CW2.0	Perimeter:	40,0 ft
Quantity:	2 Pcs.	Area:	96,0 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	96,000 x 144,000 in



Scale: 1:25
View: Exterior View

Position: CW-C06, Phase: CW UNITS


Description:	Q-CW2.0	Perimeter:	32,0 ft
Quantity:	1 Pcs.	Area:	14,9 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	48,000 x 144,000 in



Scale: 1:22
View: Exterior View

Position: C100, Phase: CW UNITS

Description:	BLU-DS10	Perimeter:	25,3 ft
Quantity:	1 Pcs.	Area:	33,1 ft²
System:	BLU-DS10 Swing Door	Frame:	46,000 x 108,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		




Scale: 1:26
View: Exterior View

Job number: 7900
Person in Charge: Jeruza Alves
Directory: 20 - Quotation\Sommet Blanc\Tower C\Quote #7900\



Position: W-CH, W-CI & W-CJ, Phase: CW UNITS

Description:	Q-CW2.0	Perimeter:	246,0 ft
Quantity:	1 Pcs.	Area:	916,8 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	1 043,984 x 193,250 in




Scale: 1:188
View: Exterior View

Position: C852, Phase: CW UNITS

Description: BLU-LS10-S
Quantity: 1 Pcs.
System: Decalu 163 Slide Standard Square With A- GS-30XW
Colour: Dark Bronze C-34/S Anodized AAMA 611 Class 1


Perimeter: 65,5 ft
Area: 226,2 ft²
Frame: 273,750 x 119,000 in



Scale: 1:49
View: Exterior View

Position: W-CM, Phase: CW UNITS


Description: Q-CW2.0
Quantity: 1 Pcs.
System: Q-CW2.0 Curtain Wall
Colour: DARK BRONZE C-34/S ANODIZED
AAMA 611 CLASS 1
Perimeter: 90,7 ft
Area: 254,5 ft²
Frame: 284,000 x 205,500 in



Scale: 1:57
View: Exterior View

Position: C850, Phase: CW UNITS


Description:	BLU-LS10-G		
Quantity:	1 Pcs.	Perimeter:	49,8 ft
System:	BLU-LS10-G All Glass	Area:	148,8 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	180,000 x 119,000 in



Scale: 1:33
View: Exterior View

Position: W-CN, Phase: CW UNITS


Description:	Q-CW2.0	Perimeter:	38,8 ft
Quantity:	1 Pcs.	Area:	61,6 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	48,000 x 186,250 in



Scale: 1:30
View: Exterior View

Position: W-CO, Phase: CW UNITS


Description:	Q-CW2.0	Perimeter:	44,8 ft
Quantity:	1 Pcs.	Area:	115,0 ft ²
System:	Q-CW2.0 Curtain Wall	Frame:	96,000 x 175,500 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:31
View: Exterior View

Position: W-CO INSERT UNIT, Phase: CW UNITS


Description:	BLU-WS10TT	Perimeter:	10,8 ft
Quantity:	1 Pcs.	Area:	6,3 ft²
System:	BLU-WS10TT Tilt Unit	Frame:	46,070 x 21,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:16
View: Exterior View

Position: W-CP, Phase: CW UNITS


Description:	Q-CW2.0	Perimeter:	43,0 ft
Quantity:	1 Pcs.	Area:	108,0 ft ²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	96,000 x 165,000 in



Scale: 1:29
View: Exterior View

Position: W-CP INSERT UNIT, Phase: CW UNITS

Description:	BLU-WS10TT	Perimeter:	10,8 ft
Quantity:	1 Pcs.	Area:	6,3 ft²
System:	BLU-WS10TT Tilt Unit	Frame:	46,070 x 21,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:16
View: Exterior View


Position Drawing

05.05.2023 / 17:57
Sommet Blanc Quote #7900

Job number: 7900
Person in Charge: Jeruza Alves
Directory: 20 - Quotation\Sommet
Blanc\Tower C\Quote #7900\

GLASBOX®


Description:	Q-CW2.0		
Quantity:	1 Pcs.	Perimeter:	44,8 ft
System:	Q-CW2.0 Curtain Wall	Area:	114,8 ft²
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	96,000 x 178,250 in



Scale: 1:31
View: Exterior View

Position: W-CQ INSERT UNIT, Phase: CW UNITS

Description:	BLU-WS10TT	Perimeter:	10,8 ft
Quantity:	1 Pcs.	Area:	6,3 ft²
System:	BLU-WS10TT Tilt Unit	Frame:	46,070 x 21,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:16
View: Exterior View

Position: W-CR & W-CS, Phase: CW UNITS

Description:	Q-CW2.0
--------------	---------

Quantity: 1 Pcs.


System: Q-CW2.0 Curtain Wall

Perimeter: 65,8 ft

Area: 274,7 ft²

Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1
---------	---

Frame: 192,000 x 208,000 in




Scale: 1:43

View: Exterior View

Position: W-CT, Phase: CW UNITS

Description:	Q-CW2.0	Perimeter:	42,7 ft
Quantity:	1 Pcs.	Area:	69,3 ft²
System:	Q-CW2.0 Curtain Wall		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	48,000 x 208,000 in




Scale: 1:31
View: Exterior View

Job number: 7900
Person in Charge: Jeruza Alves
Directory: 20 - Quotation\Sommet Blanc\Tower C\Quote #7900\

Position: W-CU & W-CV, Phase: CW UNITS


Description: Q-CW2.0
Quantity: 1 Pcs.
System: Q-CW2.0 Curtain Wall
Perimeter: 121,5 ft
Area: 240,7 ft²
Colour: DARK BRONZE C-34/S ANODIZED
AAMA 611 CLASS 1
Frame: 428,500 x 179,500 in



Scale: 1:82
View: Exterior View

Position: W-CV INSERT UNIT, Phase: CW UNITS


Description:	BLU-WS10TT	Perimeter:	10,8 ft
Quantity:	1 Pcs.	Area:	6,3 ft²
System:	BLU-WS10TT Tilt Unit	Frame:	46,070 x 21,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:16
View: Exterior View



Position: C851, Phase: CW UNITS

Description:	BLU-LS10-G		
Quantity:	1 Pcs.	Perimeter:	51,8 ft
System:	BLU-LS10-G All Glass	Area:	158,7 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611	Frame:	192,000 x 119,000 in
	Class 1		



Position: W-D.222/223/224/225, Phase: LEVEL 1 & 2


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	4 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-S.C201, W-CD.C201 & W-ZY.C201, Phase: LEVEL 1 & 2

Description:	BLU-WS10	Perimeter:	103,8 ft
Quantity:	1 Pcs.	Area:	418,8 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	502,500 x 120,000 in




Scale: 1:95

View: Exterior View

Position: W-K.C201, Phase: LEVEL 1 & 2


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	3 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:25
View: Exterior View

Position: W-L.C202, Phase: LEVEL 1 & 2

Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	96,000 x 120,000 in



Scale: 1:25
View: Exterior View

Let the view in

Position Drawing


Date: 05.05.2023 / 17:57
Project: Sommet Blanc Quote #7900

Job number: 7900
Person in Charge: Jeruza Alves
Directory: 20 - Quotation\Sommet Blanc\Tower C\Quote #7900\



Position: W-EE.C202 & W-S.C202, Phase: LEVEL 1 & 2

Description:	BLU-WS10	Perimeter:	82,8 ft
Quantity:	1 Pcs.	Area:	314,2 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	377,000 x 120,000 in




Scale: 1:73
View: Exterior View



Position: W-A.C202, Phase: LEVEL 1 & 2


Description:	BLU-WS10	Perimeter:	26,0 ft
Quantity:	1 Pcs.	Area:	36,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 108,000 in



Scale: 1:17
View: Exterior View


Position: W-H.C202, Phase: LEVEL 1 & 2

Description:	BLU-LS10-G	Perimeter:	34,0 ft
Quantity:	1 Pcs.	Area:	72,0 ft²
System:	BLU-LS10-G All Glass		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	96,000 x 108,000 in



Position: W-M.C202, Phase: LEVEL 1 & 2


Description:	BLU-LS10-G		
Quantity:	3 Pcs.	Perimeter:	36,0 ft
System:	BLU-LS10-G All Glass	Area:	80,0 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	96,000 x 120,000 in



Scale: 1:24
View: Exterior View

Position: L.81, Phase: LEVEL 1 & 2


Description:	BLU-DS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	31,9 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 115,000 in



Scale: 1:21
View: Exterior View

Position: W-A.C201, Phase: LEVEL 1 & 2


Description:	BLU-WS10	Perimeter:	26,0 ft
Quantity:	1 Pcs.	Area:	36,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 108,000 in



Scale: 1:17
View: Exterior View

Position: W-C.C201 & W-L.C201, Phase: LEVEL 1 & 2

Description:	BLU-WS10	Perimeter:	44,0 ft
Quantity:	1 Pcs.	Area:	120,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	144,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		





Scale: 1:33

View: Exterior View

Position: W-D.C201, Phase: LEVEL 1 & 2


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: L.79, Phase: LEVEL 1 & 2


Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-L.C302, Phase: LEVEL 3

Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	3 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		




Scale: 1:25
View: Exterior View

Job number: 7900
Person in Charge: Jeruza Alves
Directory: 20 - Quotation\Sommet Blanc\Tower C\Quote #7900\



Position: W-ZY.C302, W-CD.C302 & W-S.C302, Phase: LEVEL 3


Description:	BLU-WS10		
Quantity:	1 Pcs.	Perimeter:	103,8 ft
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Area:	418,8 ft²
Colour:	DARK BRONZE C-34/S ANODIZED	Frame:	502,500 x 120,000 in
	AAMA 611 CLASS 1		



Scale: 1:95
View: Exterior View

Position: L.61, Phase: LEVEL 3



Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-D.C302, Phase: LEVEL 3


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	48,000 x 120,000 in
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1		



Scale: 1:19
View: Exterior View

Position: W-A.C302, Phase: LEVEL 3





Description:	BLU-WS10	Perimeter:	26,0 ft
Quantity:	1 Pcs.	Area:	36,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 108,000 in



Scale: 1:17
View: Exterior View

Position: W-K.C302, Phase: LEVEL 3


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:30
View: Exterior View

Position: L.64, Phase: LEVEL 3


Description:	BLU-DS10	Perimeter:	24,2 ft
Quantity:	1 Pcs.	Area:	30,0 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 103,000 in



Scale: 1:19
View: Exterior View

Position: L.63, Phase: LEVEL 3


Description:	BLU-DS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	31,9 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 115,000 in



Scale: 1:21
View: Exterior View

Position: W-CE.C301, Phase: LEVEL 3


Description:	BLU-WS10	Perimeter:	27,7 ft
Quantity:	1 Pcs.	Area:	38,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	46,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-C. C301, Phase: LEVEL 3


Description:	BLU-WS10	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-K.C301 & W-J.C301, Phase: LEVEL 3



Description:	BLU-WS10TT		
Quantity:	1 Pcs.	Perimeter:	52,0 ft
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Area:	160,0 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	192,000 x 120,000 in



Scale: 1:41
View: Exterior View

Position: W-D.C301, Phase: LEVEL 3


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-L.C301, Phase: LEVEL 3



Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	2 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:25
View: Exterior View

Position: W-E.C301, Phase: LEVEL 3


Description:	BLU-WS10TT		
Quantity:	1 Pcs.	Perimeter:	34,0 ft
System:	BLU-WS10 Picture Unit	Area:	72,0 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	96,000 x 108,000 in



Scale: 1:28
View: Exterior View

Position: C302.C301, Phase: LEVEL 3

Description:	BLU-DS10	Perimeter:	24,2 ft
Quantity:	1 Pcs.	Area:	30,0 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 103,000 in





Scale: 1:19
View: Exterior View

Job number: 7900
 Person in Charge: Jeruza Alves
 Directory: 20 - Quotation\Sommet
 Blanc\Tower C\Quote #7900\

Position: W-S.C301, Phase: LEVEL 3

Description: BLU-WS10
 Quantity: 1 Pcs.
 System: BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit
 Colour: DARK BRONZE C-34/S ANODIZED
 AAMA 611 CLASS 1


Perimeter: 44,0 ft
 Area: 120,0 ft²
 Frame: 144,000 x 120,000 in



Scale: 1:33
 View: Exterior View

Position: W-CA.C301, Phase: LEVEL 3



Description:	BLU-LS10-G	Perimeter:	50,5 ft
Quantity:	1 Pcs.	Area:	146,3 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	195,000 x 108,000 in



Scale: 1:35
View: Exterior View

Position: W-CA.1.C301, Phase: LEVEL 3



Description:	BLU-WS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	35,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	47,000 x 108,000 in



Scale: 1:22
View: Exterior View

Position: W-K.C301, Phase: LEVEL 3


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:30
View: Exterior View

Position: W-L.C402, Phase: LEVEL 4


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	96,000 x 120,000 in



Scale: 1:25
View: Exterior View

Position: W-CB.C402.1, Phase: LEVEL 4



Description:	BLU-LS10-G		
Quantity:	1 Pcs.	Perimeter:	50,5 ft
System:	BLU-LS10-G All Glass	Area:	146,3 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	195,000 x 108,000 in



Scale: 1:35
View: Exterior View

Position: W-CB.C402.2, Phase: LEVEL 4





Description:	BLU-WS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	35,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	47,000 x 108,000 in



Scale: 1:22
View: Exterior View

Position: W-S.C402, Phase: LEVEL 4


Description:	BLU-WS10	Perimeter:	44,0 ft
Quantity:	1 Pcs.	Area:	120,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	144,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:35
View: Exterior View

Position: U-04F.C402, Phase: LEVEL 4





Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-E.C402, Phase: LEVEL 4



Description:	BLU-WS10TT		
Quantity:	1 Pcs.	Perimeter:	34,0 ft
System:	BLU-WS10 Picture Unit	Area:	72,0 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	96,000 x 108,000 in



Scale: 1:28
View: Exterior View

Position: W-K.C402, Phase: LEVEL 4



Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	2 Pcs.	Area:	80,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:30
View: Exterior View

Position: W-D.C402, Phase: LEVEL 4


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-J.C402 & W-L.C402, Phase: LEVEL 4


Description:	BLU-WS10TT	Perimeter:	52,0 ft
Quantity:	1 Pcs.	Area:	160,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	192,000 x 120,000 in



Scale: 1:41
View: Exterior View

Position: W-C.C402, Phase: LEVEL 4


Description:	BLU-WS10	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-CE.C402, Phase: LEVEL 4


Description:	BLU-WS10	Perimeter:	27,7 ft
Quantity:	1 Pcs.	Area:	38,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	46,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: U-03C.C401, Phase: LEVEL 4


Description:	BLU-DS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	31,9 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 115,000 in



Scale: 1:21
View: Exterior View

Position: W-A.C401, Phase: LEVEL 4




Description:	BLU-WS10	Perimeter:	26,0 ft
Quantity:	1 Pcs.	Area:	36,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 108,000 in



Scale: 1:17
View: Exterior View

Position: W-K.C401, Phase: LEVEL 4






Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	3 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:30
View: Exterior View

Position: W-L.C401, Phase: LEVEL 4


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:30
View: Exterior View

Position: C404.C401, Phase: LEVEL 4



Description:	BLU-DS10	Perimeter:	24,2 ft
Quantity:	1 Pcs.	Area:	29,2 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-D.C401, Phase: LEVEL 4


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: C402.C401, Phase: LEVEL 4

Description:	BLU-DS10	Perimeter:	23,8 ft
Quantity:	1 Pcs.	Area:	28,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 103,000 in




Scale: 1:19
View: Exterior View

Job number: 7900
Person in Charge: Jeruza Alves
Directory: 20 - Quotation\Sommet Blanc\Tower C\Quote #7900\



Position: W-S.C401, W-CD.C401 & W-ZY.X401, Phase: LEVEL 4


Description: BLU-WS10
Quantity: 1 Pcs.
System: BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit
Colour: DARK BRONZE C-34/S ANODIZED
Perimeter: 103,8 ft
Area: 418,8 ft²
Frame: 502,500 x 120,000 in



Scale: 1:95
View: Exterior View

Position: W-L.C502, Phase: LEVEL 5

Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	3 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		




Scale: 1:25
View: Exterior View

Job number: 7900
Person in Charge: Jeruza Alves
Directory: 20 - Quotation\Sommet Blanc\Tower C\Quote #7900\



Position: W-ZY.C502, W-CD.C502 & W-S.C502, Phase: LEVEL 5


Description:	BLU-WS10	Perimeter:	103,8 ft
Quantity:	1 Pcs.	Area:	418,8 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	DARK BRONZE C-34/S ANODIZED	Frame:	502,500 x 120,000 in
	AAMA 611 CLASS 1		



Scale: 1:95
View: Exterior View

Position: U-04G.C502, Phase: LEVEL 5



Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-D.C502, Phase: LEVEL 5





Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-K.C502, Phase: LEVEL 5


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:30
View: Exterior View

Position: L.49.C502, Phase: LEVEL 5


Description:	BLU-DS10	Perimeter:	24,2 ft
Quantity:	1 Pcs.	Area:	30,0 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 103,000 in



Scale: 1:19
View: Exterior View

Position: W-A.C502, Phase: LEVEL 5


Description:	BLU-WS10	Perimeter:	26,0 ft
Quantity:	1 Pcs.	Area:	36,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 108,000 in



Scale: 1:17
View: Exterior View

Position: L.45.C502, Phase: LEVEL 5


Description:	BLU-DS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	31,9 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 115,000 in



Scale: 1:21
View: Exterior View

Position: W-CE.C501, Phase: LEVEL 5


Description:	BLU-WS10	Perimeter:	27,7 ft
Quantity:	1 Pcs.	Area:	38,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	46,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-K.C501, Phase: LEVEL 5


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:25
View: Exterior View

Position: W-L.C501, Phase: LEVEL 5



Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	2 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	96,000 x 120,000 in



Scale: 1:25
View: Exterior View

Position: W-D.C501, Phase: LEVEL 5


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	48,000 x 120,000 in
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1		



Scale: 1:19
View: Exterior View

Position: W-C.C501, Phase: LEVEL 5


Description:	BLU-WS10	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-K.C501 & W-J.C501, Phase: LEVEL 5



Description:	BLU-WS10TT	Perimeter:	52,0 ft
Quantity:	1 Pcs.	Area:	160,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	192,000 x 120,000 in



Scale: 1:41
View: Exterior View

Position: W-S.C501, Phase: LEVEL 5


Description:	BLU-WS10	Perimeter:	44,0 ft
Quantity:	1 Pcs.	Area:	120,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	144,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:33
View: Exterior View

Position: W-CA.C501.1, Phase: LEVEL 5



Description:	BLU-LS10-G		
Quantity:	1 Pcs.	Perimeter:	50,5 ft
System:	BLU-LS10-G All Glass	Area:	146,3 ft ²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	195,000 x 108,000 in



Scale: 1:35
View: Exterior View

Position: W-CA.C501.2, Phase: LEVEL 5



Description:	BLU-WS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	35,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	47,000 x 108,000 in



Scale: 1:22
View: Exterior View

Position: W-E.C501, Phase: LEVEL 5


Description:	BLU-WS10TT		
Quantity:	1 Pcs.	Perimeter:	34,0 ft
System:	BLU-WS10 Picture Unit	Area:	72,0 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	96,000 x 108,000 in



Scale: 1:22
View: Exterior View

Position: L.43.C501, Phase: LEVEL 5


Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-L.C602, Phase: LEVEL 6


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	3 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:25
View: Exterior View

Position: W-CB.C602.1, Phase: LEVEL 6



Description:	BLU-LS10-G		
Quantity:	1 Pcs.	Perimeter:	50,5 ft
System:	BLU-LS10-G All Glass	Area:	146,3 ft ²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	195,000 x 108,000 in



Scale: 1:35
View: Exterior View

Position: W-CB.C602.2, Phase: LEVEL 6




Description:	BLU-WS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	35,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	47,000 x 108,000 in



Scale: 1:22
View: Exterior View

Position: W-S.C602, Phase: LEVEL 6

Description:	BLU-WS10	Perimeter:	44,0 ft
Quantity:	1 Pcs.	Area:	120,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	144,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		




Scale: 1:35

View: Exterior View

Position: U-04H.C602, Phase: LEVEL 6



Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-E.C602, Phase: LEVEL 6



Description:	BLU-WS10TT		
Quantity:	1 Pcs.	Perimeter:	34,0 ft
System:	BLU-WS10 Picture Unit	Area:	72,0 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	96,000 x 108,000 in



Scale: 1:22
View: Exterior View

Position: W-D.C602, Phase: LEVEL 6


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-J.C602 & W-L.C602, Phase: LEVEL 6


Description: BLU-WS10TT
Quantity: 1 Pcs.
System: BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit
Colour: Dark Bronze C-34/S Anodized AAMA 611 Class 1
Perimeter: 52,0 ft
Area: 160,0 ft²
Frame: 192,000 x 120,000 in



Scale: 1:41
View: Exterior View

Position: W-C.C602, Phase: LEVEL 6


Description:	BLU-WS10	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-CE.C602, Phase: LEVEL 6


Description:	BLU-WS10	Perimeter:	27,7 ft
Quantity:	1 Pcs.	Area:	38,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	46,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-K.C601, Phase: LEVEL 6


Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	3 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:25
View: Exterior View

Position: L.48.C601, Phase: LEVEL 6


Description:	BLU-DS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	31,9 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 115,000 in



Scale: 1:21
View: Exterior View

Position: W-A.C601, Phase: LEVEL 6



Description:	BLU-WS10	Perimeter:	26,0 ft
Quantity:	1 Pcs.	Area:	36,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 108,000 in



Scale: 1:17
View: Exterior View

Position: W-D.C601, Phase: LEVEL 6


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: L.46C.601, Phase: LEVEL 6






Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-L.C601, Phase: LEVEL 6

Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		




Scale: 1:30

View: Exterior View

Position: L.51.C601, Phase: LEVEL 6


Description:	BLU-DS10	Perimeter:	24,2 ft
Quantity:	1 Pcs.	Area:	30,0 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 103,000 in



Scale: 1:19
View: Exterior View

Position: W-S.C601, W-CD.C601 & W-ZY.C601, Phase: LEVEL 6


Description:	BLU-WS10	Perimeter:	103,8 ft
Quantity:	1 Pcs.	Area:	418,8 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	DARK BRONZE C-34/S ANODIZED	Frame:	502,500 x 120,000 in
	AAMA 611 CLASS 1		



Scale: 1:95
View: Exterior View

Position: W-L.C702, Phase: LEVEL 7 & 8

Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	3 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	96,000 x 120,000 in



Scale: 1:25
View: Exterior View

Let the view in

Position Drawing


Date: 05.05.2023 / 17:57
Project: Sommet Blanc Quote #7900

Job number: 7900
Person in Charge: Jeruza Alves
Directory: 20 - Quotation\Sommet Blanc\Tower C\Quote #7900\



Position: W-ZY.C702, W-CD.C702 & W-S.C702, Phase: LEVEL 7 & 8

Description:	BLU-WS10		
Quantity:	1 Pcs.	Perimeter:	103,8 ft
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Area:	418,8 ft²
Colour:	DARK BRONZE C-34/S ANODIZED	Frame:	502,500 x 120,000 in
	AAMA 611 CLASS 1		




Scale: 1:95
View: Exterior View



Position: U-04D, Phase: LEVEL 7 & 8



Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-D.C702, Phase: LEVEL 7 & 8


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-A.C702, Phase: LEVEL 7 & 8

Description:	BLU-WS10	Perimeter:	26,0 ft
Quantity:	1 Pcs.	Area:	36,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 108,000 in



Scale: 1:17
View: Exterior View

Position: W-K.C702, Phase: LEVEL 7 & 8

Description:	BLU-WS10
--------------	----------

Quantity: 1 Pcs.



Perimeter: 36,0 ft

System: BLU-WS10 Picture Unit & BLU-WS10TT
Tilt Unit

Area: 80,0 ft²

Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1
---------	---

Frame: 96,000 x 120,000 in




Scale: 1:30

View: Exterior View

Position: L.74.C702, Phase: LEVEL 7 & 8


Description:	BLU-DS10	Perimeter:	24,2 ft
Quantity:	1 Pcs.	Area:	30,0 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 103,000 in



Scale: 1:19
View: Exterior View

Position: L.73.C702, Phase: LEVEL 7 & 8


Description:	BLU-DS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	31,9 ft²
System:	BLU-DS19 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 115,000 in



Scale: 1:21
View: Exterior View

Position: W-CE.C701, Phase: LEVEL 7 & 8


Description:	BLU-WS10	Perimeter:	27,7 ft
Quantity:	1 Pcs.	Area:	38,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	46,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-C.C701, Phase: LEVEL 7 & 8


Description:	BLU-WS10	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-K.C701 & W-J.C701, Phase: LEVEL 7 & 8


Description:	BLU-WS10TT	Perimeter:	52,0 ft
Quantity:	1 Pcs.	Area:	160,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	192,000 x 120,000 in



Scale: 1:38
View: Exterior View

Position: W-D.C701, Phase: LEVEL 7 & 8


Description:	BLU-WS10TT	Perimeter:	28,0 ft
Quantity:	1 Pcs.	Area:	40,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	48,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: W-L.C701, Phase: LEVEL 7 & 8





Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	2 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:24
View: Exterior View

Position: W-E.C701, Phase: LEVEL 7 & 8


Description:	BLU-WS10TT		
Quantity:	1 Pcs.	Perimeter:	34,0 ft
System:	BLU-WS10 Picture Unit	Area:	72,0 ft²
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	96,000 x 108,000 in



Scale: 1:28
View: Exterior View

Position: L.71.C701, Phase: LEVEL 7 & 8





Description:	BLU-DS10	Perimeter:	24,5 ft
Quantity:	1 Pcs.	Area:	30,6 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	42,000 x 105,000 in



Scale: 1:19
View: Exterior View

Position: W-S.C701, Phase: LEVEL 7 & 8



Description:	BLU-WS10	Perimeter:	44,0 ft
Quantity:	1 Pcs.	Area:	120,0 ft ²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	144,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:30
View: Exterior View

Position: W-CA.C701.1, Phase: LEVEL 7 & 8

Description:	BLU-WS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	35,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	47,000 x 108,000 in



Scale: 1:22
View: Exterior View

Position Drawing

Date:
Project:

05.05.2023 / 17:57
Sommet Blanc Quote #7900

Job number:
Person in Charge:
Directory:

7900
Jeruza Alves
20 - Quotation\Sommet
Blanc\Tower C\Quote #7900\

Position: W-CA.C701.2, Phase: LEVEL 7 & 8

Description: BLU-LS10-G

Quantity: 1 Pcs.


Perimeter: 50,5 ft

System: BLU-LS10-G All Glass

Area: 146,3 ft²

Colour: Dark Bronze C-34/S Anodized AAMA 611
Class 1

Frame: 195,000 x 108,000 in





Scale: 1:35

View: Exterior View

Position: W-K.C701, Phase: LEVEL 7 & 8



Description:	BLU-WS10	Perimeter:	36,0 ft
Quantity:	1 Pcs.	Area:	80,0 ft²
System:	BLU-WS10 Picture Unit & BLU-WS10TT Tilt Unit	Frame:	96,000 x 120,000 in
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1		



Scale: 1:24
View: Exterior View

Position: W-CY.C801, Phase: LEVEL 7 & 8


Description:	BLU-WS10	Perimeter:	40,0 ft
Quantity:	1 Pcs.	Area:	100,0 ft²
System:	BLU-WS10 Picture Unit		
Colour:	DARK BRONZE C-34/S ANODIZED AAMA 611 CLASS 1	Frame:	120,000 x 120,000 in



Scale: 1:24
View: Exterior View

Position: W-CE.C801, Phase: LEVEL 7 & 8


Description:	BLU-WS10	Perimeter:	27,7 ft
Quantity:	1 Pcs.	Area:	38,3 ft²
System:	BLU-WS10 Picture Unit		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	46,000 x 120,000 in



Scale: 1:19
View: Exterior View

Position: U-02B.C801, Phase: LEVEL 7 & 8

Description:	BLU-DS10	Perimeter:	25,8 ft
Quantity:	1 Pcs.	Area:	31,9 ft²
System:	BLU-DS10 Swing Door		
Colour:	Dark Bronze C-34/S Anodized AAMA 611 Class 1	Frame:	40,000 x 115,000 in



Scale: 1:21
View: Exterior View



Summary

Quantity:	160 Pcs.
Perimeter:	6 315 ft
Area:	15 010 ft²