


1. WHERE WALLS JOIN TO CURB, LOCATE FACE OF STUD OR FACE OF CONCRETE AT CURB, U.N.O.
2. FINISH FLOOR ELEVATION TYPICAL, ACROSS LEVEL, U.N.O.
3. REFER TO 10.0 AND 11.0 FOR ASSEMBLIES.
4. ALL DIMENSIONS ARE TO FACE UNLESS NOTED OTHERWISE AND CENTERLINE OF CONCRETE COLUMN, U.N.O.
5. T.O. CURBS AT "A" MAXIMUM "A" FEET, WHERE SLAB IS SLOPED, U.N.O.
6. MIN. 1% SLOPE TO DRAINAGE.
7. TOP OF CONCRETE SLAB ELEVATIONS PROVIDED FOR REFERENCE. CONTRACTOR SHALL CORRESPOND WITH FINISH ELEVATIONS PROVIDED ON ARCHITECTURAL PLANS AND ADJUST AS NECESSARY.
8. CEILING HEIGHTS MEASURED FROM TOP OF CONCRETE - SEE SECTIONS.
9. COORDINATE WITH ALL RELATED PLANS FOR ADDITIONAL INFORMATION AND DETAILS.
10. COORDINATE WITH ALL RELATED PLANS FOR ADDITIONAL INFORMATION AND DETAILS.
11. COORDINATE WITH ALL RELATED PLANS FOR ADDITIONAL INFORMATION AND DETAILS.
12. COORDINATE WITH MECHANICAL DRAWINGS, BEAMS, SHEAR WALLS, ETC.
13. COORDINATE WITH ALL RELATED PLANS FOR ADDITIONAL INFORMATION AND DETAILS.
14. COORDINATE WITH MECHANICAL DRAWINGS FOR ALL PLUMBING AND MECHANICAL PENETRATIONS

	SLAB PENETRATION
	SLAB STEP SYMBOL
	SLAB SLOPE SYMBOL
	CONCRETE SLAB - STRUCTURAL
	AREA OF RECESSED SLAB - STRUCTURAL / ARCHITECTURAL
	AREA OF OVERBUILT SLAB - ARCHITECTURAL



SOMMET BLANC
9300 MARSAC AVE
PARK CITY, UT 84060



EP Engineer
ESP USA
001 Fourth Ave., Suite 3100
Seattle, WA 98154

sions:

date by

A2.1B.15

