



PLAN GENERAL NOTES

1. DIMENSIONS ARE TO FACE OF STUD OF EXTERIOR WALLS, CORRIDOR WALLS & INTERIOR WALLS, UNLESS OTHERWISE SPECIFIED.
2. DIMENSIONS ARE TO CENTERLINE OF DEMISING WALLS, UNLESS OTHERWISE SPECIFIED.
3. ALL EXPOSED STRUCTURAL STEEL TO RECEIVE 1HR INTUMESCENT PAINTING, UNLESS OTHERWISE SPECIFIED.
4. AT FRAMED EXTERIOR WALLS, FRAMING TO BE SET BACK 50" FROM FACE OF CONCRETE TO ALLOW FOR FLUSH ALIGNMENT OF SHEETING TO EDGE OF SLAB, UNLESS OTHERWISE SPECIFIED.
5. CASEWORK DIMENSIONS ARE TO FACE OF FINISH, UNLESS OTHERWISE SPECIFIED.
6. SEE SHEETS A0.08 AND A0.11 FOR ASSEMBLIES.
7. ALL CORRIDOR WALLS ARE TYPE **EE**, UNLESS OTHERWISE SPECIFIED.
8. ALL DEMISING WALLS ARE TYPE **J6**, UNLESS OTHERWISE SPECIFIED.
9. ALL INTERIOR PARTITIONS ARE TYPE **AE**, UNLESS OTHERWISE SPECIFIED.
10. ALL FURRING AROUND CONCRETE STRUCTURAL COLUMNS TYPE **G1**, UNLESS OTHERWISE SPECIFIED.
11. ALL VENT SHIRT WALLS ARE TYPE **EE**, UNLESS OTHERWISE SPECIFIED.
12. REFER TO LIFE SAFETY PLANS A0.30 - A0.34 FOR FULL EXISTENT OF FIRE RATED WALLS.
13. UNIT PLAN LAYOUTS ON SHEETS A2.04 - A2.48
14. ALL OWNER PARKING STALLS SHALL INCLUDE EV INFRASTRUCTURE.
15. REFER TO SHEET A0.08 FOR ANSI TYPE B ACCESSIBILITY REQUIREMENTS.
16. REFER TO SHEET A0.07 FOR ANSI TYPE A ACCESSIBILITY REQUIREMENTS
17. REFER TO SHEET A0.09 FOR 20A.1.1.1 SPACE ACCESSIBILITY REQUIREMENTS
18. ALL MECHANICAL EQUIPMENT LOCATED WITHIN ELEVATOR/MECHANICAL EQUIPMENT ENCLOSURE.



SOMMET BLANC
9300 MARSAC AVE
PARK CITY, UT 84060



MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

revisions:

no.	date	b
-----	------	---

A2.4.A

