




PLAN GENERAL NOTES

1. DIMENSIONS ARE TO FACE OF STUD OF EXTERIOR WALLS, CORRIDOR WALLS & INTERIOR WALLS. UNO.
2. DIMENSIONS ARE TO CENTERLINE OF DEMISING WALLS. UNO.
3. DIMENSIONS ARE TO CENTERLINE OF EXTERIOR WALLS. UNO.
4. FOR PLUMBING, THE DIMENSIONS ARE TO FACE OF THE 1/2" HX 1/2" UNSTRESSED PAINTING. UNO.
5. AT FRAMED EXTERIOR WALLS, FRAMING TO BE SET BACK 5/8" FROM FACE OF CONCRETE TO ALLOW FOR FLUSH ALIGNMENT OF SHEATHING TO EDGE OF SLAB. UNO.
6. CASEWORK DIMENSIONS ARE TO FACE OF FINISH. UNO.
7. SEE SHEETS A0.10 AND A0.11 FOR ASSEMBLIES.
8. ALL CORRIDOR WALLS ARE TYPE E6. UNO.
9. ALL DEMISING WALLS ARE TYPE J6. UNO.
10. ALL INTERIOR PARTITIONS ARE TYPE A6. UNO.
11. ALL FLOORING AROUND CORRIDOR WALLS AND PARTITION COLUMNS IS TYPE G1. UNO.
12. ALL VENT SHAFT WALLS ARE TYPE K4. UNO.
13. REFER TO LIFE SAFETY PLANS A0.01, A0.04 FOR FULL EXTENT OF FIRE RATED WALLS.
14. UNIT PLAN LAYOUTS ON SHEETS A0.01 TO A0.04.
15. ALL OWNER PARKING SPACES SHALL INCLUDE EV INFRASTRUCTURE.
16. REFER TO SHEET A0.08 FOR ANCHOR TYPE & ACCESSIBILITY REQUIREMENTS.
17. REFER TO SHEET A0.07 FOR ANCHOR TYPE & ACCESSIBILITY REQUIREMENTS.
18. REFER TO SHEET A0.08 FOR ADA PUBLIC SPACE ACCESSIBILITY REQUIREMENTS.
19. ALL MECHANICAL EQUIPMENT LOCATED WITHIN ELEVATOR MECHANICAL EQUIPMENT ENCLOSURE.

[illegible]

no.	date	by
-----	------	----

IFC SET 2 OF 3
05/17/2024

UNIT PLAN - TOWER
AB-UNIT D

A2.4.D

