




SCALE: $1/4" = 1'-0"$




1. SPOT ELEVATIONS ARE RELATIVE TO FINISH FLOOR LEVEL AND INDICATE POINT OF FINISH
2. ALL CEILINGS 9' AFF U.N.O.
3. ALL CEILINGS ASSEMBLY U.N.O.
4. ALL DIMENSIONS TO FACE OF FINISH U.N.O.
5. USE CONCRETE PLANS FOR EXTENT OF CONCRETE SLABS AND BEAMS
6. OCCUPYABLE SPACES SHALL BE 8' CLEAR OF CEILING. THERE SHALL BE A CEILING HEIGHT OF NOT LESS THAN 7 FEET AND 6 INCHES. BATHROOMS, TOILET ROOMS, KITCHENS, STORAGE ROOMS AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7' 6"
7. SEE SHEET NO. 10 AND 10.11 FOR FLOORCEILING ASSEMBLIES
8. SEE ELECTRICAL AND LIGHTING DRAWINGS FOR LIGHTING FIXTURES AND ADDITIONAL INFORMATION NOT SHOWN ON THESE DRAWINGS
9. REFER TO MECHANICAL FOR SPRINKLER AND EXTINGUISHER TYPE AND FOR LOCATIONS
10. ALL WALL MOUNTED FIXTURES IN COMMON AREAS AND AMENITY LEVELS TO PROJECT 4" FROM THE WALL
11. SMOKE DETECTORS SHALL BE LOCATED A MINIMUM OF 3' FROM SUPPLY AIR DIFFUSERS, EXHAUST FANS, EXHAUST VENTS, EXHAUST ROOFS, EXHAUST CHIMNEYS, EXHAUST DETECTORS, TYPICAL. LOCATION AND SPACING TO BE DETERMINED WITH APPROVED SHOP DRAWINGS. PROVIDE SIDE ARMS WHERE HEADS AND OTHER CEILING FIXTURES MAY BE IN THE WAY
12. FIRE-RATED CEILING SHALL ALWAYS BE CONTINUOUS ABOVE DROPPED CEILING OR SOFFITS WITH FASTENING AND JOINT TAPES AS REQUIRED FOR SPECIFIED RATING
13. DROPPED CEILING SHALL BE CONTINUOUS OVER ALL WALLS AND CHASES TO PREVENT SPACES TO PREVENT THE WALL CAVITY FROM COMMUNICATING WITH THE FLOORCEILING CAVITY. FIRESTOP ALL PENETRATIONS OF FIRE-RATED FLOORCEILING ASSEMBLIES
14. ADDITIONAL DETAILING AND SPECIFICATIONS TO BE OBTAINED FROM MECHANICAL DRAWINGS FOR ADDITIONAL INSULATION REQUIREMENTS AT DROPPED CEILING
15. CEILING ACCESS PANELS ARE REQUIRED AT ALL DAMPERS, VALVES, TELECOM ACCESS POINTS AND SOME MECHANICAL ACCESS POINTS. COORDINATE LOCATIONS PREVIOUS TO INSTALLATION OF ANY OF THESE SYSTEMS

ELECTRICAL AND MECHANICAL INFORMATION ARE SHOWN FOR COORDINATION PURPOSES.
REFER TO MECHANICAL DRAWINGS AND ELECTRICAL DRAWINGS FOR GENERAL INFORMATION
AND LOCATIONS.

HATCH PATTERN INDICATE EXTENT OF CEILING TYPES
REFER TO CEILING ASSEMBLY FOR DETAIL INFORMATION

- | | |
|--|--|
| | WOOD CEILING |
| | SUSPENDED GYPSUM WALL BOARD |
| | STONE TILE |
| | ACOUSTICAL CEILING TILE |
| | PINNED INSULATION |
| | FABRIC PANEL PER GOLF SIMULATOR |
| | COMPOSITE METAL WALL PANEL |
| | SQUARE RECESSED DOWNLIGHT |
| | DECORATIVE SCONCE |
| | DECORATIVE CUSTOM CHANDELIER |
| | ROUND PENDANT LIGHT |
| | J BOX |
| | LENSED LINEAR UTILITY STRIP |
| | CONCEALED LINEAR UNDERCABINET STRIP |
| | TRACK / RAIL / LINEAR LED |
| | SURFACE MOUNTED LIGHT BAR |
| | SURFACE MOUNT PANEL |
| | SPRINKLER |
| | SMOKE DETECTOR |
| | COMBINATION SMOKE / CARBON MONOXIDE DETECTOR |
| | FIRE ALARM SPEAKER |
| | FIRE ALARM STROBE |
| | FIRE ALARM COMBINATION SPEAKER / STROBE |
| | COMBINATION SMOKE / HEAT DETECTOR |
| | EXIT SIGN |
| | SECURITY CAMERA |
| | WIRELESS ACCESS POINT |
| | AV SPEAKER |
| | MOTORIZED SINGLE ROLLER SHADE - EQ-02-00 |
| | MOTORIZED DOUBLE ROLLER SHADE - EQ-02-01 |
| | CEILING FAN - MECH EXHAUST |
| | MECHANICAL LINEAR GRILLE |
| | CEILING ACCESS PANEL |
| | CEILING CONTROL POINT |
| | ELEVATION CHANGE |
| | RETURN AIR GRILLE |



Olson Kundig

9300 MARSAC AVE
PARK CITY, UT 84060



Aspen Group USA, LLC
PO Box 980022
Park City, Utah 84098

Pool Consultant
Cloward H2O
2896 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer
Friday Group
88 Mainelli Road
Middlebury, VT

Code Consultant
Holmes
600 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consultant
Lerch Bates
19515 North Creek Parkway, Suite 304
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer
O-
1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109

MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect TK, KM
project manager TM, JB, SL, MD
drawn by SK, SS, JR, CP, EA,
JE, DS

checked by JB
job no. 20062
date 05/31/2024

visions:

[illegible]

IFC SET 3 OF 3
05/31/2024

RCP - TOWER B - LVL P1
- AREA D

A6.1B.03d