


3. SPOT ELEVATIONS ARE RELATIVE TO FINISH FLOOR LEVEL AND INDICATE BOTTOM OF FINISH
4. ALL CEILINGS 9'0" AFF U.N.O.
5. ALL CEILINGS ASSEMBLY U.N.O.
6. ALL DIMENSIONS TO FACE OF FINISH U.N.O.
7. SEE CONCRETE PLANS FOR EXTENT OF CONCRETE SLABS AND BEAMS
8. EQUIPMENT ROOM SPACES SHALL HAVE CEILING AND CORRIDORS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FEET AND 6 INCHES. BATHROOMS, TOILET ROOMS, KITCHENS, STORAGE ROOMS AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FEET
9. SEE SHEET AO 10 AND AO 11 FOR FLOORCEILING ASSEMBLIES
10. SEE ELECTRICAL AND LIGHTING DRAWINGS FOR LIGHTING FIXTURES AND ADDITIONAL INFORMATION NOT SHOWN ON THIS DRAWING. RCP DRAWINGS
11. REFER TO MECHANICAL FOR SPRINKLER AND EXTINGUISHER TYPE AND FOR LOCATIONS
12. ALL WALL-MOUNTED FIXTURES IN COMMON AREAS AND AMENITY LOCATIONS TO PROJECT 4" MINIMUM FROM WALL FACE
13. SMOKE DETECTORS SHALL BE LOCATED A MINIMUM OF 3' FROM SUPPLY AIR DIFFUSERS
14. DETECTOR SPACING SHALL BE 30' MAXIMUM
15. DETECTORS, TYPICAL, LOCATION AND SPACING TO BE DETERMINED WITH APPROVED SHOP DRAWINGS. PROVIDE SIDE WALLS WHERE HEADS AND OTHER CEILING FIXTURES MAY BE IN CONFLICT WITH DETECTOR SPACING
16. FIRE-RATED CEILINGS SHALL ALWAYS BE CONTINUOUS ABOVE DROPPED CEILINGS OR SOFFITS WITH FASTENING AND JOINT TAPES AS REQUIRED FOR SPECIFIED RATING
17. DROPPED CEILING SHALL BE CONTINUOUS OVER ALL WALLS AND CORNERS OF ALL ROOM SPACES TO PREVENT THE WALL CAVITY FROM COMMUNICATING WITH THE FLOORCEILING CAVITY. FIRESTOP ALL PENETRATIONS OF FIRE-RATED FLOORCEILING ASSEMBLIES
18. MECHANICAL, DRAINAGE AND ELECTRICAL PENETRATIONS SEE MECHANICAL DRAWINGS FOR ADDITIONAL INSULATION REQUIREMENTS AT DUCTS
19. CEILING ACCESS PANELS ARE REQUIRED AT ALL DAMPERS, VALVES, TELECOM ACCESS POINTS AND SOME OTHER ACCESS POINTS. COORDINATE LOCATIONS PRIOR TO INSTALLATION OF ANY OF THESE SYSTEMS

HATCH PATTERN INDICATE EXTENT OF CEILING TYPES  
REFER TO CEILING ASSEMBLY FOR DETAIL INFORMATION

	WOOD CEILING
	SUSPENDED GYPSUM WALL BOARD
	STONE TILE
	ACOUSTICAL CEILING TILE
	PINNED INSULATION
	FABRIC PANEL PER GOLF SIMULATOR
	COMPOSITE METAL WALL PANEL
	SQUARE RECESSED DOWNLIGHT
	DECORATIVE SCONCE
	DECORATIVE CUSTOM CHANDELIER
	ROUND PENDANT LIGHT
	J-BOX
	LENSED LINEAR UTILITY STRIP
	CONCEALED LINEAR UNDERCABINET STRIP
	TRACK / RAIL / LINEAR LED
	SURFACE-MOUNTED LIGHT BAR
	SURFACE MOUNT PANEL
	SPRINKLER
	SMOKE DETECTOR
	COMBINATION SMOKE / CARBON MONOXIDE DETECTOR
	FIRE ALARM SPEAKER
	FIRE ALARM STROBE
	FIRE ALARM COMBINATION SPEAKER / STROBE
	COMBINATION SMOKE / HEAT DETECTOR
	EXIT SIGN
	SECURITY CAMERA
	WIRELESS ACCESS POINT
	AV SPEAKER
	MOTORIZED SINGLE ROLLER SHADE - EQ-02-00
	MOTORIZED DOUBLE ROLLER SHADE - EQ-02-01
	CEILING FAN - MECH EXHAUST
	MECHANICAL LINEAR GRILLE
	CEILING ACCESS PANEL
	CEILING CONTROL POINT
	ELEVATION CHANGE
	RETURN AIR GRILLE



9300 MARSAC AVE  
PARK CITY, UT 84060



**Landscape Architect**  
**EPG Design**  
6949 South High Tech Drive, Suite 100  
Midvale, Utah 84047

Code Consultant  
**Holmes**  
600 1st Avenue, Suite 200A  
Seattle, WA 98104

Vertical Transportation Consultant  
**Lorch Bates**  
19515 North Creek Parkway, Suite 304  
Bothell, WA 98011

Lighting Designer  
O-  
1319 SE MILK Blvd, Suite 210  
Portland, Oregon 97219

Accessibility Consultant  
**Studio Pacifica**  
2144 Westlake Ave N, Suite F  
Seattle, WA 98109

principal architect TK, KM

principal architect TK, KM  
project manager TM, JB, SL, MD  
drawn by SK, SS, JR, CP, EA,  
JF, BD  
checked by JB  
job no. 20052  
date 05/31/2024

isions:

date by

IFC SET 3 OF 3  
05/31/2024

RCP - TOWER B - LVL P1  
- AREA E

A6.1B.03e

