

1 ENLARGED RCP - TOWER C UNIT L
SCALE: 1/4" = 1'-0"

## **RCP GENERAL NOTES**

1. SPOT ELEVATIONS ARE RELATIVE TO FINISH FLOOR LEVEL AND INDICATE BOTTOM OF FINISH 2. ALL CEILINGS 9'-0" AFF U.N.O. 3. ALL CEILINGS ASSEMBLY C11 U.N.O.

4. ALL DIMENSIONS TO FACE OF FINISH U.N.O.

 SEE CONCRETE PLANS FOR EXTENT OF CONCRETE SLABS AND BEAMS
 OCCUPIABLE SPACES, HABITABLE SPACES AND CORRIDORS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FEET AND 6 INCHES. BATHROOMS, TOILET ROOMS, KITCHENS, STORAGE ROOMS AND LAUNDRY ROOMS SHALL HAVE A CEILING HEIGHT OF NOT LESS THAN 7 FEET.
 SEE SHEET A0.10 AND A0.11 FOR FLOOR/CEILING ASSEMBLIES.
 SEE ELECTRICAL AND LIGHTING DRAWINGS FOR LIGHTING LAYOUTS AND ADDITIONAL INFORMATION NOT SHOWN ON ARCHITECTURAL RCP DRAWINGS.

10. ALL WALL-MOUNTED FIXTURES IN COMMON AREAS AND AMENITY LEVELS TO PROJECT 4" MAXIMUM FROM WALL FACE OR BE 6'-8" MINIMUM TO THE UNDERSIDE OF THE FIXTURE AFF.
11. SMOKE DETECTORS SHALL BE LOCATED A MINIMUM OF 3'-0" FROM SUPPLY AIR DIFFUSERS.
12. CENTER SPRINKLER HEAD LOCATIONS BETWEEN LIGHTING FIXTURES AND/OR SMOKE DETECTORS, TYPICAL. LOCATION AND SPACING TO BE DETERMINED WITH APPROVED SHOP DRAWINGS. PROVIDE SIDE ARMS WHERE HEADS AND OTHER CEILING FIXTURES MAY BE IN CONFLICT. ALIGN ALL HEADS AND FIXTURES ORTHAGONALLY.
13. FIRE-RATED CEILINGS SHALL ALWAYS BE CONTINUOUS ABOVE DROPPED CEILINGS OR

9. REFER TO MECHANICAL FOR SPRINKLER AND EXTINGUISHER TYPE AND FOR LOCATIONS.

SOFFITS WITH FASTENING AND JOINT TAPE AS REQUIRED FOR SPECIFIED RATING.

14. FIRE-RATED CEILINGS SHALL ALWAYS BE CONTINUOUS OVER CHASES/FURRED-OUT SPACES
TO PREVENT THE WALL CAVITY FROM COMMUNICATING WITH THE FLOOR/CEILING CAVITY.
FIRESTOP ALL PENETRATIONS OF FIRE-RATED FLOOR/CEILING ASSEMBLIES.

15. SEE MECHANICAL DRAWINGS FOR DUCT ROUTING. SEE MECHANICAL DRAWINGS FOR
ADDITIONAL INSULATION REQUIREMENTS AT DUCTS.

16. CEILING ACCESS PANELS ARE REQUIRED AT ALL DAMPERS, VALVES, TELECOM ACCESS

POINTS, AND SOME MECHANICAL EQUIPMENT. COORDINATE LOCATIONS PRIOR TO

INSTALLATION OF ANY OF THESE SYSTEMS

ELECTRICAL AND MECHANICAL INFORMATION ARE SHOWN FOR COORDINATION PURPOSES.

REFER TO MECHANICAL DRAWINGS AND ELECTRICAL DRAWINGS FOR GENERAL INFORMATIO

ELECTRICAL AND MECHANICAL INFORMATION ARE SHOWN FOR COORDINATION PURPOSES.

REFER TO MECHANICAL DRAWINGS AND ELECTRICAL DRAWINGS FOR GENERAL INFORMATION


AND LOCATIONS.

## RCP LEGEND

HATCH PATTERN INDICATE EXTENT OF CEILING TYPES REFER TO CEILING ASSEMBLY FOR DETAIL INFORMATION

WOOD CEILING SUSPENDED GYPSUM WALL BOARD STONE TILE ACOUSTICAL CEILING TILE PINNED INSULATION FABRIC PANEL PER GOLF SIMULATOR COMPOSITE METAL WALL PANEL SQUARE RECESSED DOWNLIGHT DECORATIVE SCONCE DECORATIVE CUSTOM CHANDELIER ROUND PENDANT LIGHT LENSED LINEAR UTILITY STRIP CONCEALED LINEAR UNDERCABINET STRIP TRACK / RAIL / LINEAR LED SURFACE-MOUNTED LIGHT BAR SURFACE MOUNT PANEL SMOKE DETECTOR COMBINATION SMOKE / CARBON MONOXIDE DETECTOR FIRE ALARM SPEAKER FIRE ALARM STROBE FIRE ALARM COMBINATION SPEAKER / STROBE SECURITY CAMERA WIRELESS ACCESS POINT AV SPEAKER MOTORIZED SINGLE ROLLER SHDAE - EQ-02.00 MOTORIZED DOUBLE ROLLER SHDAE - EQ-02.01 CEILING FAN - MECH EXHAUST MECHANICAL LINEAR GRILLE CEILING ACCESS PANEL

CEILING CONTROL POINT



South Jackson St, Suite 600
ttle, Washington 98104 USA
5 624 5670 olsonkundig.com

• —

ASPEN GROUP

Aspen Group USA, LLC
PO Box 980022
Park City, Utah 84098

Pool Consultant
Cloward H20
2696 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100

Midvale, Utah 84047

Specifications Writer
Friday Group
88 Mainelli Road
Middlebury, VT

Code Consultant Holmes

600 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C

One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consulatant
Lerch Bates
19515 North Creek Parkway, Suite 304

19515 North Creek Parkway, Suite 304
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

<u>Lighting Designer</u> **O-**1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica

2144 Westlake Ave N, Suite F

MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

date (
revisions:

IFC SET 3 OF 3 05/31/2024

RCP - TOWER C - UNIT L

