





STAIRWALKER NOTES:

1. EXCESS STAIRS TO BE STEEL PAN CONCRETE STAIR - DELEGATED DESIGN.
2. STAIRWALKER OPERATION: STAIRWAYS DOORS OTHER THAN THE EXIT DISCHARGE DOORS SHALL BE PERMITTED TO BE LOCKED FROM THE STAIRWAY SIDE, AND SHALL BE CAPABLE OF BEING UNLOCKED SILENTLY AND AUTOMATICALLY UPON A SIGNAL FROM THE FIRE COMMAND CENTER (FCC), AND UPON SIGNAL FROM THE ALARM OR EXTINGUISH ANYWHERE IN THE BUILDING. WHERE STAIRWAY DOORS ARE INSTALLED THAT ARE NOT LOCKED FROM THE STAIRWAY SIDE, WIRING SHALL BE INSTALLED TO FACILITATE FUTURE INSTALLATIONS OF LOCKING HARDWARE.
3. DIMENSIONS ARE TO FACE OF FINISH. STAIR THREAD NOSING OFFSET OF STAIR STRINGER END.



SOMMET BLANC
9300 MARSAC AVE
PARK CITY, UT 84060



Pool Consultant
Cloward H2O
2896 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer
Friday Group
88 Mainelli Road
Middlebury, VT

Code Consultant
Holmes
600 1st Avenue, Suite 200
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consultant
Lorch Bates
19515 North Creek Parkway, Suite 3
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer
O-
1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultants
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, S
Seattle, WA 98109

MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect TK, KM
project manager TM, JB, SL, MD
drawn by SK, SS, JR, CP, EA,
 JF, BD
checked by JB
job no. 20052
date 05/17/2024

revisions:

no.	date	by
-----	------	----

IFC SET 2 OF
05/17/2024

VERTICAL CIRCULATION
- STAIR S02A -
ENLARGED SECTIONS

A7.1A.21