




## ENLARGED PLAN - STAIR - S04B - LEVEL 5 6 SCALE: 1/4" = 1'-0"




## 5 ENLARGED PLAN - STAIR - S04B - LEVEL 4 SCALE: 1/4" = 1'-0"







4 ENLARGED PLAN - STAIR - S04B - LEVEL 2 SCALE: 1/4" = 1'-0"



2 ENLARGED PLAN - STAIR - S04B - LEVEL 1 SCALE: 1/4" = 1'-0"





STAIRS GENERAL NOTES

HARDWARE.

1. EGRESS STAIRS TO BE STEEL PAN CONCRETE STAIR -

EGRESS STAIRS TO BE STEEL PAN CONCRETE STAIR -DELEGATED DESIGN.
STAIRWAY DOOR OPERATION: STAIRWAYS DOORS OTHER THAN THE EXIT DISCHARGE DOORS SHALL BE PERMITTED TO BE LOCKED FROM THE STAIRWAY SIDE, AND SHALL BE CAPABLE OF BEING UNLOCKED SIMULTANEOUSLY AND AUTOMATICALLY UPON A SIGNAL FROM THE FIRE COMMAND CENTER (FCC), AND UPON A SIGNAL FROM THE FIRE ALARM ORIGINATING ANYWHERE IN THE BUILDING. WHERE STAIRWAY DOORS ARE INSTALLED THAT ARE NOT LOCKED FROM THE STAIRWAY SIDE, WIRING SHALL BE INSTALLED TO FACILITATE FUTURE INSTALLATIONS OF LOCKING HARDWARE.

DIMENSIONS ARE TO FACE OF FINISH, STAIR THREAD NOSING OR FACE OF STAIR STRINGER UNO.



