


Olson Kundig

project:
SOMMET BLANC
9300 Marsac Ave (B2 East Parcel)
Berk City, Utah 84060



no.	date	by
-----	------	----

E3.4.A

A. DRAWINGS ARE INTENDED TO SHOW GENERAL ARRANGEMENT, DESIGN, AND EXTENT OF WORK AND ARE DIAGRAMMATIC. DRAWINGS ARE NOT INTENDED TO SHOW EXACT LOCATIONS EXCEPT WHERE DIMENSIONS ARE GIVEN. ELECTRICAL WORK IS SHOWN PLANNED TO MEET STANDARD INDUSTRY SYMBOLS. BEFORE ORDERING MATERIALS OR COMMENCEMENT WITH WORK, VERIFY MEASUREMENTS PERTAINING THEREIN AND CORRECT ANY INCONSISTENCIES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING DRAWINGS AND CONDITIONS IN THE FIELD. SHALL BE SUBMITTED TO THE CONSTRUCTION MANAGER FOR CONSIDERATION BEFORE PROCEEDING WITH WORK.

B. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING PERMISSION TO INSTALL A COMPLETE ELECTRICAL SYSTEM AS INDICATED ON DRAWINGS AND SPECIFICATIONS. PROVIDE EXITS SIGNS AND CONNECT EXISTING SIGNS AND LUMINAIRES NOTED AS EMERGENCY.

C. PROVIDE POWER TO EXISTING EMERGENCY SIGNS AND LUMINAIRES.

D. REFER TO LUMINAIRE SCHEDULE FOR INFORMATION.

E. FIXTURES SHALL BE IDENTIFIED BY MANUFACTURER, VENDOR, OR TRADE NAME AND REFER TO CATALOG NUMBERS FOR ACCURACY.

F. VERIFY EQUIPMENT SIZES AND POWER REQUIREMENTS FOR EQUIPMENT PROVIDED BY OTHERS.

G. ELECTRICAL COUNTS IN FINISHED SPACES SHALL BE CONCEALED, COORDINATE WITH OTHER TRADES AND USE CHASSES AND GELING SPACES. LOCATIONS OF ELECTRICAL WORK IN FINISHED SPACES SHALL BE COORDINATED WITH OTHER TRADES PRIOR TO POUR-IN.

H. COORDINATE REMOTE DEVICE MOUNTING LOCATIONS WITH ARCHITECT PRIOR TO POUR-IN.

I. COORDINATE LUMINAIRE VOLTAGE WITH ARCHITECT AND OWNER PRIOR TO PURCHASE.

- 1 LUTRON WIRELESS POOL CONTROL SWITCH IS TO BE SUPPLIED AND INSTALLED FOR SHADE CONTROL
- 2 SUPPLY AND INSTALL LUTRON RAZOR R24 SYSTEM TO PROVIDE PARTIAL LIGHTING CONTROL IN THE RESIDENTIAL UNITS MASTER BEDROOM (DENOTED AS BED 1) AND ALL ROOMS WITH MORE THAN THREE (3) LIGHTING CONTROL ZONES ARE TO BE CONTROLLED BY THE LUTRON RAZOR R24 SYSTEM. ALL ROOMS WITH THREE (3) LIGHTING CONTROL ZONES OR LESS ARE TO BE CONTROLLED BY LOCAL DIMMERS.
- 3 LIGHT FIXTURES AND LIGHTS IN CLOSETS ARE TO BE CONTROLLED BY CLOSET DOUR JAMB SWITCH.
- 4 SUPPLY AND INSTALL CEILING MOUNTED JUNCTION BOX COMPLETE WITH CAPPED JUNCTION CIRCUIT WIRING FOR INSTALLATION OF FUTURE CLOSET LIGHT FIXTURES.
- 5 PROVIDE ELECTRICAL SCHEDULES AND ELEVATIONS FOR EACH EXAMINATION AND MOUNTING LOCATION OF LIGHT FIXTURE TYPE, LUG COORDINATE WITH MILLVOKERS CONTRACTOR PRIOR TO INSTALLATION.

