


Olson Kundig

project: **SOMMET BLANC**
3300 Marsac Ave (B2 East Parcel)



no.	date	t
-----	------	---

E3.4.B

DRAWINGS ARE INTENDED TO SHOW GENERAL ARRANGEMENT, DESIGN, AND EXTENT OF WORK AND ARE DIAGRAMMATIC. DRAWINGS ARE NOT INTENDED TO SHOW EXACT LOCATION OR DIMENSIONS OF EXISTING OR PROPOSED ELECTRICAL WORK OR SHOWING PLANS USING STANDARD INDUSTRY SYMBOLS. BEFORE ORDERING MATERIALS OR COMMENCEMENT WITH WORK, VERIFY MEASUREMENTS PERTAINING THERE TO AND OBTAIN POSITIVE VERIFICATION OF EXISTING CONDITIONS. ALL ELECTRICAL WORK SHOWN ON DRAWINGS AND CONDITIONS IN THE FIELD SHALL BE SUBMITTED TO THE CONSTRUCTION MANAGER FOR CONSIDERATION BEFORE PROCEEDING WITH WORK.

EXISTING ELECTRICAL WORK NOT SHOWN ON DRAWINGS IS REQUIRED TO INSTALL A COMPLETE ELECTRICAL SYSTEM AS INDICATED ON DRAWINGS AND SPECIFICATIONS. ALL WIRING AND CONNECTIONS SHALL BE MADE IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE AND ALL ELECTRICAL WORK SHALL BE APPROVED BY THE CITY OF CHICAGO AS AN EMERGENCY TO EMERGENCY POWER SOURCE AS INDICATED ON PLANS.

REFER TO LAMPNARE SCHEDULE FOR INFORMATION

FOR ALL LIGHT FIXTURES, VERIFY MANUFACTURER, VERIFY LIGHT FIXTURE CAPACITY NUMBERS FOR ACCURACY.

VERIFY EQUIPMENT SIZES AND POWER REQUIREMENTS FOR EQUIPMENT PROVIDED BY OTHERS.

ELECTRICAL CONDITIONS IN FINISHED SPACES SHALL BE CONCEALED. COORDINATE WITH ARCHITECT AND USE OF CONCEALED ELECTRICAL WORK SHALL BE APPROVED BY ARCHITECT. ALL JUNCTION BOXES IN FINISHED SPACES SHALL BE APPROVED BY ARCHITECT PRIOR TO INSTALLATION.

COORDINATE REMOTE DRIVER MOUNTING LOCATIONS WITH ARCHITECT PRIOR TO PURCHASE AND INSTALLATION OF LAMPNARE. ARCHITECT AND OWNER PRIOR TO PURCHASE AND INSTALLATION TYPE OF ALL LIGHT FIXTURES.

- 1 LUTRON WIRELESS PICO CONTROL SWITCH IS TO BE SUPPLIED AND INSTALLED FOR SHADE CONTROL.
- 2 LIGHT FIXTURES LOCATED IN CLOSETS ARE TO BE CONTROLLED BY CLOSET DOOR JAM SWITCH.
- 3 SUPPLY AND INSTALL LUTRON RADIO RA2 SYSTEM TO PROVIDE PARTIAL LIGHTING CONTROL. IN THE RESIDENTIAL UNITS, MASTER BEDROOM (DENOTED AS BED) AND ALL ROOMS WITH MORE THAN THREE (3) LIGHTING CONTROL ZONES ARE TO BE CONTROLLED BY THE LUTRON RADIO RA2 SYSTEM. ALL ROOMS WITH THREE (3) LIGHTING CONTROL ZONES OR LESS ARE TO BE CONTROLLED BY LOCAL DIMMER SWITCHES.
- 4 SUPPLY AND INSTALL CEILING MOUNTED JUNCTION BOX COMPLETE WITH CAPPED LIGHTING CIRCUIT WIRING FOR INSTALLATION OF FUTURE CECOL LIGHT FIXTURE.
- 5 REFER TO ARCHITECTURAL DRAWINGS AND ELEVATIONS FOR EXACT DIMENSION AND MOUNTING LOCATION OF LIGHT FIXTURE. COORDINATE WITH ALL OTHER CONTRACTORS PRIOR TO INSTALLATION.



1 TOWER A/B - ELECTRICAL LIGHTING PLAN - UNIT B
SCALE: 1/4" = 1'-0"



0 1' 2' 3' 4' 8' 12