


Olson Kundig

project: **SOMMET BLANC**  
3300 Marsac Ave (B2 East Parcel)



**MEP Engineer**  
**WSP USA**  
1001 Fourth Ave., Suite 3100  
Seattle, WA 98154

revisions:

no.	date	br
-----	------	----

### E3.4.J

[illegible]

- 1 LIGHT FIXTURE LOCATED IN CLOSETS ARE TO BE CONTROLLED BY CLOSET DOOR JAMB SWITCH
- 2 LITRON WIRELESS PID CONTROL SWITCH IS TO BE SUPPLIED AND INSTALLED FOR SHADE CONTROL
- 3 SUPPLY AND INSTALL LITRON RADIO RAG SYSTEM TO PROVIDE PARTIAL LIGHTING IN THE RESIDENTIAL UNITS MASTER BEDROOM (DENOTED AS BED 2) AND ALL ROOMS WITH MORE THAN THREE (3) LIGHTING CONTROL ZONES ARE TO BE CONTROLLED BY THE LITRON RADIO RAG SYSTEM. ALL ROOMS WITH THREE (3) LIGHTING CONTROL ZONES OR LESS ARE TO BE CONTROLLED BY LOCAL SWITCHES
- 4 SUPPLY AND INSTALL CEILING MOUNTED JUNCTION BOX COMPLETE WITH CAPPED LIGHTING CIRCUIT WIRING FOR INSTALLATION OF FUTURE CLOSET LIGHT FIXTURE
- 5 REFER TO ARCHITECTURAL DRAWINGS AND ELEVATIONS FOR EXACT DIMENSION AND MOUNTING LOCATION OF LIGHT FIXTURE
- 6 USE LOCAL DISCRETE SWITCH WITH NO CONTRACTOR ERROR FOR INSTALLATION



0 1' 2' 3' 4' 8' 1