


SYMBOL	MANUFACTURER/MODEL/DESCRIPTION
	RAIN BIRD PEBB-PRS-D 1" PLASTIC INDUSTRIAL VALVES. LOW FLOW OPERATING CAPABILITY. GLOBE CONFIGURATION. WITH PRESSURE REGULATING MODULE AND SCRUBBER TECHNOLOGY FOR RELIABLE PERFORMANCE IN DIRTY WATER IRRIGATION APPLICATIONS.
	RAIN BIRD 44-LRC 1" BRASS QUICK-COUPLING VALVE. WITH CORROSION-RESISTANT STAINLESS STEEL SPRING. LOCKING THERMOPLASTIC RUBBER COVER. AND 3-PIECE BODY.
	LEEMCO STAINLESS STEEL GATE VALVE LOT SIZE PER LINE SS. CLASS 125 304 STAINLESS STEEL.
	RAIN BIRD EFB-CP 1" 1", 1-1/4", 1-1/2", 2" BRASS MASTER VALVE. THAT IS CONTAMINATION PROOF W/SELF-FLUSHING FILTER SCREEN. GLOBE CONFIGURATION. RECLAIMED WATER COMPATIBLE. AND PURPLE HANDLE COVER DESIGNATES NON-POTABLE WATER USE.
	ZURN WILKINS 375XLB 1" REDUCED PRESSURE PRINCIPLE ASSEMBLY. SIZE 2" WITH LOCKING STEEL CAGE AND 4" CONCRETE HOUSE KEEPING PAD. COORDINATE EXACT PLACEMENT WITH OWNER.
	HYDRO POINT WEATHER TRACK LC+ 18 STATION 2WIRE HIGH-IMPACT PLASTIC NEMA 3R RATED. KEY-LOCK ENTRY. WALL MOUNT ENCLOSURE. INCLUDES METAL MOUNTING PLATE WITH BUILT-IN BUBBLE LEVEL.
	HYDRO POINT WTLFLOWHD+200 2" IRON. HIGH-DEFINITION FLOW SENSOR AND SUB-METER FOR 2" MAINLINES. INSTALL ON DOWNSTREAM SIDE OF BACKFLOW PREVENTER ABOVE GRADE PER DETAIL.
	POINT OF CONNECTION 3" WATER METER FOR IRRIGATION SEE CIVIL PLANS
	IRRIGATION LATERAL LINE: PVC SCHEDULE 40
	IRRIGATION MAINLINE: PVC SCHEDULE 40
	Valve Callout
	Valve Number
	Valve Flow
	Valve Size



DISCLAIMER:  
THE DESIGNS SHOWN AND DESCRIBED HEREIN INCLUDING ALL TECHNICAL DRAWINGS, GRAPHIC REPRESENTATIONS, AND MODELS THEREOF ARE PROPRIETARY AND CANNOT BE COPIED, REPRODUCED, Duplicated, OR COMMERCIALY EXPLOITED IN WHOLE OR IN PART WITHOUT THE SOLE AND EXPRESS WRITTEN PERMISSION FROM ENVIRONMENTAL PLANNING GROUP (EPG).  
ENVIRONMENTAL PLANNING GROUP (EPG) PROVIDED QUANTITIES ARE CALCULATED BASED ON THE 2018 MODEL. PROVIDOR CONTRACTORS ARE RESPONSIBLE FOR REVIEWING THE DESIGN AND PROVIDING THEIR OWN CALCULATIONS AND AREAS FOR THE PURPOSES OF COST ESTIMATING. DESIGN.  
THE CLIENT, AND/OR THE CLIENT'S CONTRACTOR, IS RESPONSIBLE FOR OBTAINING OR PROVIDING THE NECESSARY CONSTRUCTION PERMIT FOR CITY CODE COMPLIANCE.

Olson Kundig  
199 South Jackson St. Suite 400  
Seattle, Washington 98104 USA  
+1 206 454 5870 olsonkundig.com

SOMMET BLANC RESIDENCE 1  
ADDRESS  
PARK CITY, UT

White Summit Development, LLC  
PO Box 980022  
Park City, Utah 84098

Acoustic Consultant  
BRC Acoustics  
1332 1st Ave. Suite 620  
Seattle, WA 98101

Pool Consultant  
Cloward H2O  
2050 N University Ave. Suite 290  
Provo, UT 84604

6848 South High Tech Drive, Suite 100  
Midvale, Utah 84047

Specifications Writer  
Friday Group  
88 Mainelli Road  
Middlebury, VT

Code Consultant  
Holmes  
600 1st Avenue, Suite 200A  
Seattle, WA 98104

Fire Protection Engineer  
Jensen Hughes  
One Research Drive, Suite 305C  
Westborough, MA 01581

Vertical Transportation Consultant  
Larion Bates  
19515 North Creek Parkway, Suite 304  
Bothell, WA 98011

Structural Engineer  
Magnusson Hemmick Associates  
1301 5th Ave. Suite 3200  
Seattle, WA 98101

Lighting Designer  
DL  
1319 SE MLK Blvd. Suite 210  
Portland, Oregon 97219

Building Envelope Consultant  
RDH  
2101 N 34th St  
Seattle, WA 98103

Accessibility Consultant  
Studio Pacifica  
2144 Westlake Ave N. Suite F  
Seattle, WA 98109

MEP Engineer  
WSP USA  
1001 Fourth Ave., Suite 3100  
Seattle, WA 98154

Grant Hardy  
Grant Hardy

Checker  
20552  
May 17, 2024

IFC 2.517/2024

CONSTRUCTION  
DOCUMENTS 95%  
IFC SET 2 OF 3

May 17, 2024

IRRIGATION PLAN

L701