


- 1 STEAM SHOWER GENERATOR UNIT. PROVIDE 3/2" CW WITH SHUT-OFF VALVE AND ROUTE DRAIN TO LAV TAILPIPE.
- 2 PROVIDE 3/2" HW, 1/2" CW, 1-1/2" VENT AND 2" SAN FOR BAR SINK. PROVIDE 3/2" HW AND DRAIN WITH AIR GAP FOR DISHWASHER TYPE DISHWASHER.
- 3 PROVIDE 3/4" G, LOW PRESSURE REGULATOR, AND SHUT-OFF VALVE FOR BBQ.
- 4 PROVIDE 1/2" G, LOW PRESSURE REGULATOR, AND SHUT-OFF VALVE FOR FIREPLACE.
- 5 OWNER OPTION: PROVIDE 1/2" CW TO DUCT HUMIDIFIERS. SEE MECHANICAL PLANS FOR LOCATIONS. CONFIRM WITH OWNER PRIOR TO PROVIDING.



159 South Jackson St., Suite 600
Seattle, Washington 98104 USA
+1 206 624 5670 olsonkundig.com

Olson Kundaig

Sommet Blanc - Bldg AB
DEER VALLEY, UTAH



MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect _____
project manager _____
drawn by _____
checked by GM _____
job no. 2021-0595
date 5/17/2024

sions:

10/06/2022 PERMIT RESUBMITTAL

date _____ by _____

FC Set 2 of 3
5/17/2024

UNIT PLAN - TOWER
A/B-UNIT A

P2.4.A



1 ENLARGED PLAN - A/B-UNIT A
SCALE: 1/4" = 1'-0"