[illegible][illegible]

POOL COVER 7 WS-107

VANISHING LID BRACKET

ISOLATION JOINT 8 WS-105

REMOVABLE COPING & VANISHING LID ASSEMBLY BY OTHERS

SLOPE AWAY 2% DECK

2" CLEAR

W.L.

AUTOMATIC POOL COVER (DEFERRED SUBMITTAL) SEE MANUFACTURE FOR ALL SPECIFICATIONS

WATERLINE TILE

#4 BARS & DOWELS @ 6" O.C. IN CENTER OF STEM AS SHOWN - TYP.

#4 BARS & DOWELS @ 6" O.C. EACH WAY

#4 BARS @ 6" O.C. EACH FACE WITH MATCHING DOWELS & CORNER BARS

#4 BARS @ 6" O.C. EACH WAY IN CENTER OF FLOOR

48" 18" #4 DOWELS @ 6" O.C.

KEYWAY & WATERSTOP - WET SIDE TYP.

VAPOR BARRIER

4" FREE DRAINING GRANULAR BASE - TYP.

ENGINEERED FILL PER GEOTECHNICAL ENGINEER - TYP.

1'-0"

2" CLEAR TYP. U.N.O.

B.P.

2" CLEAR

6'-4"

3" CLEAR

#4 CONTINUOUS BARS @ 12" O.C.

#4 DOWELS OR CROSS BARS @ 6" O.C. BOTTOM

[illegible]

ISOLATION JOINT

8
W5-1.65

SLOPE AWAY 2%

1'-10"

#4 CONTINUOUS BARS @ 6" O.C. TYP.

POOL COVER TRACK

W.L.

WATERLINE TILE

#4 BARS @ 6" O.C. EACH WAY IN CENTER OF WALL WITH MATCHING DOWELS & CORNER BARS

PEBBLE TEC POOL FINISH BY EPG

#4 BARS @ 6" O.C. EACH WAY IN CENTER OF FLOOR

8"

6'-0"

3" CLEAR

#4 CONTINUOUS BARS @ 12" O.C.

#4 DOWELS OR CROSS BARS @ 6" O.C. BOTTOM

KEYWAY & WATERSTOP - WET SIDE TYP.

VAPOR BARRIER

4" FREE DRAINING GRANULAR BASE - TYP.

ENGINEERED FILL PER GEOTECHNICAL ENGINEER - TYP.

48"
18"

#4 DOWELS @ 6" O.C.


[illegible]

Diagram showing the elevation view of the SPA structure. The air line from the blower enters the SPA and connects to the air line to the SPA. The SPA has a 1/8" relief hole. The SPA W.L. (Water Level) is indicated. The SPA size varies as per the plan. The SPA is 14" high. The SPA is 14" high. The SPA is 14" high.

159 South Jackson St, Suite 600
Seattle, Washington 98104 USA
206.474.5670 olevel.usda.com

Olson Kundia

project: PROJECT NAME : SOMMET BLANC
PROJECT ADDRESS



White Summit Development, LLC
PO Box 980022
Park City, Utah 84098

Acoustic Consultant
BRC Acoustics
1932 1st Ave, Suite 620
Seattle, WA 98101

CLOWARD 
WATER PERFECTED

2656 N. University Ave., Ste. 290, Provo UT 84604, USA
Tel.: +1.801.375.1223 • www.clowardh2o.com

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer
Friday Group
88 Mainelli Road
Millsboro, Delaware 19966

Code Consultant
Holmes
600 1st Avenue, Suite 200A

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C

Vertical Transportation Consultant
Lerch Bates
19515 North Creek Parkway, Suite 304

Structural Engineer
Magnusson Klemencic Associates
4001 Gilman Ave., Suite 2000
Boulder, CO 80501

Lighting Designer
0-

Building Envelope Consultant
RDH

Seattle, WA 98103

Accessibility Consultant
Studio Pacific

MEP Engineer
WSP USA

1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect CH20 _____
project manager CH20 _____
drawn by CH20 _____

checked by CH20
job no. XXXXX

revisions: _____

[illegible]

DRAWING STATUS

05/17/2024

GENERAL DETAILS

W5-1.06