


LOAD MAP KEY:

A 1

NUMBER INDICATES SUPERIMPOSED DEAD LOAD MARK

LETTER INDICATES LIVE LOAD MARK

INDICATES CLADDING LOAD IN POUNDS PER SQUARE FOOT OF SURFACE AREA. SEE "CLADDING LOAD NOTES" DETAIL AT THE END OF LOAD MAPS.



<u> </u>	N GROUND	FLOOR TER		100			
SUPERIMPOSED DEAD LOAD (SDL) DESIGNATIONS							
MAR K	TYPE	TOTAL SDL (PSF)	CEILING/M EP LOAD (PSF)	FLOOR FINISH LOAD (PSF)	PARTITIO N LOAD (PSF)	SPECIAL LOAD (PSF)	SPECIAL LOAD DESCRIPTION
1	RESIDENTIAL	30	5	5	20		
2	MECHANICAL / ELECTRICAL	15	10		5		
3	PARKING	5	5				
4	LIGHT STORAGE	15	10		5		
5	CORRIDORS	15	10		5		
6	BALCONY	75	10	15		50	INSULATION + TOPPING SLAB
7	RETAIL	60	10			50	BUILT UP SLAB
8	GROUND LOBBY	60	10	40	10		
9	OFFICE	15	10	5			
10	AMENITY	30	10	15	5		
11	FITNESS	65	5	5	5	50	ISOLATION SLAB
12	GREEN ROOF	40	10	5		25	INSULATION + LIGHT GREEN ROOF
13	ROOF	25	10			15	INSULATION + ROOFING
14	DEEP SOIL	330	10			320	SOIL DEPTH TBC

LOAD MAP NOTES:

- 1. LIVE LOADS MARKED (R) ARE REDUCIBLE IN ACCORDANCE WITH THE
- BUILDING CODE.
- 2. SUPERIMPOSED DEAD LOADS ARE IN ADDITION TO THE SELF-WEIGHT OF THE STRUCTURE. BUILT-UP SLABS SHOWN ON PLAN ARE CONSIDERED TO BE PART OF THE SELF-WEIGHT OF THE STRUCTURE.
- 3. SEE FRAMING PLANS FOR DESIGN LOAD OF SPECIFIC ITEMS SUCH AS ELEVATORS, ESCALATORS, AND MECHANICAL / ELECTRICAL EQUIPMENT.

LOAD MAP NOTES AND DESIGNATIONS

Seattle, Washington 8104 USA

**T206 624 5670 olsonkundig.com

**T

MAGNUSSON Klemencic

Structural + Civil Engineers

ASSOCIATES

Seattle Chicago www.mka.com 206 292 1200

S1.01

LOAD MAPS