

SOMMET BLANC

Location: 9300 Marsac Avenue (B2 East Parcel), Park City, Utah  
Project Number: 20052

PL-02.01

IFC Issuance: 07/19/2024

Product Info

**Manufacturer:** Julien  
**Style/Series:** SmartStation Undermount Single Bowl Kitchen Sink with Accessories  
**Description:**  
Sink and Workstation

Sales Rep

**Primary**  
**Heidi Behrens-Benedict LMI Rep**  
Email: heidi@lmiar.com  
Office Phone: 206-226-5464 cell 924-1620 ext 6

Attributes

**Location :** Units - Kitchen  
**Product :** 005469 SmartStation Set  
**Dimension:** 49-1/2" x 19-5/8" x 10" Overall  
**Basin Dimensions:** 48" x 18-1/8" x 10"  
**Finish:** Walnut  
**Accessories:** Grid, Cutting board, Serving bin with bowls (4), Serving board with bowl and colander, Drying rack, Tray



• Provide Manufacturer's warranty information  
• Provide manufacturer's assembly instructions including a list of parts included in all shipments.  
• Olson Kundig owns all copyrights to the design of custom products. Photography of product is prohibited without the expressed written consent by Olson Kundig.  
• All drawings provided are for reference only, and not for construction

Seattle, Washington

# Ideal Workstation. 4S

## SPECIFICATIONS

**THEGALLEY**  
REINVENT YOUR KITCHEN

IWS-4-S-BA



Natural Golden Bamboo

IWS-4-S-GT



Graphite Wood Composite

IWS-4-S-WH



Designer White Resin\*

IWS-4-S-GR



Exclusive Gray Resin\*

## Specifications

Single bowl  
Users: 1  
Culinary Tools included: Five  
Galley Tap recommended: One  
Outside dimensions: 45 1/2" x 19 1/2" x 10 5/16"  
Countertop cutout: 44 1/2" x 18"  
Basin area: 44" x 16"  
Minimum cabinet size: 48" or 120cm

## Culinary Tools included (CKT-12)



(1) Upper Deck  
Section†  
12" x 19"  
UD-12-I-xx



(1) Upper Tier  
Drying Rack  
12 1/4" x 18"  
DR-12-U-xx



(1) Upper Tier  
Cutting Board  
12 1/4" x 18"  
CB-12-U-xx



(2) Lower Tier  
Platforms  
12 1/4" x 17"  
P1-12-L-xx



(1) Stainless Steel  
Colander  
11" 7.2-qt  
C1-11-0-ST



(1) Stainless Steel  
Mixing Bowl  
11" 7.2-qt  
B1-11-0-ST

## Basin (KSO-4-S-SS)

16GA 316L stainless steel indoor/outdoor  
SilentArmor™ sound reduction technology  
Angel finish  
Two tier design  
Star™ groove pattern  
Reversible side drain  
Drain cover included  
Limited Lifetime Warranty  
Made in the USA  
ASME A112.19.3/CSA B45.4 certified

### Personalize Your IWS-4-S

Add 7-12" length  
Add 1-6" length  
Add 18" DryDock  
Add 12" DryDock

Apron front  
9" height  
Center drain

Galley Tap collection  
Optional Culinary Tools  
\*Color coded labels available


† The Upper Deck requires a 1/4" clearance below the surface of the countertop. If the countertop thickness is 2cm or less, Bamboo Upper Deck sections will not have the needed clearance to function above the Upper Tier Culinary Tools.

Please refer to Culinary Kit Finish descriptions for planning.

Custom options are available for countertops that are 1/2" or less in thickness.

## Upper Deck™

Upper Deck cover set UD-4-2P-GT/BA/GR/WH Graphite, Bamboo, Gray or White Resin



24" 24"



(1) 12"

Included in CKT

Upper Deck sections Graphite, Bamboo, Gray or White Resin



UD-24-I-GT/BA/GR/WH



UD-12-I-GT/BA/GR/WH

## Recommended Basin Accessories

Bottom Grate set BG-4-S-2-SS Stainless Steel



11" 31 1/2"

Manual Strainer Basket

M-DRN-MSS Angel Finish 304 Stainless Steel



Disposal Flange Strainer Basket

G-DRN-MSS Angel Finish 304 Stainless Steel



Auto Strainer Basket Angel Finish 304 Stainless Steel with Polished or Matte knob



A-DRN-MSS shown



A-DRN-PSS  
A-DRN-MSS

# Ideal Workstation. 4S

## SPECIFICATIONS

**THEGALLEY**  
REINVENT YOUR KITCHEN

### Tap Hole Specifications



#### SUGGESTED GALLEY TAP AND TAP ACCESSORIES PLACEMENT GUIDE

(Recommendations are based on installing 3 or more Tap accessories. If installing a Galley Tap, Soap Dispenser, or Deck Switch only, use holes ①, ②, and ③.)  
Suggested maximum inside corner radius of countertop cutout 3/8"

① Galley Tap 1 3/8" min hole diameter (1 1/2" min hole diameter for fast water jet cut)

② Galley Deck Switch 1 3/8" min hole diameter or Galley Automatic Strainer Basket knob 1" min and 1 3/8" max hole diameter

③ Galley Hot & Cold Tap 1 3/8" min hole diameter (1 1/2" min hole diameter for fast water jet cut) or Galley Air Gap 1 3/8" min hole diameter



④ Galley Soap Dispenser 1" min to 1 3/8" max hole diameter

Center Tap hole diameters 2" behind cutout

**Note:** Galley Hot & Cold Tap requires a minimum 8" clearance to center if installed to the right of the Galley Tap

**Note:** For installation where the drain is on the left side, simply reverse placements of Tap and Tap Accessories

### Countertop Cutout Plan



STAINLESS STEEL COMPLIANCE ASME A112. 19.3-2008/CSA B45.4-08

WE RESERVE THE RIGHT TO MAKE REVISIONS WITHOUT NOTICE IN THE DESIGN OF PRODUCTS OR IN PACKAGING UNLESS THIS RIGHT HAS SPECIFICALLY BEEN WAIVED AT THE TIME THE ORDER IS ACCEPTED.

DWG and DXF templates available on our website:

[TheGalley.com/specifications](http://TheGalley.com/specifications)

Questions? For additional assistance, please contact  
The Galley's Customer Service Department at 800.375.4255

