



2. DIMENSIONS ARE TO FACE OF STUD OF EXTERIOR WALLS, CORRIDOR WALLS & INTERIOR WALLS, UNO
3. DIMENSIONS ARE TO CENTERLINE OF EXTERIOR WALLS, UNO
4. ALL EXPOSED STRUCTURAL STEEL TO RECEIVE 1 HR INTERIOR FINISHING PAINTING, UNO
5. ALL FRAMED EXTERIOR WALLS TO RECEIVE 50 MM THICK 1:3:6 FILL FROM FACE OF CONCRETE TO ALLOW FOR FLUSH ALIGNMENT OF SHEATHING TO EDGE OF SLAB, UNO
6. CASEWORK DIMENSIONS TO AND TO FACE OF FINISH, UNO
7. SEE SHEETS A0, 10 AND A0.11 FOR ASSEMBLIES.
8. ALL CORRIDOR WALLS ARE TYPE 1B, UNO
9. ALL DEMISING WALLS ARE TYPE 1B, UNO
10. ALL INTERIOR PARTITIONS ARE TYPE A6, UNO
11. ALL FURRING AROUND CONCRETE STUDS AND COLUMNS TYPE G1, UNO
12. ALL VENT SHAFT WALLS ARE TYPE K4, UNO
13. REFER TO LIFE SAFETY PLANS A00 - A0.34 FOR FULL EXTENT OF FIRE RATED WALLS.
14. UNO PLAN LAYOUTS ON SHEETS A2.44 - A2.48
15. ALL OWNER PARKING STALLS TO RECEIVE POLY VINYL INFRASTRUCTURE.
16. REFER TO SHEET A0.08 FOR ANS TYPE 2 ACCESSIBILITY REQUIREMENTS.
17. REFER TO SHEET A0.07 FOR ANS TYPE 4 ACCESSIBILITY REQUIREMENTS.
18. REFER TO SHEET A0.08 FOR ANS TYPE 5 ACCESSIBILITY REQUIREMENTS.
19. ALL MECHANICAL EQUIPMENT LOCATED WITHIN ELEVATOR MECHANICAL EQUIPMENT ENCLOSURE.



SOMMET BLANC
9300 MARSAC AVE



Pool Consultant
Cloward H2O
2696 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer
Friday Group
88 Mainelli Road
Middlebury, VT

Code Consultant
Holmes
600 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Waltham, MA 01581

Vertical Transportation Consultant
Lerch Bates
19515 North Creek Parkway, Suite 300
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer
O*
1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109

MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect	TK, KM
project manager	TM, JB, SL, MD
drawn by	SK, SS, JR, CP, E

checked by JB
job no. 20062

revisions:

E 08/16/24	ASI 004
04/26/24	PLANNING REVIEW RESPONSE #1

no.	date

IFC SET 3 OF 3



PLAN - TOWER B - LVL
P2

