



1. WHERE WALLS ALIGN TO GRID, LOCATE FACE OF STUO OR FACE OF CONCRETE AT GRID, U.N.O.
2. FINISH FLOOR ELEVATION THRUOUT, ACROSS LEVEL, U.N.O.
3. REFER TO A0, A10 AND A11 FOR ALL ASSEMBLIES
4. ALL DIMENSIONS ARE FACE OF CONCRETE AND CENTERLINE OF CONCRETE, U.N.O.
5. U.S. CURBS 4" F.F., MAXIMUM 6" F.F., WHERE SLOPE IS SLOPED, U.N.O.
6. MIN. 1% SLOPE TO DRAIN
7. TOP OF CONCRETE SLAB ELEVATIONS PROVIDED FOR REFERENCE, CONTRACTOR SHALL COORDINATE WITH FINISH FLOOR ELEVATIONS PROVIDED ON ARCHITECTURAL PLANS AND ADJUST THEREAS, U.N.O.
8. CEILING HEIGHTS MEASURED FROM TOP OF CONCRETE - SEE SECTIONS.
9. COORDINATE WITH ALL OTHER TRADES FOR ALL MECHANICAL, ELECTRICAL AND DETAILS
10. COORDINATE WITH STRUCTURAL, FRAMING PLANS AND SHEAR WALLS - SEE PLANS, DETAILS, AND REINFORCING FOR COLUMNS, BEAMS, SHEAR WALLS, ETC.
11. COORDINATE WITH ELECTRICAL, PLUMBING, MECHANICAL, POWER, AND DATA REQUIREMENTS
12. COORDINATE WITH MECHANICAL DRAWINGS FOR ALL PLUMBING AND MECHANICAL PENETRATIONS


	SLAB PENETRATION
	SLAB STEP SYMBOL
	SLAB SLOPE SYMBOL
	CONCRETE SLAB - STRUCTURAL
	AREA OF RECESSED SLAB - STRUCTURAL / ARCHITECTURAL
	AREA OF OVERBUILT SLAB - ARCHITECTURAL



SUMMIT BLANC
9300 MARSAC AVE
PARK CITY, UT 84060




A2.1A.01




1. WHERE WALLS ALIGN TO GRID, LOCATE FACE OF STUO OR FACE OF CONCRETE AT GRID, U.N.O.
2. FINISH FLOOR ELEVATION THRUOUT, ACROSS LEVEL, U.N.O.
3. REFER TO A0, A10 AND A11 FOR ALL ASSEMBLIES
4. ALL DIMENSIONS ARE FACE OF CONCRETE AND CENTERLINE OF CONCRETE, U.N.O.
5. U.S. CURBS 4" F.F., MAXIMUM 6" F.F., WHERE SLOPE IS SLOPED, U.N.O.
6. MIN. 1% SLOPE TO DRAIN
7. TOP OF CONCRETE SLAB ELEVATIONS PROVIDED FOR REFERENCE, CONTRACTOR SHALL COORDINATE WITH FINISH FLOOR ELEVATIONS PROVIDED ON ARCHITECTURAL PLANS AND ADJUST THEREAS, U.N.O.
8. CEILING HEIGHTS MEASURED FROM TOP OF CONCRETE - SEE SECTIONS.
9. COORDINATE WITH ALL OTHER TRADES FOR ALL MECHANICAL, ELECTRICAL AND DETAILS
10. COORDINATE WITH STRUCTURAL, FRAMING PLANS AND SHEAR WALLS - SEE PLANS, DETAILS, AND REINFORCING FOR COLUMNS, BEAMS, SHEAR WALLS, ETC.
11. COORDINATE WITH ELECTRICAL, PLUMBING, MECHANICAL, POWER, AND DATA REQUIREMENTS
12. COORDINATE WITH MECHANICAL DRAWINGS FOR ALL PLUMBING AND MECHANICAL PENETRATIONS

	SLAB PENETRATION
	SLAB STEP SYMBOL
	SLAB SLOPE SYMBOL
	CONCRETE SLAB - STRUCTURAL
	AREA OF RECESSED SLAB - STRUCTURAL / ARCHITECTURAL
	AREA OF OVERBUILT SLAB - ARCHITECTURAL



SUMMIT BLANC
9300 MARSAC AVE
PARK CITY, UT 84060




MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

05/31/2024


A2.1A.02





Olson Kundig

SOMMET BLANC
9300 MARSAC AVE
PARK CITY, UT 84060



Pool Consultant
Cloward H2O
2696 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer
Friday Group
88 Mainelli Road
Middlebury, VT

Code Consultant
Holmes
600 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consultant
Lerch Bates
19515 North Creek Parkway, Suite 304
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer
O-
1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109

WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect	TK, KM
project manager	TM, JB, SL, MD
drawn by	SK, SS, JR, CP, E JF, BD

checked by JB
job no. 20252
date 05/31/2024

revisions:

[illegible]

E 08/16/24	ASI 004	
no.	date	by


IFC SET 3 OF 3
05/31/2024

CONCRETE PLAN -
TOWER A - LVL P2 SPL
SLAB


A2.1A.03

1. WHERE WALLS ALONG TO GRID, LOCATE FACE OF STUO OR FACE OF CONCRETE AT GRID, U.N.O.
2. FINISH FLOOR ELEVATION THRUOUT, ACROSS LEVEL, U.N.O.
3. REFER TO A/D 10 AND A/D 11 FOR FINISH ASSEMBLIES
4. ALL DIMENSIONS ARE FACE OF CONCRETE AND CENTERLINE OF CONCRETE, U.N.O.
5. U.S. CURBS 4" F.F., MAXIMUM 6" F.F., WHERE SLOPE IS SLOPED, U.N.O.
6. MIN. 1% SLOPE TO DRAIN
7. TOP OF CONCRETE SLAB ELEVATIONS PROVIDED FOR REFERENCE, CONTRACTOR SHALL COORDINATE WITH FINISH FLOOR ELEVATIONS PROVIDED ON ARCHITECTURAL PLANS AND ADJUST THEREFOR
8. CEILING HEIGHTS MEASURED FROM TOP OF CONCRETE - SEE SECTIONS
9. COORDINATE WITH ALL OTHER TRADES FOR FINISH MATERIALS AND DETAILS
10. COORDINATE WITH STRUCTURAL FRAMING PLANS AND SHEAR WALLS FOR PLANS, DETAILS, AND REINFORCING FOR COLUMNS, BEAMS, SHEAR WALLS, ETC.
11. COORDINATE WITH ELECTRICAL, MECHANICAL, PLUMBING, POWER, AND DATA REQUIREMENTS
12. COORDINATE WITH MECHANICAL DRAWINGS FOR ALL PLUMBING AND MECHANICAL PENETRATIONS

	SLAB PENETRATION
	SLAB STEP SYMBOL
	SLAB SLOPE SYMBOL
	CONCRETE SLAB - STRUCTURAL
	AREA OF RECESSED SLAB - STRUCTURAL / ARCHITECTURAL
	AREA OF OVERSLUMP SLAB - ARCHITECTURAL





SUMMIT BLANC
9300 MARSAC AVE
PARK CITY, UT 84060




MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

A2.1A.11




1. WHERE WALLS ALIGN TO GRID, LOCATE FACE OF STUD OR FACE OF CONCRETE AT GRID, U.N.O.
2. FINISH FLOOR ELEVATION TO TOP OF CONCRETE SLAB.
3. REFER TO A.D. 10 AND A.D. 11 FOR FINISH ASSEMBLIES.
4. ALL DIMENSIONS ARE TO FACE OF CONCRETE AND CENTERLINE OF CONCRETE CUMULUM, U.N.O.
5. TO CURBS 4" A.F.F. * MAXIMUM 6" A.F.F., WHERE SLAB IS SLOPED, U.N.O.
6. MIN. 1/4" SLOPE TO DRAIN.
7. TOP OF CONCRETE SLAB ELEVATIONS PROVIDED FOR REFERENCE. CONTRACTOR SHALL COORDINATE WITH FINISH FLOOR ELEVATIONS PROVIDED ON ARCHITECTURAL PLANS AND ADJUST CONCRETE SLAB ELEVATIONS AS NECESSARY.
8. CEILING HEIGHTS MEASURED FROM TOP OF CONCRETE - SEE SECTIONS.
9. COORDINATE WITH ELECTRICAL, MECHANICAL, PLUMBING, AND HVAC DETAILS.
10. COORDINATE WITH STRUCTURAL FRAMING PLANS AND SHEAR WALL PLANS FOR SIZE, DETAILS, AND REINFORCING FOR COLUMNS, BEAMS, SHEAR WALLS, ETC.
11. COORDINATE WITH ELECTRICAL, MECHANICAL, PLUMBING, POWER, AND DATA REQUIREMENTS.
12. COORDINATE WITH MECHANICAL DRAWINGS FOR ALL PLUMBING AND MECHANICAL PENETRATIONS.

	SLAB PENETRATION
	SLAB STEP SYMBOL
	SLAB SLOPE SYMBOL
	CONCRETE SLAB - STRUCTURAL
	AREA OF RECESSED SLAB - STRUCTURAL / ARCHITECTURAL
	AREA OF OVERSLUD SLAB - ARCHITECTURAL



9300 MARSAC AVE
PARK CITY, UT 84060



P USA
1 Fourth Ave., Suite 3100
Seattle, WA 98154

16/24	ASI 004	
date		by


IFC SET 3 OF 3
05/31/2024

A2.1AB.0




1. WHERE WALLS ALONG TO GRID, LOCATE FACE OF STUO OR FACE OF CONCRETE AT GRID, U.N.O.
2. FINISH FLOOR ELEVATION THRUOUT, ACROSS LEVEL, U.N.O.
3. REFER TO A/D 10 AND A/D 11 FOR FINISH ASSEMBLIES
4. ALL DIMENSIONS ARE FACE OF FACE OF CONCRETE AND CENTERLINE OF CONCRETE, U.N.O.
5. U.N.O. CURBS 4" F.F. MAXIMUM IF F.F., WHERE SLOPE IS SLOPED, U.N.O.
6. MIN. 1/8" SLOPE TO DRAIN
7. TOP OF CONCRETE SLAB ELEVATIONS PROVIDED FOR REFERENCE, CONTRACTOR SHALL COORDINATE WITH FINISH FLOOR ELEVATIONS PROVIDED ON ARCHITECTURAL PLANS AND ADJUST THEREFOR
8. CEILING HEIGHTS MEASURED FROM TOP OF CONCRETE - SEE PLANS.
9. COORDINATE WITH ALL ELECTRICAL, MECHANICAL, PLUMBING, AND HVAC DETAILS
10. COORDINATE WITH STRUCTURAL FRAMING PLANS AND SHEAR WALL SECTION DETAILS
11. AND REINFORCING FOR COLUMNS, BEAMS, SHEAR WALLS, ETC.
12. COORDINATE WITH ELECTRICAL, MECHANICAL, PLUMBING, POWER, AND DATA REQUIREMENTS
13. COORDINATE WITH MECHANICAL DRAWINGS FOR ALL PLUMBING AND MECHANICAL PENETRATIONS

	SLAB PENETRATION
	SLAB STEP SYMBOL
	SLAB SLOPE SYMBOL
	CONCRETE SLAB - STRUCTURAL
	AREA OF RECESSED SLAB - STRUCTURAL / ARCHITECTURAL
	AREA OF OVERSLUMP SLAB - ARCHITECTURAL





SUMMIT BLANC
9300 MARSAC AVE
PARK CITY, UT 84060



TV 334


A2.1B.02





Olson Kundig

SOMMET BLANC
9300 MARSAC AVE.
... ..



MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154


visions:

08/16/24	ASI 004
date	by

IFC SET 3 OF 3
05/31/2024

 CONCRETE PLAN -
TOWER B - LVL P2 SPLIT
SLAB


A2.1B.03




1 CONCRETE PLAN - TOWER B - LEVEL P2 SPLIT SLAB
SCALE: 1/8" = 1'-0"

1. WHERE WALLS ALONG TO GRID, LOCATE FACE OF STUO OR FACE OF CONCRETE AT GRID, U.N.O.
2. FINISH FLOOR ELEVATION THRUOUT ACROSS LEVEL.
3. REFER TO A0.00, D.00, 1.00, 2.00, 3.00, 4.00, 5.00, 6.00, 7.00, 8.00, 9.00, 10.00, 11.00, 12.00, 13.00, 14.00, 15.00, 16.00, 17.00, 18.00, 19.00, 20.00, 21.00, 22.00, 23.00, 24.00, 25.00, 26.00, 27.00, 28.00, 29.00, 30.00, 31.00, 32.00, 33.00, 34.00, 35.00, 36.00, 37.00, 38.00, 39.00, 40.00, 41.00, 42.00, 43.00, 44.00, 45.00, 46.00, 47.00, 48.00, 49.00, 50.00, 51.00, 52.00, 53.00, 54.00, 55.00, 56.00, 57.00, 58.00, 59.00, 60.00, 61.00, 62.00, 63.00, 64.00, 65.00, 66.00, 67.00, 68.00, 69.00, 70.00, 71.00, 72.00, 73.00, 74.00, 75.00, 76.00, 77.00, 78.00, 79.00, 80.00, 81.00, 82.00, 83.00, 84.00, 85.00, 86.00, 87.00, 88.00, 89.00, 90.00, 91.00, 92.00, 93.00, 94.00, 95.00, 96.00, 97.00, 98.00, 99.00, 100.00, 101.00, 102.00, 103.00, 104.00, 105.00, 106.00, 107.00, 108.00, 109.00, 110.00, 111.00, 112.00, 113.00, 114.00, 115.00, 116.00, 117.00, 118.00, 119.00, 120.00, 121.00, 122.00, 123.00, 124.00, 125.00, 126.00, 127.00, 128.00, 129.00, 130.00, 131.00, 132.00, 133.00, 134.00, 135.00, 136.00, 137.00, 138.00, 139.00, 140.00, 141.00, 142.00, 143.00, 144.00, 145.00, 146.00, 147.00, 148.00, 149.00, 150.00, 151.00, 152.00, 153.00, 154.00, 155.00, 156.00, 157.00, 158.00, 159.00, 160.00, 161.00, 162.00, 163.00, 164.00, 165.00, 166.00, 167.00, 168.00, 169.00, 170.00, 171.00, 172.00, 173.00, 174.00, 175.00, 176.00, 177.00, 178.00, 179.00, 180.00, 181.00, 182.00, 183.00, 184.00, 185.00, 186.00, 187.00, 188.00, 189.00, 190.00, 191.00, 192.00, 193.00, 194.00, 195.00, 196.00, 197.00, 198.00, 199.00, 200.00, 201.00, 202.00, 203.00, 204.00, 205.00, 206.00, 207.00, 208.00, 209.00, 210.00, 211.00, 212.00, 213.00, 214.00, 215.00, 216.00, 217.00, 218.00, 219.00, 220.00, 221.00, 222.00, 223.00, 224.00, 225.00, 226.00, 227.00, 228.00, 229.00, 230.00, 231.00, 232.00, 233.00, 234.00, 235.00, 236.00, 237.00, 238.00, 239.00, 240.00, 241.00, 242.00, 243.00, 244.00, 245.00, 246.00, 247.00, 248.00, 249.00, 250.00, 251.00, 252.00, 253.00, 254.00, 255.00, 256.00, 257.00, 258.00, 259.00, 260.00, 261.00, 262.00, 263.00, 264.00, 265.00, 266.00, 267.00, 268.00, 269.00, 270.00, 271.00, 272.00, 273.00, 274.00, 275.00, 276.00, 277.00, 278.00, 279.00, 280.00, 281.00, 282.00, 283.00, 284.00, 285.00, 286.00, 287.00, 288.00, 289.00, 290.00, 291.00, 292.00, 293.00, 294.00, 295.00, 296.00, 297.00, 298.00, 299.00, 300.00, 301.00, 302.00, 303.00, 304.00, 305.00, 306.00, 307.00, 308.00, 309.00, 310.00, 311.00, 312.00, 313.00, 314.00, 315.00, 316.00, 317.00, 318.00, 319.00, 320.00, 321.00, 322.00, 323.00, 324.00, 325.00, 326.00, 327.00, 328.00, 329.00, 330.00, 331.00, 332.00, 333.00, 334.00, 335.00, 336.00, 337.00, 338.00, 339.00, 340.00, 341.00, 342.00, 343.00, 344.00, 345.00, 346.00, 347.00, 348.00, 349.00, 350.00, 351.00, 352.00, 353.00, 354.00, 355.00, 356.00, 357.00, 358.00, 359.00, 360.00, 361.00, 362.00, 363.00, 364.00, 365.00, 366.00, 367.00, 368.00, 369.00, 370.00, 371.00, 372.00, 373.00, 374.00, 375.00, 376.00, 377.00, 378.00, 379.00, 380.00, 381.00, 382.00, 383.00, 384.00, 385.00, 386.00, 387.00, 388.00, 389.00, 390.00, 391.00, 392.00, 393.00, 394.00, 395.00, 396.00, 397.00, 398.00, 399.00, 400.00, 401.00, 402.00, 403.00, 404.00, 405.00, 406.00, 407.00, 408.00, 409.00, 410.00, 411.00, 412.00, 413.00, 414.00, 415.00, 416.00, 417.00, 418.00, 419.00, 420.00, 421.00, 422.00, 423.00, 424.00, 425.00, 426.00, 427.00, 428.00, 429.00, 430.00, 431.00, 432.00, 433.00, 434.00, 435.00, 436.00, 437.00, 438.00, 439.00, 440.00, 441.00, 442.00, 443.00, 444.00, 445.00, 446.00, 447.00, 448.00, 449.00, 450.00, 451.00, 452.00, 453.00, 454.00, 455.00, 456.00, 457.00, 458.00, 459.00, 460.00, 461.00, 462.00, 463.00, 464.00, 465.00, 466.00, 467.00, 468.00, 469.00, 470.00, 471.00, 472.00, 473.00, 474.00, 475.00, 476.00, 477.00, 478.00, 479.00, 480.00, 481.00, 482.00, 483.00, 484.00, 485.00, 486.00, 487.00, 488.00, 489.00, 490.00, 491.00, 492.00, 493.00, 494.00, 495.00, 496.00, 497.00, 498.00, 499.00, 500.00, 501.00, 502.00, 503.00, 504.00, 505.00, 506.00, 507.00, 508.00, 509.00, 510.00, 511.00, 512.00, 513.00, 514.00, 515.00, 51

	SLAB PENETRATION
	SLAB STEP SYMBOL
	SLAB SLOPE SYMBOL
	CONCRETE SLAB - STRUCTURAL
	AREA OF RECESSED SLAB - STRUCTURAL / ARCHITECTURAL
	AREA OF OVERSLAB - STRUCTURAL / ARCHITECTURAL



SUMMET BLANC
9300 MARSAC AVE
PARK CITY, UT 84060





MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

revisions:

E 08/16/24 ASI004


no. date by

A2.1B.04



- 159 South Jackson St., Suite 600
Seattle, Washington 98104 USA
+1 206 624 5670 oleonkundig.com

SOMMET BLANC
9300 MARSAC AVE
PARK CITY, UT 84060



principal architect TK, KM
project manager TM, JB, SL, MD
drawn by SK, SS, JR, CP, EA,
JF, BD


revisions:

no. date		by
F 08/16/24		ASI 004
04/26/24		PLANNING REVIEW
		RESPONSE #1



FC SET 3 OF 3
05/31/2024

PLAN - TOWER A - LVL
2


A2.2A.02




1 TOWER A - LEVEL P2
SCALE: 1/8" = 1'-0"



2. DIMENSIONS ARE TO FACE OF STUD OF EXTERIOR WALLS, CORRIDOR WALLS & INTERIOR WALLS, UNO
3. DIMENSIONS ARE TO CENTERLINE OF EXTERIOR WALLS. UNO
4. ALL EXPOSED STRUCTURAL STEEL TO RECEIVE 1 HR INTERIOR FINISHING PAINTING, UNO
5. ALL FRAMED EXTERIOR WALLS TO RECEIVE 1/2" MIN. 50% FROM FACE OF CONCRETE TO ALLOW FOR FLUSH ALIGNMENT OF SHEATHING TO EDGE OF SLAB. UNO
6. CASEWORK DIMENSIONS TO AND TO FACE OF FINISH. UNO
7. SEE SHEETS 10, 10 AND 10 FOR ASSEMBLIES. UNO
8. ALL CORRIDOR WALLS ARE TYPE 1B. UNO
9. ALL DEMISING WALLS ARE TYPE 1B. UNO
10. ALL INTERIOR PARTITIONS ARE TYPE A6. UNO
11. ALL FURRING AROUND CONCRETE STUDS AND COLUMNS TYPE G1. UNO
12. ALL VENT SHAFT WALLS ARE TYPE K4. UNO
13. REFER TO LIFE SAFETY PLANS 00.00 - 00.34 FOR FULL EXTENT OF FIRE RATED WALLS.
14. UNO PLAN LAYOUTS ON SHEETS A24A - A24R
15. ALL OWNER PARKING STALLS TO RECEIVE 1/2" MIN. 50% FROM FACE OF CONCRETE TO ALLOW FOR FLUSH ALIGNMENT OF SHEATHING TO EDGE OF SLAB. UNO
16. REFER TO SHEET 00.07 FOR ANS1 TYPE A ACCESSIBILITY REQUIREMENTS.
17. REFER TO SHEET 00.08 FOR ANS1 TYPE B ACCESSIBILITY REQUIREMENTS.
18. ALL MECHANICAL EQUIPMENT LOCATED WITHIN ELEVATOR MECHANICAL REQUIREMENTS ENCLOSURE.



SOMMET BLANC
9300 MARSAC AVE



Pool Consultant
Cloward H20
2696 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer
Friday Group
88 Mainelli Road
Middlebury, VT

Code Consultant
Holmes
600 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consultant
Lerch Bates
19515 North Creek Parkway, Suite 300
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer
O-
1319 SE MILK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109

MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect	TK, KM
project manager	TM, JB, SL, MD
drawn by	SK, SS, JR, CP, E

checked by JB
job no. 20062

revisions:



F 08/16/24 ASI 004


RESPONSE #1

05/24/2024

PLAN - TOWER B - LVL
22


A2 2B 02





Olson Kundig

SOMMET BLANC
89300 MARSAC AVE
PARK CITY, UT 84060



Pool Consultant
Cloward H20
2696 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Write
Friday Group
88 Mainelli Road
Middlebury, VT

Code Consultant
Holmes
600 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consultant
Lerch Bates
19515 North Creek Parkway, Suite 3
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer
O-
1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109

MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect TK, KM
project manager TM, JB, SL, MD
drawn by SK, SS, JR, CP, EA,
JF, BD

checked by Checker
job no. 20062
date 05/31/2024



revisions:

E	08/16/24	ASI 004
C	07/26/24	ASI 002
no.	date	by


IFC SET 3 OF 3
05/31/2024

 ENLARGED SECTIONS -
BC CONNECTOR

A4.3BC.1



2 SECTION - B/C CONNECTOR - LONGITUDINAL - ISOLATED
SCALE: 1/2" = 1'-0"



1 SECTION - B/C CONNECTOR - LONGITUDINAL 2 - ISOLATED
SCALE: 1/2" = 1'-0"



