

- 1. REFERENCE FLOOR ELEVATION IS 8485'-3". REFERENCE TOP OF STRUCTURAL STEEL IS 3-INCHES BELOW THE REFERENCE FLOOR ELEVATION, TYPICAL UNLESS NOTED OTHERWISE.

NOTES:

2. ROOF DECK IS MINIMUM 3-INCH x 20 GAUGE STEEL DECKING. DECKING IS TO BE INSTALLED IN MINIMUM THREE SPAN CONDITIONS WHERE POSSIBLE.

8 PARTIAL FRAMING PLAN - ELEVATOR OVERRUN

1. REFERENCE FLOOR ELEVATION IS 8482' - 2". TOP OF CONCRETE SLAB IS AT THE

2. THE STRUCTURAL SLAB IS A 12-INCH THICK MILD TWO-WAY SLAB UNLESS NOTED

3. COORDINATE LOCATION OF ALL EMBEDS WITH MECHANICAL, ELECTRICAL, PLUMBING,

4. SEE ARCHITECTURAL, MECHANICAL, PLUMBING, ELECTRICAL, AND OTHER DISCIPLINES

STRUCTURAL DRAWINGS FOR WHICH THE TYPICAL DETAILS DO NOT APPLY.

5. REFERENCE ALL CONSTRUCTION DOCUMENTS FOR SIZE, EXTENT, AND LOCATION OF

DRAWINGS FOR OPENING SIZES AND LOCATIONS NOT SHOWN ON PLAN. SEE "TYPICAL OPENINGS AND EMBEDMENTS IN CONCRETE" DETAILS FOR OPENING PLACEMENT

CRITERIA. NOTIFY THE STRUCTURAL ENGINEER OF ANY OPENINGS NOT SHOWN ON THE

CONCRETE CURBS, HOUSEKEEPING PADS, CMU WALLS, PLANTER WALLS, BOLLARDS, AND

FOR DRAINAGE SLOPES NOT SHOWN.


OTHERWISE. SEE THE TYPICAL MILD SLAB DETAILS.

EDGE ANGLES. REINFORCE PER THE TYPICAL DETAILS.

AND EXTERIOR WALL SYSTEMS PRIOR TO CASTING THE SLAB.

REFERENCE ELEVATION UNLESS NOTED OTHERWISE. SEE ARCHITECTURAL DRAWINGS

9 PARTIAL PLAN - TOP OF CORE





Reserved for permit stamp

Kundig Olson

MAGNUSSON KLEMENCIC ASSOCIATES Structural + Civil Engineers Seattle Chicago www.mka.com

206 292 1200

principal architect_ date 05/17/2024 5 01/07/2025 ASI-007 1 05/17/2024 IFC 2

IFC SET 2 OF 3 05/17/2024

no. date

04/08/2024 IFC SET 1 OF 3 11/18/2022 95% CD

TOWER C PARTIAL **PLANS**

S2.C.50