# NUMBERED NOTES:

REFER TO M2.4 SERIES FOR ENLARGED PLANS.
FIREPLACE FLUE ROUTING SHOWN FOR REFERENCE. REFER TO ENLARGED UNIT PLANS FOR ROUTING AND SIZING DETAIL.

C. MECHANICAL EQUIPMENT SHOWN FOR REFERENCE. REFER TO ENLARGED UNIT PLANS FOR DETAIL.


STAIR TO BE PROVIDED WITH 2-HR RATED CEILING FIREPLACE FLUE TERMINATIONS TO BE CAPPED WITH ORTAL VERTICAL POWER VENT PER M5.05 DETAIL 4

\_\_ 5"Ø FIREPLACE FLUE TERMINATIONS PER M5.07 DETAIL 1, 9-16 FLUE CONFIGURATION 5"Ø FIREPLACE FLUE TERMINATIONS PER M5.07 DETAIL 1, 5-8 FLUE CONFIGURATION TOWER B FLUE TERMINATIONS SOUTH - ORTHOGRAPHIC SCALE: TOWER B FLUE TERMINATIONS NORTH - ORTHOGRAPHIC SCALE: 8"Ø FIREPLACE FLUE WITH HIGH WIND 8"Ø FIREPLACE FLUE 20x14 DN — WITH HIGH WIND TERMINAL CAP TERMINAL CAP SPF B-R-2 B-R-2 <del>2</del>2 18"Ø BOILER FLUE TO 12"Ø BOILER FLUES 16"Ø BOILER FLUE TO ROOF - 8"Ø FIREPLACE FLUE -WITH HIGH WIND - 8"Ø FIREPLACE FLUES WITH HIGH WIND TERMINAL CAP 14

TOWER B - ROOF MECHANICAL DUCT PLAN

SCALE: 1/8" = 1'-0"

L2



Reserved for permit stamp

**ASPEN** GROUP Aspen Group USA, LLC PO Box 980022 Park City, Utah 84098

Pool Consultant
Cloward H20
2696 N University Ave, Suite 290
Provo, UT 84604 <u>Landscape Architect</u> **EPG Design**6949 South High Tech Drive, Suite 100
Midvale, Utah 84047 Specifications Writer Friday Group 88 Mainelli Road Middlebury, VT

Code Consultant
Holmes
600 1st Avenue, Suite 200A Seattle, WA 98104 Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consulatant
Lerch Bates
19515 North Creek Parkway, Suite 304
Bothell, WA 98011

Structural Engineer

Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101 <u>Lighting Designer</u> 1319 SE MLK Blvd, Suite 210 Portland, Oregon 97219

Building Envelope Consultant RDH 2101 N 34th St Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109 MEP Engineer WSP USA 1001 Fourth Ave., Suite 3100 Seattle, WA 98154

> principal architect\_\_\_\_\_ project manager\_\_\_\_\_

checked by <u>Checker</u> date 5/31/2024

2 5/31/2024 IFC 3 no. date

> IFC Set 3 of 3 5/31/2024

TOWER B - ROOF MECHANICAL DUCT PLAN M2.2B.R