



1. DIMENSIONS ARE TO FACE OF STUD OF EXTERIOR WALLS, CORRIDOR WALLS & INTERIOR WALLS. UNO
2. DIMENSIONS ARE TO CENTERLINE OF DEMISING WALLS. UNO
3. ALL EXPOSED STRUCTURAL STEEL TO RECEIVE 1 HR INTUMESCENT PAINTING. UNO
4. ALL STRENGTH DEVELOPMENT WALLS, TRUSS ROOF AND ALL OTHER SURF FROM FACE OF CONCRETE TO ALLOW FOR FLUSH ALIGNMENT OF SHEATHING TO EDGE OF SLAB. UNO
5. CASEWORK DIMENSIONS ARE TO FACE OF FINISH. UNO
6. SEE SHEETS 40.10 AND 40.11 FOR ASSEMBLIES.
7. ALL CORRIDOR WALLS ARE TYPE **E6**. UNO
8. ALL DEMISING WALLS ARE TYPE **J6**. UNO
9. ALL INTERIOR PARTITIONS ARE TYPE **A6**. UNO
10. ALL FURRING ABOVE CONCRETE STRUCTURAL COLUMNS TYPE **G1**. UNO
11. ALL VENT SHAFT WALLS ARE TYPE **K4**. UNO
12. REFER TO LIFE SAFETY PLANS 40.30 - 40.34 FOR FULL EXTENT OF FIRE RATED WALLS.
13. UNIT PLANT LAYOUTS ON SHEETS 40.40 - 40.41
14. ALL OWNER PARKING STALLS SHALL INCLUDE USE INFRASTRUCTURE.
15. REFER TO SHEET 40.08 FOR ANSI TYPE A ACCESSIBILITY REQUIREMENTS.
16. REFER TO SHEET 40.08 FOR ANSI TYPE A ACCESSIBILITY REQUIREMENTS.
17. REFER TO SHEET 40.08 FOR ADA SUB E ACCESSIBILITY REQUIREMENTS.
18. ALL MECHANICAL EQUIPMENT LOCATED WITHIN ELEVATOR/MECHANICAL EQUIPMENT ENCLOSURE.
19. CONTRACTOR TO COORDINATE WITH FIREPLACE MANUFACTURER GUIDELINES FOR VENTING



SOMMET BLANC  
9300 MARSAC AVE



principal architect TK, KM

revisions.

H	03/24/25	ASI 005
C	07/26/24	ASI 002
B	07/19/24	ASI 001

no.      date    by \_\_\_\_\_

IFC SET 3 OF 3  
05/31/2024

LAN - TOWER A - LVL  
AREA A

A2.3A.01a