




159 South Jackson St., Suite 600  
Seattle, Washington 98104 USA  
+1 206 834 3870 olsonkundig.com

Olson Kundig

SOMMET BLANC  
9300 MARSA C AVE  
PARK CITY, UT 84060



Aspen Group USA, LLC  
PO Box 980022  
Park City, Utah 84098

Pool Consultant

Cloward H2O  
2696 N University Ave, Suite 290  
Provo, UT 84604

Landscape Architect

ERG Design  
6949 South High Tech Drive, Suite 100  
Midvale, Utah 84047

Specifications Writer

Friday Group  
86 Mainelli Road  
Middlebury, VT

Code Consultant

Holmes  
600 1st Avenue, Suite 200A  
Seattle, WA 98104

Fire Protection Engineer

Jensen Hughes  
One Research Drive, Suite 305C  
Westborough, MA 01581

Vertical Transportation Consultant

Larch Bates  
19515 North Creek Parkway, Suite 304  
Bothell, WA 98011

Structural Engineer

Magnusson Klemencic Associates  
1301 5th Ave, Suite 3200  
Seattle, WA 98101

Lighting Designer

O-  
1319 SE MLK Blvd, Suite 210  
Portland, Oregon 97219

Building Envelope Consultant

RDH  
2101 N 34th St  
Seattle, WA 98103

Accessibility Consultant

Studio Pacifica  
2144 Westlake Ave N, Suite F  
Seattle, WA 98109

MEP Engineer

WSP USA  
1001 Fourth Ave., Suite 3100  
Seattle, WA 98154

principal architect: TK, KM  
project manager: TM, JB, SS, MD  
drawn by: SK, SS, JR, CP, EA  
checked by: JB  
job no. 2052  
date 05/31/2024

revisions:

N 04/07/25 ASI 009  
no. date by

IFC SET 3 OF 3

05/31/2024

ASSEMBLIES -  
EXTERIOR WALLS,  
INTERIOR PARTITIONS

A0.11

|                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[06 16 43] GYPSUM SHEATHING<br/>[07 13 00-5]<br/>[07 21 00] MINERAL WOOL INSULATION<br/>[09 22 13] PERFORATED HAT CHANNEL</div> <div>W15</div>                                                                                                               | <div>EXTERIOR WALL<br/>1-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[09 21 16] GYPSUM WALL BOARD<br/>[09 21 16] GYPSUM WALL BOARD<br/>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[06 16 43] GYPSUM SHEATHING<br/>[07 13 00-5]<br/>[07 21 00] MINERAL WOOL INSULATION<br/>[07 42 10] FIBERGLASS SUBFRAMING GIRT</div> <div>W15R</div>                                 |
| <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W15 6" STUD N/A N/A N/A N/A</div>                                                                                                                                                                                                                                                                                | <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W15R 3.5/8" STUD 1-HOUR N/A N/A YES</div>                                                                                                                                                                                                                                                                    |
| <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED<br/>FLURRED WALL IN MECHANICAL AREAS</div> <div></div> <div>[07 13 00-5]<br/>[07 21 00] MINERAL WOOL INSULATION<br/>[09 22 13] PERFORATED HAT CHANNEL<br/>[07 41 11] PREFORMED WALL PANEL</div> <div>W15</div>                                                                                                               | <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>W32</div>                                                                                                                                                                                                                                                                             |
| <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W15 6" STUD N/A N/A N/A N/A</div>                                                                                                                                                                                                                                                                                | <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W32 N/A N/A N/A N/A</div>                                                                                                                                                                                                                                                                                    |
| <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>W31</div>                                                                                                                                                                                                                                                                                 | <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>W30</div>                                                                                                                                                                                                                                                                             |
| <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W31 N/A N/A N/A N/A</div>                                                                                                                                                                                                                                                                                        | <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W30 N/A N/A N/A N/A</div>                                                                                                                                                                                                                                                                                    |
| <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>VARIES<br/>THERMASS<br/>PER STRUCT 1 1/2" 5"<br/>[03 30 00] CIP CONCRETE<br/>[07 21 00] FOAM PLASTIC BOARD INSULATION<br/>03 30 00-2 NOTE<br/>INT<br/>EXT</div> <div>W22</div>                                                                                                                        | <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>VARIES<br/>PER STRUCT<br/>[03 30 00] CIP CONCRETE<br/>[07 13 26] BELOW MAT WATERPROOFING<br/>[07 72 00] DRAINAGE PANEL<br/>[31 00 00] EARTHWORK</div> <div>W21</div>                                                                                                                              |
| <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W22 N/A N/A N/A N/A</div>                                                                                                                                                                                                                                                                                        | <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W21 N/A N/A N/A N/A</div>                                                                                                                                                                                                                                                                                    |
| <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[03 30 00] CIP CONCRETE<br/>[07 13 26] BELOW MAT WATERPROOFING<br/>[07 21 00] FOAM PLASTIC BOARD INSULATION<br/>[07 72 00] DRAINAGE PANEL<br/>[31 00 00] EARTHWORK</div> <div>W20</div>                                                                                                               | <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[06 16 43] GYPSUM SHEATHING<br/>[07 13 00-5]<br/>[07 21 00] MINERAL WOOL INSULATION<br/>[09 22 13] PERFORATED HAT CHANNEL<br/>[09 50 00] STEEL PLATE</div> <div>W14</div>                                                                                |
| <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W20 N/A N/A N/A N/A</div>                                                                                                                                                                                                                                                                                        | <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W14 3.5/8" STUD N/A N/A N/A</div>                                                                                                                                                                                                                                                                            |
| <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED<br/>EXT FIREPLACE SURROUND</div> <div></div> <div>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[06 16 43] GYPSUM SHEATHING<br/>[07 13 00-5]<br/>[09 22 13] PERFORATED HAT CHANNEL<br/>[09 50 00] STEEL PLATE</div> <div>W13</div>                                                                                                | <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[09 21 16] GYPSUM WALL BOARD<br/>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[06 16 43] GYPSUM SHEATHING<br/>[07 13 00-5]<br/>[07 21 00] MINERAL WOOL INSULATION<br/>[09 22 13] PERFORATED HAT CHANNEL<br/>[09 50 00] STEEL PLATE</div> <div>W12</div>                                               |
| <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W13 6" STUD N/A N/A N/A YES</div>                                                                                                                                                                                                                                                                                | <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W12 6" STUD N/A N/A N/A YES</div>                                                                                                                                                                                                                                                                            |
| <div>EXTERIOR WALL<br/>1-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[03 30 00] BOARD FORMED CONCRETE<br/>[07 13 00] WRB (CONCRETE)<br/>[07 21 16] SPRAY FOAM INSULATION<br/>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[09 21 16] GYPSUM WALL BOARD</div> <div>W11R</div>                                                                                                | <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[03 30 00] BOARD FORMED CONCRETE<br/>[07 13 00] WRB (CONCRETE)<br/>[07 21 16] SPRAY FOAM INSULATION<br/>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[09 21 16] GYPSUM WALL BOARD</div> <div>W11</div>                                                                                                |
| <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W11R 3.5/8" STUD 1-HOUR UL U419 N/A YES</div>                                                                                                                                                                                                                                                                    | <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W11 3.5/8" STUD N/A N/A N/A YES</div>                                                                                                                                                                                                                                                                        |
| <div>EXTERIOR WALL<br/>1-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[09 21 16] GYPSUM WALL BOARD<br/>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[06 16 43] GYPSUM SHEATHING<br/>[07 13 00-5]<br/>[07 21 00] MINERAL WOOL INSULATION<br/>[07 42 10] FIBERGLASS SUBFRAMING GIRT<br/>[09 22 13] PERFORATED HAT CHANNEL<br/>[07 42 47] GPRC WALL PANEL</div> <div>W10R</div> | <div>EXTERIOR WALL<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div>[09 21 16] GYPSUM WALL BOARD<br/>[09 22 16] LIGHT GAUGE METAL FRAMING<br/>[06 16 43] GYPSUM SHEATHING<br/>[07 13 00-5]<br/>[07 21 00] MINERAL WOOL INSULATION<br/>[07 42 10] FIBERGLASS SUBFRAMING GIRT<br/>[09 22 13] PERFORATED HAT CHANNEL<br/>[07 42 47] GPRC WALL PANEL</div> <div>W10</div> |
| <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W10R 6" STUD 1-HOUR UL U419 N/A YES</div>                                                                                                                                                                                                                                                                        | <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>W10 6" STUD NOT RATED N/A N/A YES</div>                                                                                                                                                                                                                                                                      |

|                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>INTERIOR PARTITION<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>O</div>                                                                                                                                                                                         | <div>INTERIOR PARTITION<br/>2-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>N</div>                                                                                                                                                                                                      | <div>INTERIOR PARTITION<br/>1-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>M</div>                                                                                                                                                                                                         | <div>INTERIOR SHAFT WALL<br/>2-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>L</div>                                                                                                                                                                                                                                                                            | <div>INTERIOR SHAFT WALL<br/>2-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>K</div>                                                                                                                                                                                                                                                                   |
| <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>O6 6" STUD NOT RATED N/A N/A YES</div>                                          | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>N3 3.5/8" STUD 2-HOUR UL U419 N/A YES<br/>N6 6" STUD 2-HOUR UL U419 N/A YES</div>               | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>M3 3.5/8" STUD 1-HOUR UL U454 N/A YES<br/>M6 6" STUD 1-HOUR UL U454 N/A YES</div>                  | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>L4 4" CH STUD 2-HOUR UL U415 B N/A YES</div>                                                                                                                           | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>K4 4" CH STUD 2-HOUR UL U415 B N/A NO</div>                                                                                                                   |
| <div>INTERIOR DEMISING PARTITION<br/>1-HOUR FIRE RATED<br/>ACOUSTIC TREATED</div> <div></div> <div>*ADD EXTRA LAYER(S) OF GYPSUM TO MEET STC RATING</div> <div>J</div>                                                                                                                                 | <div>INTERIOR FLURRED PARTITION<br/>1-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>L</div>                                                                                                                                                                                              | <div>INTERIOR FLURRED PARTITION<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>H</div>                                                                                                                                                                                                    | <div>INTERIOR FLURRED PARTITION<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>G</div>                                                                                                                                                                                                                                                                        | <div>INTERIOR PARTITION<br/>2-HOUR FIRE RATED<br/>ACOUSTIC TREATED</div> <div></div> <div>*ADD EXTRA LAYER(S) OF GYPSUM TO MEET STC RATING</div> <div>F</div>                                                                                                                                                                                                                        |
| <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>J3 3.5/8" STUD 1-HOUR UL U419 60 YES<br/>J6 6" STUD 1-HOUR UL U419 60 YES</div> | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>I3 3.5/8" STUD N/A N/A N/A YES</div>                                                            | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>H3 3.5/8" STUD N/A N/A N/A YES<br/>H6 6" STUD N/A N/A N/A YES<br/>H6 6" STUD N/A N/A N/A YES</div> | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>G1 1/2" H.C. N/A N/A N/A YES<br/>G2 2 1/2" STUD N/A N/A N/A YES<br/>G3 3.5/8" STUD N/A N/A N/A YES<br/>G6 6" STUD N/A N/A N/A YES<br/>G8 8" STUD N/A N/A N/A YES</div> | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>F3 3.5/8" STUD 2-HOUR UL U419 55 YES<br/>F6 6" STUD 2-HOUR UL U419 55 YES</div>                                                                               |
| <div>INTERIOR PARTITION<br/>1-HOUR FIRE RATED<br/>ACOUSTIC TREATED</div> <div></div> <div>*ADD EXTRA LAYER(S) OF GYPSUM TO MEET STC RATING</div> <div>E</div>                                                                                                                                          | <div>INTERIOR PARTITION<br/>NOT FIRE RATED<br/>ACOUSTIC TREATED</div> <div></div> <div>*ADD EXTRA LAYER(S) OF GYPSUM TO MEET STC RATING</div> <div>D</div>                                                                                                                                                             | <div>INTERIOR PARTITION<br/>2-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>C</div>                                                                                                                                                                                                         | <div>INTERIOR PARTITION<br/>1-HOUR FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>B</div>                                                                                                                                                                                                                                                                             | <div>INTERIOR PARTITION<br/>NOT FIRE RATED<br/>NOT ACOUSTIC TREATED</div> <div></div> <div></div> <div>A</div>                                                                                                                                                                                                                                                                       |
| <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>E3 3.5/8" STUD 1-HOUR UL U419 55 YES<br/>E6 6" STUD 1-HOUR UL U419 55 YES</div> | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>D3 3.5/8" STUD N/A N/A 55 YES<br/>D6 6" STUD N/A N/A 55 YES<br/>D8 8" STUD N/A N/A 55 YES</div> | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>C3 3.5/8" STUD 2-HOUR UL U419 N/A NO<br/>C6 6" STUD 2-HOUR UL U419 N/A NO</div>                    | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>B3 3.5/8" STUD 1-HOUR UL U419 N/A NO<br/>B6 6" STUD 1-HOUR UL U419 N/A NO</div>                                                                                        | <div>* IN SHOWERS USE:<br/>* IN BATHS AND LAUNDRY USE:<br/>[09 21 16] CEMENTITIOUS BACKER BOARD<br/>[09 21 16] MOISTURE RESISTANT GWB</div> <div>TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE</div> <div>A2 2 1/2" STUD NOT RATED N/A N/A YES<br/>A3 3.5/8" STUD NOT RATED N/A N/A YES<br/>A6 6" STUD NOT RATED N/A N/A YES<br/>A8 8" STUD NOT RATED N/A N/A YES</div> |