



1. DIMENSIONS ARE TO FACE OF STUD OF EXTERIOR WALLS, CORRIDOR WALLS & INTERIOR WALLS, UNO
2. DIMENSIONS ARE TO CENTERLINE OF DEMISING WALLS, UNO
3. ALL EXPOSED STRUCTURAL STEEL TO RECEIVE 1/8" INTUMESCENT PAINTING, UNO
4. ALL FRAMED EXTERIOR WALLS, FRAMING TO BE SET BACK 56" FROM FACE OF CONCRETE TO ALLOW FOR FLUSH ALIGNMENT OF SHEATHING TO EDGE OF S.S.A. UNO
5. CASEWORK DIMENSIONS ARE TO FACE OF FINISH UNO
6. SEE SHEETS A0.10 AND A0.11 FOR ASSEMBLIES.
7. ALL CORRIDOR WALLS ARE TYPE E6, UNO
8. ALL DEMISING WALLS ARE TYPE J6, UNO
9. ALL INTERIOR PARTITIONS ARE TYPE A6, UNO
10. ALL FURRING AROUND CONCRETE STRUCTURAL COLUMNS TYPE G1, UNO
11. ALL VENT SHIRT WALLS ARE TYPE K4, UNO
12. REFER TO LIFE SAFETY PLANS A0.30 - A0.34 FOR FULL EXTENT OF FIRE RATED WALLS.
13. UNIT PLAN LAYOUTS ON SHEETS A2.14, A2.42
14. ALL OWNER PARKING STALLS SHALL ACCOMMODATE EV INFRASTRUCTURE.
15. REFER TO SHEET A0.08 FOR ANSI TYPE B ACCESSIBILITY REQUIREMENTS.
16. REFER TO SHEET A0.07 FOR ANSI TYPE A ACCESSIBILITY REQUIREMENTS.
17. REFER TO SHEET A0.08 FOR ADA PUBLIC SPACE ACCESSIBILITY REQUIREMENTS.
18. ALL MECHANICAL EQUIPMENT LOCATED WITHIN PLANT/MECHANICAL EQUIPMENT ENCLOSURE SHALL BE ACCESSIBLE TO THE PUBLIC.
19. CONTRACTOR TO COORDINATE WITH FIREPLACE MANUFACTURER GUIDELINES FOR VENTING



SOMMET BLANC
9300 MARSAC AVE
PARK CITY, UT 84060



P USA
1 Fourth Ave., Suite 3100
Seattle, WA 98154

04/07/25	ASI 010
04/07/25	ASI 009
02/05/25	ASI 006.1
O.	date by

LAN - TOWER A - LVL 6

A2.2A.16

