



PLAN GENERAL NOTES

1. DIMENSIONS ARE TO FACE OF STUDIOR WALLS, CORRIDOR WALLS & INTERIOR WALLS. UNO.
2. DIMENSIONS ARE TO CENTERLINE OF REMISING WALLS. UNO.
3. EXPOSED STRUCTURAL STEEL TO BE REPAIRED IF HR INFINITEST PAINTING. UNO.
4. AT FRAMED EXTERIOR WALLS, FRAMING TO BE SET BACK 38" FROM FACE OF CONCRETE TO ALLOW FOR FLUSH ALIGNMENT OF SHEATHING TO EDGE OF SLAB. UNO.
5. CASEWORK TO BE SET BACK 10" FROM FINISH LINE. UNO.
6. SEE SHEETS A-10 AND A-11 FOR ASSEMBLIES.
7. ALL CORRIDOR PARTITIONS ARE TYPE #B. UNO.
8. ALL REMISING AREAS ARE TYPE #B. UNO.
9. ALL INTERIOR PARTITIONS ARE TYPE #A. UNO.
10. ALL TURNING ARROUND CONCERTE STRUCTURES, COLUMNS TYPE G1. UNO.
11. ALL VENT SHIRT WALLS ARE TYPE #K4. UNO.
12. ALL VENT SHIRT WALLS TO BE SET BACK 10" FROM FULL LENGTH OF FIRE RATED WALLS. UNO.
13. UNIT PLAN LAYOUTS ON SHEETS A-24, A-25, A-26.
14. ALL OWNER PARKING SPILLS SHALL INCLUDE ELEVATED INFRASTRUCTURE TO MEET SHEET A-10.8 FOR ADA PUBLIC SPACE ACCESSIBILITY REQUIREMENTS.
15. REFER TO SHEET A-10 FOR ANY TYPE A ACCESSIBILITY REQUIREMENTS.
16. REFER TO SHEET A-10 FOR ADA PUBLIC SPACE ACCESSIBILITY REQUIREMENTS.
17. ALL MECHANICAL EQUIPMENT LOCATED WITHIN ELEVATOR/MOTOR/CABLE EQUIPMENT ROOMS SHALL BE PROTECTED BY 1 HOUR FIRE RATING. UNO.

18. CONTRACTOR TO COORDINATE WITH PREPARE FIVE MINUTE TURN GUIDELINES FOR VENTING



159 South Jackson St., Suite 600
Seattle, Washington 98104 USA
+1 206 624 5670 olsonkunding.com

Olson Kundig

SOMMET BLANC
9300 MARSAC AVE
DARK CITY, UT 84060



Aspen Group USA, LLC
PO Box 980022
Park City, Utah 84098

Pool Consultant
Cloward H2O
2696 N University Ave, Suite 290
Provo, UT 84604

EPG Design
5949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer
Friday Group
88 Mainelli Road
Middlebury, VT

Code Consultant
Holmes
500 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consultant
Lerch Bates
19515 North Creek Parkway, Suite 304
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer
1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109

MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect TK, KM
project manager TM, JB, SL, MD
drawn by SK, SS, JR, CP, EA,
IT, DP

checked by JB
job no. 20062
date 11/25/24

revisions:

04/07/25	ASI 010
09/30/22	BUILDING PERMIT RESUBMITTAL #1

no. date by

IFC SET 3 OF 3
11/25/24

UNIT PLAN - TOWER C -
UNIT L

A2.4.L