




159 South Jackson St., Suite 600
Seattle, Washington 98104 USA
+1 206 834 3870 olsonkundig.com

Olson Kundig

SOMMET BLANC
9300 MARSA C AVE
PARK CITY, UT 84060



Aspen Group USA, LLC
PO Box 980022
Park City, Utah 84098

Pool Consultant
Coward H2O
2696 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect
EPG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer
Friday Group
86 Mainelli Road
Middlebury, VT

Code Consultant
Holmes
600 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer
Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consultant
Larch Bates
15015 North Creek Parkway, Suite 304
Bothell, WA 98011

Structural Engineer
Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer
O-
1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant
RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant
Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109

MEP Engineer
WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect: TK, KM
project manager: TM, JB, SS, MD
drawn by: SK, SS, JR, CP, EA
checked by: JB
job no. 2052
date 05/31/2024

revisions:
no. date by

revisions:
no. date by

revisions:
no. date by

revisions:
no. date by

revisions:
no. date by

revisions:
no. date by

revisions:
no. date by

EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL	EXTERIOR WALL 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [07 42 10] FIBERGLASS SUBFRAMING GIRT
TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W15 6" STUD N/A N/A N/A N/A	TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W15R 3.5" STUD 1-HOUR N/A N/A YES
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED FLURRED WALL IN MECHANICAL AREAS [07 13 00-5] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL [07 41 11] PREFORMED WALL PANEL	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] BOARD FORMED CONCRETE
TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W15 6" STUD N/A N/A N/A N/A	TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W32 N/A N/A N/A N/A
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] BOARD FORMED CONCRETE	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] CIP CONCRETE
TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W31 N/A N/A N/A N/A	TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W30 N/A N/A N/A N/A
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED VARIES PER STRUCT 1 1/2" 5" THERMASS [03 30 00] CIP CONCRETE [07 21 00] FOAM PLASTIC BOARD INSULATION [03 30 00-2] NOTE	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED VARIES PER STRUCT [03 30 00] CIP CONCRETE [07 13 26] BELOW MAT WATERPROOFING [07 22 00] DRAINAGE PANEL [31 00 00] EARTHWORK
TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W22 N/A N/A N/A N/A	TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W21 N/A N/A N/A N/A
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED VARIES PER STRUCT [03 30 00] CIP CONCRETE [07 13 26] BELOW MAT WATERPROOFING [07 21 00] FOAM PLASTIC BOARD INSULATION [07 22 00] DRAINAGE PANEL [31 00 00] EARTHWORK	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL [09 50 00] STEEL PLATE
TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W20 N/A N/A N/A N/A	TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W14 3.5" STUD N/A N/A N/A
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED EXT FIREPLACE SURROUND [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL [09 50 00] STEEL PLATE	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 42 10] FIBERGLASS SUBFRAMING GIRT [09 22 13] PERFORATED HAT CHANNEL [09 50 00] STEEL PLATE
TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W13 6" STUD N/A N/A N/A YES	TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W12 6" STUD N/A N/A N/A YES
EXTERIOR WALL 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [03 30 00] BOARD FORMED CONCRETE [07 13 00] W/B (CONCRETE) [07 21 16] SPRAY FOAM INSULATION [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] BOARD FORMED CONCRETE [07 13 00] W/B (CONCRETE) [07 21 16] SPRAY FOAM INSULATION [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD
TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W11R 3.5" STUD 1-HOUR N/A N/A YES	TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W11 3.5" STUD 1-HOUR N/A N/A YES
EXTERIOR WALL 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 42 10] FIBERGLASS SUBFRAMING GIRT [09 22 13] PERFORATED HAT CHANNEL [07 42 47] GPRC WALL PANEL	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 42 10] FIBERGLASS SUBFRAMING GIRT [07 42 47] GPRC WALL PANEL
TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W10R 6" STUD 1-HOUR N/A N/A YES	TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W10 6" STUD NOT RATED N/A N/A YES

INTERIOR PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR PARTITION 2-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR PARTITION 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR SHAFT WALL 2-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 29 00] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR SHAFT WALL 2-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 29 00] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD
* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE O6 6" STUD NOT RATED N/A N/A YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE N3 3.5" STUD 2-HOUR N/A N/A YES N6 6" STUD 2-HOUR N/A N/A YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE M3 3.5" STUD 1-HOUR UL U419 N/A YES M6 6" STUD 1-HOUR UL U419 N/A YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE L4 4" CH STUD 2-HOUR UL U415 B N/A YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE K4 4" CH STUD 2-HOUR UL U415 B N/A NO
INTERIOR DEMISING PARTITION 1-HOUR FIRE RATED ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 00] AIR SPACE [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR FLURRED PARTITION 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR FLURRED PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED [07 21 16] SPRAY FOAM INSULATION [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD	INTERIOR FLURRED PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD	INTERIOR PARTITION 2-HOUR FIRE RATED ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD
* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE J3 3.5" STUD 1-HOUR UL U419 60 YES J6 6" STUD 1-HOUR UL U419 60 YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE I3 3.5" STUD N/A N/A N/A YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE H1 7/8" HAT N/A N/A N/A YES H3 3.5" STUD N/A N/A N/A YES H6 6" STUD N/A N/A N/A YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE G1 1/2" H.C. N/A N/A N/A YES G2 2 1/2" STUD N/A N/A N/A YES G3 3.5" STUD N/A N/A N/A YES G6 6" STUD N/A N/A N/A YES G8 8" STUD N/A N/A N/A YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE F3 3.5" STUD 2-HOUR UL U419 55 YES F6 6" STUD 2-HOUR UL U419 55 YES
INTERIOR PARTITION 1-HOUR FIRE RATED ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR PARTITION NOT FIRE RATED ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR PARTITION 2-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD	INTERIOR PARTITION 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD	INTERIOR PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD
* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE E3 3.5" STUD 1-HOUR UL U419 55 YES E6 6" STUD 1-HOUR UL U419 55 YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE D3 3.5" STUD 2-HOUR N/A N/A 55 YES D6 6" STUD 2-HOUR N/A N/A 55 YES D8 8" STUD N/A N/A 55 YES	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE C3 3.5" STUD 2-HOUR UL U419 N/A NO C6 6" STUD 2-HOUR UL U419 N/A NO	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE B3 3.5" STUD 1-HOUR UL U419 N/A NO B6 6" STUD 1-HOUR UL U419 N/A NO	* IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE A2 2 1/2" STUD NOT RATED N/A N/A YES A3 3.5" STUD NOT RATED N/A N/A YES A6 6" STUD NOT RATED N/A N/A YES A8 8" STUD NOT RATED N/A N/A YES

ASSEMBLIES -
EXTERIOR WALLS,
INTERIOR PARTITIONS

A0.11