




159 South Jackson St., Suite 600
Seattle, Washington 98104 USA
+1 206 834 3870 olsonkundig.com

Olson Kundig

SOMMET BLANC
9300 MARSA C AVE
PARK CITY, UT 84060



Aspen Group USA, LLC
PO Box 980022
Park City, Utah 84098

Pool Consultant

Cloward A20
2696 N University Ave, Suite 290
Provo, UT 84604

Landscape Architect

ERG Design
6949 South High Tech Drive, Suite 100
Midvale, Utah 84047

Specifications Writer

Friday Group
86 Mainelli Road
Middlebury, VT

Code Consultant

Holmes
600 1st Avenue, Suite 200A
Seattle, WA 98104

Fire Protection Engineer

Jensen Hughes
One Research Drive, Suite 305C
Westborough, MA 01581

Vertical Transportation Consultant

Larch Bates
15515 North Creek Parkway, Suite 304
Bothell, WA 98011

Structural Engineer

Magnusson Klemencic Associates
1301 5th Ave, Suite 3200
Seattle, WA 98101

Lighting Designer

O-
1319 SE MLK Blvd, Suite 210
Portland, Oregon 97219

Building Envelope Consultant

RDH
2101 N 34th St
Seattle, WA 98103

Accessibility Consultant

Studio Pacifica
2144 Westlake Ave N, Suite F
Seattle, WA 98109

MEP Engineer

WSP USA
1001 Fourth Ave., Suite 3100
Seattle, WA 98154

principal architect: TK, KM
project manager: TM, JB, SS, MD
drawn by: SK, SS, JR, CP, EA
checked by: JB
job no. 2052
date 05/31/2024

revisions:

N 04/07/25 ASI 009
no. date by

IFC SET 3 OF 3

05/31/2024

ASSEMBLIES -
EXTERIOR WALLS,
INTERIOR PARTITIONS

A0.11

EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W15 6" STUD N/A N/A N/A N/A	EXTERIOR WALL 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [07 42 10] FIBERGLASS SUBFRAMING GIRT TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W15R 3 5/8" STUD 1-HOUR N/A N/A YES
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED FLURRED WALL IN MECHANICAL AREAS [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL [07 41 11] PREFORMED WALL PANEL TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W15 6" STUD N/A N/A N/A N/A	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL [07 41 11] PREFORMED WALL PANEL TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W32 N/A N/A N/A N/A N/A
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] BOARD FORMED CONCRETE TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W31 N/A N/A N/A N/A N/A	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] CIP CONCRETE TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W30 N/A N/A N/A N/A N/A
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] CIP CONCRETE [07 21 00] FOAM PLASTIC BOARD INSULATION [03 30 00-2] NOTE TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W22 N/A N/A N/A N/A N/A	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] CIP CONCRETE [07 13 26] BELOW MAT WATERPROOFING [07 22 00] DRAINAGE PANEL [31 00 00] EARTHWORK TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W21 N/A N/A N/A N/A N/A
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] CIP CONCRETE [07 13 26] BELOW MAT WATERPROOFING [07 21 00] FOAM PLASTIC BOARD INSULATION [07 22 00] DRAINAGE PANEL [31 00 00] EARTHWORK TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W20 N/A N/A N/A N/A N/A	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL [09 50 00] STEEL PLATE TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W14 3 5/8" STUD N/A N/A N/A N/A
EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED EXT FIREPLACE SURROUND [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL [09 50 00] STEEL PLATE TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W13 6" STUD N/A N/A N/A YES	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [09 22 13] PERFORATED HAT CHANNEL [09 50 00] STEEL PLATE TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W12 6" STUD N/A N/A N/A YES
EXTERIOR WALL 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [03 30 00] BOARD FORMED CONCRETE [07 13 00] WB (CONCRETE) [07 21 16] SPRAY FOAM INSULATION [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W11R 3 5/8" STUD 1-HOUR UL U419 N/A YES	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [03 30 00] BOARD FORMED CONCRETE [07 13 00] WB (CONCRETE) [07 21 16] SPRAY FOAM INSULATION [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W11 3 5/8" STUD N/A N/A N/A YES
EXTERIOR WALL 1-HOUR FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [07 42 10] FIBERGLASS SUBFRAMING GIRT [09 22 13] PERFORATED HAT CHANNEL [07 42 11] PREFORMED WALL PANEL TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W10R 6" STUD 1-HOUR UL U419 N/A YES	EXTERIOR WALL NOT FIRE RATED NOT ACOUSTIC TREATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [06 16 43] GYPSUM SHEATHING [07 13 00-5] MINERAL WOOL INSULATION [07 21 00] MINERAL WOOL INSULATION [07 42 10] FIBERGLASS SUBFRAMING GIRT [07 42 11] PREFORMED WALL PANEL TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE W10 6" STUD NOT RATED N/A N/A YES

INTERIOR PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN NOT RATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [05 50 00] STEEL PLATE * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE O6 6" STUD NOT RATED N/A N/A YES	INTERIOR PARTITION 2-HOUR FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN 2-HOUR [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE N3 3.5" STUD 2-HOUR UL U419 N/A YES N6 6" STUD 2-HOUR UL U419 N/A YES	INTERIOR PARTITION 1-HOUR FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN 1-HOUR [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE M3 3.5" STUD 1-HOUR UL U404 N/A YES M6 6" STUD 1-HOUR UL U404 N/A YES	INTERIOR SHAFT WALL 2-HOUR FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN 2-HOUR [09 29 00] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE L4 4" CH STUD 2-HOUR UL U415 B N/A YES	INTERIOR SHAFT WALL 2-HOUR FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN 2-HOUR [09 29 00] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE K4 4" CH STUD 2-HOUR UL U415 B N/A NO
INTERIOR DEMISING PARTITION 1-HOUR FIRE RATED ACOUSTIC TREATED HEAD CEILING BASE PLAN 1-HOUR *ADD EXTRA LAYER(S) OF GYPSUM TO MEET STC RATING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [07 21 00] AIR SPACE [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE J3 3.5" STUD 1-HOUR UL U419 60 YES J6 6" STUD 1-HOUR UL U419 60 YES	INTERIOR FURRED PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN NOT RATED [07 21 19] SPRAY FOAM INSULATION [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE U3 3.5" STUD N/A N/A N/A YES	INTERIOR FURRED PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN NOT RATED [07 21 00] AIR SPACE [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE H1 7/8" HAT N/A N/A N/A YES H3 3.5" STUD N/A N/A N/A YES H6 6" STUD N/A N/A N/A YES H8 8" STUD N/A N/A N/A YES	INTERIOR FURRED PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN NOT RATED [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE G1 10" H.C. N/A N/A N/A YES G2 2 1/2" STUD N/A N/A N/A YES G3 3.5" STUD N/A N/A N/A YES G6 6" STUD N/A N/A N/A YES G8 8" STUD N/A N/A N/A YES	INTERIOR PARTITION 2-HOUR FIRE RATED ACOUSTIC TREATED HEAD CEILING BASE PLAN 2-HOUR *ADD EXTRA LAYER(S) OF GYPSUM TO MEET STC RATING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE F3 3.5" STUD 2-HOUR UL U419 55 YES F6 6" STUD 2-HOUR UL U419 55 YES
INTERIOR PARTITION 1-HOUR RATED ACOUSTIC TREATED HEAD CEILING BASE PLAN 1-HOUR *ADD EXTRA LAYER(S) OF GYPSUM TO MEET STC RATING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE E3 3.5" STUD 1-HOUR UL U419 55 YES E6 6" STUD 1-HOUR UL U419 55 YES	INTERIOR PARTITION NOT FIRE RATED ACOUSTIC TREATED HEAD CEILING BASE PLAN NOT RATED [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE D3 3.5" STUD N/A N/A 55 YES D6 6" STUD N/A N/A 55 YES D8 8" STUD N/A N/A 55 YES	INTERIOR PARTITION 2-HOUR RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN 2-HOUR [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE C3 3.5" STUD 2-HOUR UL U419 N/A NO C6 6" STUD 2-HOUR UL U419 N/A NO	INTERIOR PARTITION 1-HOUR RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN 1-HOUR [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE B3 3.5" STUD 1-HOUR UL U419 N/A NO B6 6" STUD 1-HOUR UL U419 N/A NO	INTERIOR PARTITION NOT FIRE RATED NOT ACOUSTIC TREATED HEAD CEILING BASE PLAN NOT RATED [09 21 16] GYPSUM WALL BOARD [09 22 16] LIGHT GAUGE METAL FRAMING [09 21 16] GYPSUM WALL BOARD * IN SHOWERS USE: * IN BATHS AND LAUNDRY USE: [09 21 16] CEMENTITIOUS BACKER BOARD [09 21 16] MOISTURE RESISTANT GWB TAG STUD SIZE FIRE RATING UL LISTING STC RATING FLUSH BASE A2 2 1/2" STUD NOT RATED N/A N/A YES A3 3.5" STUD NOT RATED N/A N/A YES A6 6" STUD NOT RATED N/A N/A YES A8 8" STUD NOT RATED N/A N/A YES